Journal of The Chemical Society

A

Inorganic
Physical
Theoretical

Indexes

1970

THE CHEMICAL SOCIETY

Patron

Her Majesty the Queen

President

G. Porter, M.A., Ph.D., Sc.D., F.R.S.

Vice-Presidents
who have filled the office of President

H. J. Emeléus, C.B.E., M.A., D.Sc., F.R.S.
Sir Ewart Jones, M.A., D.Sc., F.R.I.C, F.R.S.
Sir Harry Melville, K.C.B., Ph.D., D.Sc., F.R.S.
Sir Ronald Nyholm, D.Sc., F.R.I.C., F.R.S.
J. Monteath Robertson, C.B.E., M.A., LL.D., F.R.S.
Lord Todd, M.A., D.Sc., F.R.I.C., F.R.S.

Vice-Presidents

D. H. R. Barton, D.Sc., Ph.D., Sc.D., F.R.S.
D. M. Hodgkin, O.M., M.A., D.Sc., F.R.S.
G. W. Kenner, Ph.D., Sc.D., F.R.S.
M. Stacey, C.B.E., Ph.D., D.Sc., F.R.S.
Sir Harold Thompson, C.B.E., D.Sc., F.R.S.

Honorary Treasurer

J. W. Barrett, Ph.D., A.R.C.S., F.R.I.C.

Honorary Secretaries

C. Eaborn, Ph.D., D.Sc., F.R.S.
W. Klyne, M.A., D.Sc., F.R.I.C.
D. H. Whiffen, M.A., D.Phil., F.R.S.

Ordinary Members of Council

M. F. Ansell, Ph.D., D.Sc., F.R.I.C.
K. W. Bentley, D.Phil., D.Sc., F.R.S.E.
J. C. Bevington, Ph.D., D.Sc., F.R.I.C.
C. F. Cullis, D.Sc., D.Phil., F.R.I.C.
A. G. Davies, Ph.D., D.Sc., F.R.I.C.
E. J. Forbes, M.A., B.Sc., D.Phil.
G. W. A. Fowles, Ph.D., D.Sc., F.R.I.C.
P. Gray, M.A., Sc.D., F.R.I.C.
C. H. Hassall, Ph.D., Sc.D., F.R.I.C.
H. G. Heal, B.Sc., A.R.C.S., Ph.D.
B. A. Hems, B.Sc., Ph.D., F.R.S.
C. Kemball, Sc.D., M.R.I.A., F.R.S.E., F.R.S.
G. W. Kirby, M.A., Ph.D.
M. L. McGlashan, M.Sc., Ph.D., D.Sc.
C. W. Rees, D.Sc., Ph.D., F.R.I.C.
A. G. Sharpe, M.A., Ph.D., F.R.I.C.
R. Slack, M.A., D.Phil., D.Sc.
J. C. Speakman, Ph.D., D.Sc.
H. Suschitzky, Ph.D., D.Sc., F.R.I.C.
G. H. Whitham, B.Sc., Ph.D., M.A.
W. Wild, B.Sc., Ph.D., A.R.I.C.

Ex Officio

A. W. Johnson, Ph.D., M.A., Sc.D., F.R.S. (Chairman of the Joint Library Committee)
Sir Ewart Jones, M.A., D.Sc., F.R.I.C., F.R.S. (Chairman of the Publications Board)

General Secretary

J. R. Ruck Keene, M.B.E., T.D., M.A.

Librarian

R. G. Griffin, F.L.A.

Managing Editor

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

©
Copyright 1971
by the Chemical Society

INDEX OF AUTHORS, 1970

A

Abraham, M. H., **Irving,** R. J., and **Johnston,** G. F. Substitution at saturated carbon. Part VI. Heats of solution of tetraethyltin and mercuric chloride in methanol–water mixtures, and the enthalpy of transfer from methanol to aqueous methanol of the tetraethyltin–mercuric chloride transition state, 199.

Abraham, M. H., and **Johnston,** G. F. Substitution at saturated carbon. Part IV. Bimolecular electrophilic substitution of tetraethyltin by mercuric chloride in methanol–water mixtures. Kinetics, mechanism, and activation parameters. Part V. The bimolecular electrophilic substitution of several tetra-alkyltins by mercuric chloride in methanol–water mixtures. Kinetics, mechanism, and activation parameters, 188, 193.

Abraham, M. H., **Oliver,** J. F. C., and **Richards,** J. A. Substitution at saturated carbon. Part VII. Thermodynamics of solution of mercuric chloride in methanol–water mixtures, 203.

Adams, D. M., and **Churchill,** R. G. Programme for normal co-ordinate calculations; vibrational analysis of diborane and halides M_2X_6 (M = Al, Ga, or In), 697.

Adams, D. M., and **Newton,** D. C. Tables for factor-group analysis of the vibrational spectra of solids, 2822.

Adams, D. M., and **Squire,** A. Vibrational spectra of π-benzenetricarbonylchromium and related compounds, 814.

Vibrational spectra of the chloro- and bromo-π-allylpalladium dimers and of the π-2-methylallyl analogues, 1808.

Adams, M. J., **Hodgkin,** D. C., and **Raeburn,** U. A. Crystal structure of a complex of mercury(II) chloride and histidine hydrochloride, 2632.

Adamson, G. W., and **Bart,** J. C. J. Crystal and molecular structure of diphenylfluoro-*N*-methylphosphine imide, $Ph_2FP{:}NMe$, 1452.

Adamson, G. W., and **Daly,** J. J. Crystal and molecular structure of 2,2,4,4,6,6-hexamethyl-1,3,5-tris(trimethylsilyl)cyclotrisilazane, $C_{18}H_{45}N_3Si_6$, a compound containing a six-membered ring in the ' boat ' form, 2724.

Addison, A. W., and **Gillard,** R. D. Superoxide-bridged binuclear complexes of rhodium(III), 2523.

Addison, C. C., **Barker,** M. G., and **Lintonbon,** R. M. Reactions of the oxides of niobium with liquid potassium, 1465.

Addison, C. C., **Davis,** R., and **Logan,** N. Nitratopentacarbonylrhenium(I), 3333.

Advani, A. T., **Barnes,** D. S., and **Pettit,** L. D. Absence of stereoselectivity in complexes of optically active and racemic 1,2-diamines, 2691.

Advani, A. T., **Irving,** H. M. N. H., and **Pettit,** L. D. Formation constants of bis- and tris-complexes of optically active bidentate ligands, 2649.

Agrawal, M. C. See **Jindal,** V. K., 2060.

Ahlijah, G. Y., and **Goldstein,** M. Far-infrared and Raman spectra of tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), 326.

The far-infrared and Raman spectra of the tetra-alkylammonium salts of mixed tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), $[R_4N][MX_3Y]$, 2590.

Ahuja, I. S., and **Rastogi,** P. Dimeric tetrahedral complexes of mercury(II) chloride and bromide with some pyridine *N*-oxides, 378.

Complexes of pyridines and methylpyrazine with some zinc(II), cadmium(II), and mercury(II) salts, 2161.

Aiello, R., and **Barrer,** R. M. Hydrothermal chemistry of silicates. Part XIV. Zeolite crystallisation in presence of mixed bases, 1470.

Airey, W., and **Sheldrick,** G. M. Preparation and properties of some trifluorosilyl esters of perfluorocarboxylic acids, 1222.

Alexander, E. S., **Haszeldine,** R. N., **Newlands,** M. J., and **Tipping,** A. E. Polyfluoroalkyl compounds of silicon. Part IX. Silanes containing the bis(trifluoromethyl)-amino-group, 2285.

Allen, D. W., and **Mann,** F. G. Co-ordination of *NNN'N'*-tetramethylethylenediamine and 1,4-dimethylpiperazine with certain transition metals. The identity of the supposed iridium derivatives, 999.

Allen, E. A., **Johnson,** N. P., **Rosevear,** D. T., and **Wilkinson,** W. Complexes with ligands containing Group VB and VIB atoms. Part II. Complexes of palladium(II) and platinum(II) halides with thiomorpholine and thiomorpholin-3-one, 2137.

Allen, F. H., **Pidcock,** A., and **Waterhouse,** C. R. Phosphite and phosphonate complexes. Part II. Nuclear magnetic resonance spectra of triphenyl phosphite and dialkyl and diphenyl phosphate complexes of rhodium, palladium, and platinum. An order of *trans*-influence for ligands in platinum(II) complexes, 2087.

Allen, F. H., **Trotter,** J., and **Williston,** C. S. Crystal structure of 4-biphenylylferrocene, 907.

Allen, G. C., and **Clack,** D. W. Molecular orbital calculations on transition-metal complexes. Part I. Hexafluorometallate(II) ions, 2668.

Allred, A. L. See **Kandil,** S. A., 2987.

Anderson, J. W., and **Drake,** J. E. Preparation and properties of some primary silyl- and germyl-arsines, 3131.

Andersson, L.-O., **Mason,** J., and **Bronswijk,** W. van. Nitrogen nuclear magnetic resonance. Part I. The nitroso (nitrosyl) group, 296.

Andon, R. J., **Counsell,** J. F., **Lees,** E. B., and **Martin,** J. F. Thermodynamic properties of organic oxygen compounds. Part XXIII. Low-temperature heat capacity and entropy of C_6, C_7, and C_9 ketones, 833.

Angoletta, M. See **Malatesta,** L., 1836.

Apelblat, A. Extraction of hydrochloric acid and sulphuric acid by solutions of tributyl phosphate in carbon tetrachloride, benzene, and chloroform, 1271.

Archer, M. D., and **Spiro,** M. Heterogeneous catalysis in solution. Part VI. The effect of solids on the aquation of two halogenopenta-amminecobalt(III) ions. Part VII. Catalysis of the aquation of the bromopenta-amminecobalt(III) ion by mercuric sulphide and silver bromide. Part VIII. Catalysis of the aquation of the bromopenta-amminecobalt(III) ion by metallic platinum, **68, 73, 78.**

The rate of reduction by solid silver of the chloro- and bromo-penta-amminecobalt(III) ions in aqueous acid solution, **82.**

Armstrong, D. R., and **Perkins,** P. G. Electronic structure of dimeric aminoborane, $(NH_2BH_2)_2$, **2748.**

Aroney, M. J., **Le Fèvre,** R. J. W., and **Vaughan,** H. J. Molecular polarisability. The conformation of bispyridinezinc(II) chloride as a solute, **2224.**

Arrington, D. E., **Moeller,** T., and **Paul,** I. C. Crystal and molecular structure of the monophenylsulphanuric fluoride trimer (3,5-difluoro-1,3,5-trioxo-1-phenylcyclotriazathiane), **2627.**

Ashcroft, S. J. Thermochemistry of thiourea complexes of the type $[M^{II}(tu)_4Cl_2]$ (M^{II} = manganese, iron, cobalt, nickel, zinc, cadmium, and mercury), **1020.**

Ashcroft, S. J. See also **Beech,** G., **2903.**

Ashley-Smith, J., **Green,** M., and **Stone,** F. G. A. Reactions of low-valent metal complexes with fluorocarbons. Part XIV. Hexafluoroisopropylideneamine-nickel and -platinum complexes, **3161.**

Ashley-Smith, J., **Green,** M., and **Wood,** D. C. Mechanism of fluoro-olefins to iridium(I) and platinum(0) complexes, **1847.**

Ashurst, K. G., **Finkelstein,** N. P., and **Rice,** N. M. Studies of cyanide-xanthate mixed ligand complexes of mercury(II) in aqueous solution, **2302.**

Atkinson, J. R., **Baughan,** E. C., and **Dacre,** B. Antimony halides as solvents. Part VI. Some cryoscopic measurements in antimony trichloride, **1377.**

Attioli, G. See **Collamati,** I., **1694.**

Aubke, F. See **Yeats,** P. A., **2188.**

B

Bacci, M. See **Midollini,** S., **2964.**

Baggio, S. Crystal and molecular structure of thiosulphatopenta-aminecobalt(III) chloride monohydrate, **2384.**

Bagley, M. J., **Nicholls,** D., and **Warburton,** B. A. Pyrazole complexes of cobalt(II), **2694.**

Bailey, J. E., **Beetlestone,** J. G., and **Irvine,** D. H. Reactivity differences between haemoglobins. Part XVII. The variability of the Bohr effect between species and the effect of 2,3-diphosphoglyceric acid on the Bohr effect, **756.**

Bailey, J. E., **Beetlestone,** J. G., **Irvine,** D. H., and **Ogunmola,** G. B. Reactivity differences between haemoglobins. Part XVI. A correlation between the amino-acid composition of methaemoglobins and their reactivity towards azide ion, **749.**

Bailey, M. F. See **Whimp,** P. O., **1956.**

Bailey, R. T. The molecular spectra of quasi-aromatic heterocyclic compounds. Part I. The thiuret cation, **1386.**

Baker, D., **Dudley,** C. W., and **Oldham,** C. Metal–triketone complexes. Part II. Copper complexes exhibiting antiferromagetism, **2608.**

Baker, E. N., **Hall,** D., and **Water,** T. N. Conformational influences in copper co-ordination compounds. Part II. Crystal structure of the methylammonium perchlorate adduct of *NN'*-ethylenebis(acetylacetoneiminato)copper(II). Part III. Crystal structure of the *p*-nitrophenol adduct of *NN'*-ethylenebis(salicylideneiminato)copper(II). Part IV. Crystal structure of the chloroform adduct of *NN'*-ethylenebis(salicylideneiminato)copper(II), **396, 400, 406.**

Ball, M. C., and **Norwood,** L. S. Studies in the system calcium sulphate–water. Part III. Kinetics of dehydration of α-calcium sulphate hemihydrate, **1476.**

Ball, M. C., and **Urie,** R. G. Studies in the system calcium sulphate–water. Part II. The kinetics of dehydration of β-$CaSO_4,\frac{1}{2}H_2O$, **528.**

Ballard, R. E., and **Park,** C. H. Optical absorption band-shapes of Acridine Orange, Thionine, and Methylene Blue in monomeric and dimeric states, **1340.**

Bancroft, G. M., **Mays,** M. J., and **Prater,** B. E. A Mössbauer study of structure and bonding in iron(II) low-spin compounds, **956.**

Bancroft, G. M., **Mays,** M. J., **Prater,** B. E., and **Stefanini,** F. P. Cationic hydride complexes of iron, ruthenium, and osmium, including a triad of molecular nitrogen complexes, **2146.**

Bandoli, G., **Bortolozzi,** G., **Clemente,** D. A., **Croatto,** U., and **Panattoni,** C. Crystal and molecular structure of triphenylphosphine oxide, **2778.**

Bandoli, G. See also **Bombieri,** G., **1313.**

Banerjee, A. K., **Layton,** A. J., **Nyholm,** R. S., and **Truter,** M. R. Alkali-metal complexes. Part II. Compounds with two different ligands, salicylic acid, *o*-nitrophenol, isonitrosoacetophenone, 1-nitroso-2-naphthol, and 8-hydroxyquinoline, **292.**

Banerjee, A. K. See also **Layton,** A. J., **1894.**

Banister, A. J., and **Bell,** B. Synthesis of some trimeric sulphanuric compounds: methylsulphanuric dichloride, bis(dichlorophenyl)sulphanuric chloride, di(n-octylamino)- and bis(diethylamino)-sulphanuric fluorides, **1659.**

Baraniak, E., **Freeman,** H. C., **James,** J. M., and **Nockolds,** C. E. Structural and spectroscopic study of carbonatodiaquobisimidazolecobalt(II), a bidentate carbonato-complex of cobalt(II), **2558.**

Barat, F., **Gilles,** L., **Hickel,** B., and **Sutton,** J. Flash photolysis of the nitrate ion in aqueous solution: excitation at 200 nm, **1982.**

Barbucci, R., **Paoletti,** P., and **Vacca,** A. Predictions of the enthalpies of protonation of amines. Log K, ΔH, and ΔS values for the protonation of ethylenediamine and tri-, tetra-, penta-, and hexa-methylenediamine, **2202.**

Barker, M. G. See **Addison,** C. C., **1465.**

Barnes, D. J. See **Hay,** R. W., **3337.**

Barnes, D. S. See **Advani,** A. T., **2691.**

Barnes, J. C., and **Duncan,** C. S. Thermal decomposition and spectra of some anhydrous and some hydrated metal chloride–dioxan adducts, **1442.**

Barnes, S. B. See **Symons,** M. C. R., **2000.**

Barrer, R. M., and **Cole,** J. F. Chemistry of soil minerals. Part VI. Salt entrainment by sodalite and cancrinite during their synthesis, **1516.**

Barrer, R. M., **Cole,** J. F., and **Villiger,** H. Chemistry of soil minerals. Part VII. Synthesis, properties, and crystal structures of salt-filled cancrinites, **1523.**

Barrer, R. M., and **Jones,** D. L. Chemistry of soil minerals. Part VIII. Synthesis and properties of fluorhectorites, 1531.

Barrer, R. M., and **Kanellopoulos,** A. G. The sorption of ammonium chloride vapour in zeolites. Part I. Hydrogen chloride and ammonia. Part II. Mixture of hydrogen chloride and ammonia, 765, 775.

Barrer, R. M., and **Marcilly,** C. Hydrothermal chemistry of silicates. Part XV. Synthesis and nature of some salt-bearing aluminosilicates, 2735.

Barrer, R. M., and **Murphy,** E. V. T. Influence of decationation and dealumination on sorption by mordenite and clinoptilolite, 2506.

Barrer, R. M. See also **Aiello,** R., 1470.

Bart, J. C. J., and **Daly,** J. J. Crystal and molecular structure of 2,6-dimethyl-4-phenylphosphorin, 567.

Bart, J. C. J. See also **Adamson,** G. W., 1452.

Bartlett, E. H., and **Johnson,** M. D. σ-Bonded organo-transition-metal ions. Part XI. Kinetics and mechanism of the reactions of pyridiomethylpentacyanocobaltate(III) ions with thallium(III), mercury(II), indium(III), and gallium(III) chloride in aqueous acid. Part XII. Bimolecular displacement of cobalt(III) from organopentacyanocobaltate(III) ions and of chromium(III) from penta-aquo-organochromium(III) ions by nitrosating species, 517, 523.

Bates, A. J., **Leszczyński,** Z. K., **Phillipson,** J. J., **Wells,** P. B., and **Wilson,** G. R. The hydrogenation of alkadienes. Part IV. The reaction of buta-1,3-diene with deuterium catalysed by rhodium, palladium, and platinum, 2435.

Baughan, E. C. See **Atkinson,** J. R., 1377, and **Porter,** G. B., 2806.

Baxendale, J. H., **Rodgers,** M. A. J., and **Ward,** M. D. Radiolysis of aqueous solutions of ruthenium(III) hexaammine chloropenta-ammine, 1246.

Beadle, P. J., **Grzeskowiak,** R., **Goldstein,** M., and **Goodgame,** D. M. L. Metal complexes of azopyridines. Part III. Complexes of nickel(II) and copper(II) with 2,2′-azopyridine, 305.

Beagley, B. See **Clark,** A. H., 46, 872, 1613, and **Glidewell,** C., 315.

Bear, C. A., **Waters,** J. M., and **Waters,** T. N. The colour isomerism and structure of copper co-ordination compounds. Part XX. Crystal structure of di-μ-*NN′-m*-phenylene-tetrakis(salicylideneiminato)dicopper(II), 2494.

Beattie, I. R., and **Gilson,** T. R. The single-crystal Raman spectra of nearly opaque materials. Iron(III) oxide and chromium(III) oxide, 980.

Beattie, I. R., and **Horder,** J. R. Gas-phase Raman spectra of some dihalides of zinc and mercury, of ' $GaCl_2$ ' and of $GaCl_2Br$ and $GaBr_2Cl$, 2433.

Beattie, I. R., **Horder,** J. R., and **Jones,** P. J. A study of the structure of tellurium tetrachloride in the gas phase and in solution in acetonitrile and benzene by use of Raman spectroscopy, 329.

Beattie, I. R., **Livingston,** K. M. S., **Ozin,** G. A., and **Reynolds,** D. J. Single-crystal Raman spectra of arsenolite (As_4O_6) and senarmonite (Sb_4O_6). The gas-phase Raman spectra of P_4O_6, P_4O_{10}, and As_4O_6, 449.

Beattie, I. R., **Livingstone,** K. M. S., **Reynolds,** D. J., and **Ozin,** G. A. Vibrational spectra of some oxide halides of the transition elements with particular reference to gas-phase and single-crystal Raman spectroscopy, 1210.

Beattie, I. R., and **Ozin,** G. A. Vibrational spectra, vibrational analysis, and shapes of some 1 : 1 and 1 : 2 addition compounds of Group IV tetrahalides with trimethylamine and trimethylphosphine, 370.

Beattie, I. R., **Ozin,** G. A., and **Perry,** R. O. The gas-phase Raman spectra of P_4, P_2, As_4, and As_2. The resonance fluorescence spectrum of $^{80}Se_2$. Resonance fluorescence–Raman effects in the gas-phase spectra of sulphur and I_2. The effect of pressure on the depolarization ratios for I_2, 2071.

Beattie, I. R., and **Perry,** R. O. Gas-phase Raman spectra and resonance fluorescence spectra of some halides of germanium, tin, lead, and tellurium, 2429.

Beattie, J. K. See **Elsbernd,** H., 2598.

Beaumont, A. G., and **Gillard,** R. D. Reactions of complex compounds of cobalt(III). Part V. Studies on the mechanism of oxidative degradation of co-ordinated salicylic acid, 1757.

Beech, G., **Marr,** G., and **Ashcroft,** S. J. The thermochemistry of some acetonitrile and benzonitrile complexes of transition-metal halides, 2903.

Beech, G., **Marr,** G., and **Rockett,** B. W. Thermochemical and spectroscopic properties of transition-metal complexes. Part II. Cobalt complexes of the type CoL_2X_2 (L = *o*-, *m*-, or *p*-fluoroaniline, and X = chlorine, bromine, or iodine), 795.

Beetlestone, J. G., **Ige,** R. O., and **Irvine,** D. H. Reactivity differences between haemoglobins. Part XVII. Reaction of sperm whale metmyoglobin and some methaemoglobins with methylamine, 1368.

Beetlestone, J. G. See also **Bailey,** J. E., 749, 756.

Begum, A., **Subramanian,** S., and **Symons,** M. C. R. Oxides and oxy-ions of the non-metals. Part XI. Electron spin resonance study of the BrO_3 radical in γ-irradiated potassium bromate, 918.

Unstable intermediates. Part LXVIII. Electron spin resonance studies of the radicals O_3PF^- and O_2PF_2. Part LXXI. Electron spin resonance spectra of γ-irradiated trimethyl phosphate, 1323, 1334.

Bell, B. See **Banister,** A. J., 1659.

Belluco, U. See **Busetto,** L., 474, **Clark,** R. J. H., 659, **Crociani,** B., 531, and **Uguagliati,** P., 363.

Bendazzoli, G. L., **Bernardi,** F., **Palmieri,** P., and **Zauli,** C. Interatomic exchange and π-bonding involving outer *d*-orbitals, 2357.

Bennett, J., **Pidcock,** A., **Waterhouse,** C. R., **Coggon,** P., and **McPhail,** A. T. Phosphite and phosphonate complexes. Part III. *trans*-Influence in mercury(II) complexes. ^{199}Hg–^{31}P coupling constants in (diethyl phosphonato)mercury(II) complexes and an *X*-ray crystal structure analysis of chloro(diethyl phosphonato)mercury(II), 2094.

Bennett, M. A., **Clark,** R. J. H., and **Goodwin,** A. D. J. Tertiary phosphine complexes of chromium(III), 541.

Bennett, S. W., **Eaborn,** C., **Hudson,** A., **Jackson,** R. A., and **Root,** K. D. J. An electron spin resonance study of some silyl radicals, 348.

Bentley, R. B., **Mabbs,** F. E., **Smail,** W. R., **Gerloch,** M., **Lewis,** J. Electron spin resonance and bulk paramagnetism studies of some diarylbis(diethylphenylphosphine)-cobalt(II) complexes, 3003.

Benton, D. J., and **Moore,** P. Kinetics and mechanism of the formation and decay of peroxynitrous acid in perchloric acid solutions, 3179.

Bentrude, W. G. See **Mazhar-ul-Haque,** 1786.

Bergen, A. van den, **Cozens,** R. J., and **Murray,** K. S. Some organometallic and 'simple' Schiff-base chelates of tin(IV), 3060.

Bernardi, F. See **Bendazzoli,** G. L., 2357.

Bew, M. J., **Billing,** D. E., **Dudley,** R. J., and **Hathaway,** B. J. The single-crystal electronic and electron spin resonance spectra of the rhombically compressed complex bis(methoxyacetato)diaquocopper(II), 2640.

Bew, M. J. See also **Hathaway,** B. J., 1090.

Bhargava, A. P., **Swaroop,** R., and **Gupta,** Y. K. Copper-catalysed oxidation of hydrazine by peroxydisulphate in acid solution, 2183.

Bhat, S. N. See **Murthy,** A. S. N., 1251.

Biagini, S., and **Cannas,** M. Structure and stability of polyamine complexes. Crystal and molecular structures of bis[di-(3-aminopropyl)amine]nickel(II) perchlorate and bis[di(2-aminoethyl)amine]nickel(II) chloride monohydrate, 2398.

Biddlestone, M., and **Shaw,** R. A. Phosphorus–nitrogen compounds. Part XXX. The reaction of phenylmagnesium bromide and diphenylmagnesium with octachlorocyclotetraphosphazatetraene, 1750.

Billing, D. E. Electron spin resonance spectrum of the copper(II) ion incorporated into barium chloride dihydrate, 2099.

Billing, D. E., **Hathaway,** B. J., and **Nicholls,** P. The single-crystal electronic and electron spin resonance spectra of calcium copper(II) acetate hexahydrate, 1877.

Billing, D. E. See also **Bew,** M. J., 2640, and **Hathaway,** B. J., 806, 1090, 1420.

Bingham, D., and **Burnett,** M. G. Kinetics of the oxidation of the hexacyanodinickelate(I) anion by water, 2165.

Birchall, T., and **Drummond,** I. Nuclear magnetic resonance spectra of phenylsilane, phenylgermane, and their anions: comments on the relative acidities of phenylgermane and germane, 1401.

Raman spectra of the germyl ion and liquid ammonia, 1859.

Bird, B. D., **Day,** P., and **Grant,** E. A. Low-temperature charge-transfer spectra of hexahalogeno-iridates(IV) and -osmates(IV), 100.

Bishop, E. O., **Carey,** P. R., **Nixon,** J. F., and **Swain,** J. R. Partial second-order effects in $[A_mB_nX]$ systems; re-interpretation of the fluorine-19 nuclear magnetic resonance spectrum of caesium *trans*-bis(trifluoromethyl)-tetrafluorophosphate, $Cs^+[(CF_3)_2PF_4]^-$, 1074.

Blackmore, T., **Bruce,** M. I., **Davidson,** P. J., **Iqbal,** M. Z., and **Stone,** F. G. A. Metal derivatives of hexafluoroisopropyl alcohol and related compounds, 3153.

Bloom, M. B. D., **Eachus,** R. S., and **Symons,** M. C. R. Oxides and oxyions of the non-metals. Part XII. An electron spin resonance spectroscopic study of the chlorate anion centre in irradiated barium sulphate, 1235.

Bombieri, G., **Forsellini,** E., **Graziani,** R., and **Tondello,** E. Crystal and molecular structure of dinitrato-(*NNN'N'*-tetramethyl-*o*-phenylenediamine)nickel(II), 3349.

Bombieri, G., **Forsellini,** E., **Panattoni,** C., **Graziani,** R., and **Bandoli,** G. Crystal and molecular structure of tetracyanoethylenebis(triphenylphosphine)platinum(0), 1313.

Bombieri, G., **Graziani,** R., **Panattoni,** C., **Volponi,** L., **Clark,** R. J. H., and **Natile,** G. Structural investigations on rhodium(III) complexes. Part II. Crystal structure of *mer*-trichlorobis-(*o*-dimethylaminophenyldimethylarsine)-rhodium(III), 14.

Booth, B. L., and **Hargreaves,** R. G. Reactions between methyl-, acetyl-, and phenyl-pentacarbonylmanganese and acetylenes, 308.

Booth, B. L., **Haszeldine,** R. N., and **Taylor,** M. B. Metal carbonyl chemistry. Part XII. Reactions of metal carbonyl anions with some perfluoroaromatic compounds, 1974.

Booth, B. L., **Haszeldine,** R. N., and **Woffenden,** N. P. Metal carbonyl chemistry. Part XIII. Kinetic studies on the reactions of phenyl- and benzoyl-manganese carbonyl complexes with the ligand 4-ethyl-2,6,7-trioxa-1-phosphabicyclo[2,2,2]octane, 1979.

Börcsök, S. See **Solymosi,** F., 601.

Bortolozzi, G. See **Bandoli,** G., 2778.

Boschi, T., **Crociani,** B., **Cattalini,** L., and **Marangoni,** G. Far-infrared spectra of four-co-ordinate planar gold(III) complexes, 2408.

Boschi, T. See also **Crociani,** B., 531.

Bosnich, B., and **Phillip,** A. T. The absolute configurations and circular dichroism spectra of a series of cobalt(III) complexes containing a stereoselective quadridentate ligand, 264.

Bossa, M., and **Maraschini,** F. Molecular orbital linear combination of atomic orbitals calculation and electronic spectra of phenylboronic acid and triphenylboroxine, 1416.

Bott, H. L., **Poë,** A. J., and **Shaw,** K. Ion pairing and possible nucleophilic assistance in anation reactions of some aquorhodium(III) complexes, 1745.

Bowen, H. J. M. Absorption by polyurethane foams; new method of separation, 1082.

Boyd, R. J., and Whitehead, M. A. Evaluation of one-centre coulomb integrals in semi-empirical molecular orbital theory, 2469.

Bradford, C. W., **Bronswijk,** W. van, **Clark,** R. J. H., and **Nyholm,** R. S. Syntheses, structures, reactions, and vibrational spectra of complexes containing osmium–gold bonds: tri-nuclear osmium and related complexes, 2889.

Branton, G. R., **Brion,** C. E., **Frost,** D. C., **Mitchell,** K. A. R., and **Paddock,** N. L. Phosphonitrilic derivatives. Part XVIII. Ionisation potentials, orbital symmetry, and π-electron interactions, 151.

Breakspere, R. J., and **Gregg,** S. J. A study of the reaction of cadmium vapour with oxygen by the highly dilute flame method, 1468.

Brennan, J. P. See **Hohnstedt,** L. F., 2455.

Briggs, A. G. See **Wilson,** J. M., 1024.

Briggs, E. M., and **Hill,** A. E. Complexes of transition metals with oxygen donor ligands. Part II. Some complexes of 2,6-dimethyl-4-pyrone with metal nitrates, 2008.

Brion, C. E. See **Branton,** G. R., 151.

Bronswijk, W. van. See **Andersson,** L.-O., 296, **Bradford,** C. W., 2889, and **Mason,** J., 1763.

Brown, C. K., and **Wilkinson,** G. Homogeneous hydroformylation of alkenes with hydridocarbonyltris(triphenylphosphine)rhodium(I) as catalyst, 2753.

Brown, C. K. See also **Yagupsky,** G., 1392, and **Yagupsky,** M., 937.

Brown, D., and **Easey,** J. F. Protactinium(V) fluorides, 3378.

Brown, D., **Hill,** J., and **Rickard,** C. E. F. Preparation of actinide bromides and bromo-complexes by use of liquid boron tribromide or liquid bromine, 476.

Preparation, crystallographic, and infrared properties of some actinide tetrahalide–phosphine oxide complexes, 497.

Brown, D., **Holah,** D. G., and **Rickard,** C. E. F. Structure of thorium(IV) tetrakis-(*NN*-diethyldithiocarbamate), 423.

NN-Diethyldithiocarbamate complexes of trivalent lanthanide and actinide elements and the crystal structure of tetraethylammonium neptunium(III) tetrakis-(*NN*-diethyldithiocarbanate), 786.

Brown, D., and **Rickard,** C. E. F. Quinquevalent protactinium and quadrivalent actinide tropolonates, 3373.

Brown, D. See also **Fuger,** J., 763.

Brown, D. H., **Crosbie,** K. D., **Darragh,** J. I., **Ross,** D. S., and **Sharp,** D. W. A. Reactions of phosphorus and sulphur fluorides with dialkylamino- and alkylthio-derivatives, 914.

Brown, M. P., **Heseltine,** R. W., **Smith,** P. A., and **Walker,** P. J. An infrared study of co-ordinated BH_3 and BH_2 groups as proton acceptors in hydrogen bonding, 410.

Bruce, M. I., **Iqbal,** M. Z., and **Stone,** F. G. A. *ortho*-Metalation reactions. Part I. Reactions of azobenzene with some carbonyl complexes of sub-groups VI, VII, and VIII, 3204.

Bruce, M. I., **Sharrocks,** D. N., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part LVIII. Reactivity of the tricarbonylcyclopentadienyltungstate anion $[(\pi\text{-}C_5H_5)W(CO)_3]^-$, towards fluorocarbons, 680.

Bruce, M. I. See also **Blackmore,** T., 3153.

Brückner, S., **Crescenzi,** V., and **Quadrifoglio,** F. Rate of electron transfer between cobalt complex ions in aqueous polyelectrolyte solutions, 1168.

Bryan, R. F., and **Greene,** P. T. Metal–metal bonding in co-ordination complexes. Part IX. Crystal structure of *trans*-di-μ-carbonyl-dicarbonyldi-π-cyclopentadienyldi-iron (Fe–Fe), a redetermination, 3064.

Bryan, R. F., **Greene,** P. T. **Newlands,** M. J., and **Field,** D. S. Metal–metal bonding in co-ordination complexes. Part X. Preparation, spectroscopic properties, and crystal structure of the *cis*-isomer of di-μ-carbonyl-dicarbonyldi-π-cyclopentadienyldi-iron (Fe–Fe), 3068.

Bryan, R. F. See also **Greene,** P. T., 1696, 2261, and **Melson,** G. A., 2247.

Buckley, A. N., **Rumbold,** B. D., **Wilson,** G. V. H., and **Murray,** K. S. Mössbauer effect and susceptibility studies of a dimeric Schiff-base iron(III) adduct, 2298.

Buick, A. R., **Kemp,** T. J., **Neal,** G. T., and **Stone,** T. J. Electron spin resonance studies of reduction by solvated electrons in liquid ammonia. Part III. Aromatic carboxylic acids, 2227.

Bullen, G. J., and **Clark,** N. H. Crystallographic studies of the boron–nitrogen bond in aminoboranes. Part II. Crystal structure of (dimethylamino)dimethylborane at −95°C, 992.

Bullen, G. J., and **Mallinson,** P. R. Crystallographic studies of the boron–nitrogen bond in aminoboranes. Part III. Crystal and molecular structure of tri-(1,3,2-benzodioxaborol-2-yl)amine, 2213.

Bullock, J. I., and **Jones,** S. L. Nickel(II) and zinc(II) complexes of 2-alkoxyphenols, 2472.

Bunbury, D. St. P. See **Frank,** E., 2143.

Burgess, J. Kinetics of peroxodisulphate oxidation of dicyanobis-(2,2′-bipyridyl)iron(II) and of related compounds, 2114.

Kinetics of aquation and of peroxodisulphate oxidation in aqueous acetonitrile, 2351.

Aquation of *cis*-dichlorobis(ethylenediamine)cobalt(III) in mixed aqueous solvents, 2703.

Burgess, J., and **Prince,** R. H. Kinetics of reaction of peroxodisulphate with the 5-nitro-, 3-sulphonato- and 5-sulphonato-substituted derivatives of the tris-(1,10-phenanthroline)iron(II) cation in aqueous solution, 2111.

Burnett, M. G. The effect of ionic activity and association on the kinetics of ionic reactions. Part I. The estimation of ionic activity coefficients in solutions of constant or varying ionic strength. Part II. The kinetics and equilibria of chloride substitution in aquopenta-amminecobalt(III) ions. Part III. The kinetics and equilibria of sulphate substitution in aquopenta-amminecobalt(III) ions, 2480, 2486, 2490.

Burnett, M. G. See also **Bingham,** D., 2165.

Burt, R., **Cooke,** M., and **Green,** M. Reaction of fluoro-olefins with iron and ruthenium carbonyl complexes, 2975.

Reaction of hexafluorobut-2-yne with carbonyl complexes of iron, ruthenium, and osmium, 2981.

Busetti, V. See **Pecile,** C., 690.

Busetto, L., **Carturan,** G., **Palazzi,** A., and **Belluco,** U. Reactions of *trans*-chlorodicarbonyl(cyano-olefin)rhodium complexes of the type *trans*-$[Rh(CO)_2LXCl]$ (L = ligand, X = cyano-olefin) with bidentate ligands, 474.

Bush, M. A., and **Sim,** G. A. Metal–carbonyl and metal–nitrosyl complexes. Part VIII. Molecular structure of isocyanatocyclopentadienyldinitrosylchromium. Part IX. Molecular structures of *cis*- and *trans*-di-μ-dimethylamido-bis(cyclopentadienylnitrosylchromium), 605, 611.

Bush, R. P., **Lloyd,** N. C., and **Pearce,** C. A. Preparation and properties of trimethylsilylated cyclosiloxazanes: a new anionic rearrangement of *N*-lithiocyclosiloxazanes, 1587.

Butcher, A. V., and **Chatt,** J. Complexes of tertiary phosphines and tertiary arsines with molybdenum(IV), 2652.

Butter, S. A., and **Chatt,** J. Dihalogenodi-[1,2-bis(dimethylphosphino)ethane]rhodium(III) and related carbonyl- and hydrido-complexes, 1411.

Buttery, H. J., **Keeling,** G., **Kettle,** S. F. A., **Paul,** I., and **Stamper,** P. J. Solid-state studies. Part III. Raman- and infrared-active carbonyl stretching vibrations of 1,3- and 1,4-dimethylbenzenetricarbonylchromium, 471.

C

Cadman, P., **Day,** M., and **Trotman-Dickenson,** A. F. Pyrolysis of 4-chlorobut-1-ene, 2058.

Shock tube pyrolyses. Part I. The thermal decomposition of isopropyl chloride, ethyl fluoride, and n-propyl fluoride, 2498.

Cadman, P., **Dodwell,** C., **Trotman-Dickenson,** A. F., and **White,** A. J. The kinetics of hydrogen abstraction by difluoroamino-radicals, from propionaldehyde, and n- and iso-butyraldehyde, and their acyl radical decompositions, 2371.

Cadman, P., **Inel,** Y., and **Trotman-Dickenson,** A. F. Disproportionation of trifluoromethyl and isopropyl radicals, 1207.

Cadman, P., **Ratajczak,** E., and **Trotman-Dickenson,** A. F. Thermal isomerisation of methyl-, trifluoromethyl-, methoxy-, and hydrogen-substituted fluorinated benzene isomers, 2109.

Cadman, P., **Trotman-Dickenson,** A. F., and **White,** A. J. The kinetics of hydrogen abstraction by difluoroamino-radicals, from acetaldehyde, n- and iso-valeraldehyde, and their acyl radical decompositions, 3189.

Caglio, G. See **Malatesta,** L., 1836.

Calligaris, M., **Ciana,** A., **Meriani,** S., **Nardin,** G., **Randaccio,** L., and **Ripamonti,** A. Structure and polymeric nature of zinc(II) and cobalt(II) phosphinothionates, 3386.

Calligaris, M., **Minichelli,** D., **Nardin,** G., and **Randaccio,** L. Structural aspects of the synthetic oxygen-carrier *NN'*-ethylenebis(salicylideneiminato)cobalt(II). Part II. Crystal and molecular structure of the monopyridine complex, 2411.

Calligaris, M., **Nardin,** G., **Randaccio,** L., and **Ripamonti,** A. Structural aspects of the synthetic oxygen-carrier *NN'*-ethylenebis(salicylideneiminato)cobalt(II): structure of the addition compound with oxygen containing dimethylformamide, 1069.

Calligaris, M., **Nardin,** G., and **Ripamonti,** A. Crystal and molecular structure of zinc(II) and cobalt(II) diethyldithiophosphinates, 714.

Campbell, C. H., and **Green,** M. L. H. Evidence for a 1,2-shift mechanism for the rearrangement of σ-cyclopentadienyl compounds of iron, ruthenium, and copper, 1318.

Campbell, M. J. M., **Card,** D. W., **Grzeskowiak,** R., and **Goldstein,** M. Complexes of 2-aminobenzothiazole with cobalt(II) and nickel(II), 672.

Campbell, M. J. M., **Grzeskowiak,** R., and **Taylor,** F. B. Magnetic properties of some copper(II) complexes of 2,2′-azopyridine, semicarbazide, thiosemicarbazide, and 2,3-dimethylquinoxaline, 19

Candlin, R., and **Harding,** M. M. Crystal and molecular structure of D-histidino-L-histidinocobalt(II) dihydrate, 384.

Canna, M. See **Biagini,** S., 2398.

Cannon, T. C., **Richards,** R. E., and **Taylor,** D. Enhancement and reversal of carbon-13 resonances in nuclear–electron double resonance, 1180.

Card, D. W. See **Campbell,** M. J. M., 672.

Cardin, D. J., **Keppie,** S. A., and **Lappert,** M. F. Binuclear organometallic compounds. Part I. The amine elimination reaction for synthesis of compounds containing bonds between elements of Group IV and transition metals, 2594.

Carey, P. R. See **Bishop,** E. O., 1074.

Carr, S. G. See **Pilbrow,** J. R., 723.

Carturan, G. See **Busetto,** L., 474.

Casas, F., **Previtali,** C., **Grotewold,** J., and **Lissi,** E. A. Pressure dependence of methyl radical combination reaction. Part II. Effect of temperature, 1001.

Casey, M., and **Manning,** A. R. The preparation, reactions, and infrared spectra of some derivatives of bis(tricarbonylnitrosyliron)mercury, 2258.

Cassidy, J. E., **Moser,** W., **Donaldson,** J. D., **Jelen,** A., and **Nicholson,** D. G. Thiourea complexes of tin(II) compounds, 173.

Cassidy, J. K. See **Gilmour,** A. D., 2847.

Castellano, E. E. See **Prout,** C. K., 2775.

Cattalini, L. See **Boschi,** T., 2408, and **Clark,** R. J. H., 659.

Catton, R. C., and **Symons,** M. C. R. Unstable intermediates. Part LXXVII. Paramagnetic centres in γ-irradiated hydrogen chloride and caesium hydrogen chloride, 2255.

Caughlan, C. N. See **Mazhar-ul-Haque,** 1786.

Cavasino, F. P., and **Di Dio,** E. Kinetic investigation of formation and dissociation of iron(III) monophenolate complexes, 1151.

Chambers, D. B., **Coates,** G. E., and **Glockling,** F. Electron impact studies on beryllium dialkyls, 741.

Chan, K. K., and **Shields,** L. An electron spin resonance study of vanadium(II). Part I. V^{2+} in single crystals of lithium fluoride and sodium fluoride. Part III. Covalency factors derived from a correlation of the cubic crystal-field splittings from optical and electron spin resonance measurements on V^{2+} in lithium chloride, sodium chloride, potassium chloride, silver chloride, silver bromide, and cadmium chloride, 300, 2700.

Chandra, G., **Jenkins,** A. D., **Lappert,** M. F., and **Srivastava,** R. C. Amido-derivatives of metals and metalloids. Part X. Reactions of titanium(IV), zirconium(IV), and hafnium(IV) amides with unsaturated substrates, and some related experiments with amides of boron, silicon, germanium, and tin(IV), 2550.

Charalambous, J., and **Frazer,** M. J. Mass spectra of the complexes of copper(II) and nickel(II) with *o*-benzoquinone mono-oximes, 2645.

Charlton, J. S., and **Nichols,** D. I. ^{197}Au Mössbauer spectroscopy on some aurous and auric complexes, 1484.

Chatt, J., and **Chini,** P. Tri- and tetra-nuclear cluster compounds of platinum(0), which contain tertiary phosphines and carbon monoxide, 1538.

Chatt, J., **Dilworth,** J. R., and **Leigh,** G. J. Some alkylimido- (or alkylnitrene) complexes of rhenium, 2239.

Chatt, J., **Eaborn,** C., **Ibekwe,** S. D., and **Kapoor,** P. N. Preparation and properties of compounds containing platinum–silicon bonds, 1343.

Chatt, J., **Eaborn,** C., and **Kapoor,** P. N. Preparation of compounds containing platinum–silicon bonds from silicon hydrides and platinum(0) complexes, 881.

Chatt, J., **Leigh,** G. J., and **Richards,** R. L. Dinitrogen complexes of osmium(II), 2243.

Chatt, J., and **Mingos,** D. M. P. Some novel μ-sulphido- and tetrasulphido-complexes of platinum(II), 1243.

Chatt, J., **Nikolsky,** A. B., **Richards,** R. L., **Sanders,** J. R., **Fergusson,** J. E., and **Love,** J. L. Reactivity and structure of dinitrogen complexes of ruthenium(II), 1479.

Chatt, J. See also **Butcher,** A. V., 2652, and **Butter,** S. A., 1411.

Chattopadhyay, P. K. See **Kundu,** K. K., 2034.

Cheung, K. K., **Lai,** T. F., and **Lam,** S. Y. Crystal and molecular structure of tricarbonyl-[2,4-diethyl-1,5-bis-(diphenyl)-3-phenyl-1,3,5-triphospha-2,4-diazapentane-*PPP*]-molybdenum, $[Mo(CO)_3(Ph_2P{\cdot}NEt{\cdot}PPh{\cdot}NEt{\cdot}PPh_2)]$, 3345.

Chieh, P. C., **Subramanian,** E., and **Trotter,** J. Crystal structure of malonamide, 179.

Chieh, P. C., and **Trotter,** J. Crystal structure of cyanoacetamide, 184.

Crystal structure of tetraphenyltin, 911.

Chini, P., and **Longoni,** G. Improved synthesis of mononuclear platinum(0) compounds which contain tertiary phosphines and carbon monoxide, 1542.

Chini, P. See also **Chatt,** J., 1538.
Chivers, T., **Oakley,** R. T., and **Paddock,** N. L. Phosphonitrilic derivatives. Part XIX. Dimethylaminofluorophosphonitriles and their reactions with hydrogen halides as a route to mono-substituted and non-geminal derivatives of the phosphonitrilic fluorides, 2324.
Chivers, T., and **Sams,** J. R. Mössbauer quadrupole splittings in tetra-organotin compounds, 928.
Christensen, J. J., **Johnston,** H. D., and **Izatt,** R. M. Thermodynamics of proton ionization in aqueous solution. Part XII. $\Delta H°$, $\Delta S°$, and $\Delta C_p°$ values for hydrocyanic acid dissociation at 10, 25, and 40°, 454.
Christensen, J. J. See also **Izatt,** R. M., 2514.
Church, M. J., and **Mays,** M. J. Platinum hydride complexes. Effect of *cis*-ligands on J(Pt–H), 1938.
Church, M. J., **Mays,** M. J., **Simpson,** R. N. F., and **Stefanini,** F. P. Cationic complexes of iridium. Part I. The preparation and properties of some phosphine and arsine complexes, 2909.
Churchill, M. R., and **Cooke,** J. Crystal structure and molecular geometry of tetraphenylphosphonium π-cyclopentadienylbis-(1,2-dicyanoethylene-1,2-dithiolato)-molybdenum, $[Ph_4P^+][(\pi\text{-}C_5H_5)Mo\{S_2C_2(CN)_2\}_2^-]$, 2046.
Churchill, M. R., and **O'Brien,** T. A. Crystal structure and molecular geometry of a trifluoromethyl complex of nickel: π-cyclopentadienyl-σ-trifluoromethyl(triphenylphosphine)nickel, 161.
Crystal structure and molecular stereochemistry of a five-co-ordinate π-allyl complex of nickel: π-methallyl-[bis-1,2-(diphenylphosphino)ethane]nickel bromide, 206.
Churchill, R. G. See **Adams,** D. M., 697.
Ciana, A. See **Calligaris,** M., 3386.
Clack, D. W. See **Allen,** G. C., 2668.
Clark, A. H., and **Beagley,** B. An electron diffraction investigation of gaseous chlorine dioxide, 46.
Clark, A. H., **Beagley,** B., **Cruickshank,** D. W. J., and **Hewitt,** T. G. Electron diffraction investigation of gaseous perchloryl fluoride and calculation of its force field and amplitudes of vibration, 872.
An electron-diffraction investigation of gaseous perchloric acid and calculation of its skeletal force field and amplitudes of vibration, 1613.
Clark, B., **Green,** M., and **Stone,** F. G. A. Reactions of low-valent metal complexes with fluorocarbons. Part XI. Chlorocarbonylbis(methyldiphenylphosphine)iridium and chlorodinitrogenbis(triphenylphosphine)iridium, 951.
Clark, N. H. See **Bullen,** G. J., 992.
Clark, R. J. H., **Crociani,** B., and **Wassermann,** A. The isolation and characterisation of strong proton acids derived from aluminium, iron, gallium, and indium trichlorides, 2458.
Clark, R. J. H., and **McAlees,** A. J. The chemistry of methyltitanium trichloride. Synthesis, properties, infrared spectra and variable temperature nuclear magnetic resonance spectra of adducts of methyltitanium trichloride with symmetrical bidentate ligands, 2026.
Clark, R. J. H., **Maresca,** L., and **Smith,** P. J. Preparations, vibrational spectra, and Mössbauer spectra of tin(II) species of the types SnX_3^- and SnX_4Y^- (X,Y = Cl, Br, or I), 2687.
Clark R. J. H., **Natile,** G., **Belluco,** U., **Cattalini,** L., and **Filippin,** C. Preparation and vibrational spectra of square-planar palladium(II) complexes of the type *trans*-$PdX_2(SR_2)_2$, 659.
Clark, R. J. H. See also **Bennett,** M. A., 541, **Bombieri,** G., 14, and **Bradford,** C. W., 2889.
Clarke, T. A. See **Thomas,** J. M., 2938.
Cleare, M. J., and **Griffith,** W. P. Polynuclear nitrido-complexes of osmium, ruthenium, and iridium, 1117.
Anionic halogenocarbonyls of rhodium, iridium, and platinum, 2788.
Cleghorn, H. P., and **Davies,** M. B. Thermal decomposition of oxysulphur salts and the infrared spectra of their products, 137.
Clemente, D. A. See **Bandoli,** G., 2778.
Clemett, C. J. Proton spin-lattice relaxation times in some non-ionic micellar solutions, 2251.
Coates, G. E., and **Pendlebury,** R. E. Alkali–metal dialkylberyllium hydrides and their thermal decomposition, 156.
Coates, G. E. See also **Chambers,** D. B., 741.
Cocks, A. T., and **Frey,** H. M. The thermal unimolecular decomposition of t-butylcyclobutane, 2566.
Coe, J. S., **Lyons,** J. R., and **Hussain,** M. D. Kinetic studies of some reactions of bis(ethylenediamine)palladium(II) ions in acid aqueous solution, 90.
Coggon, P., **McPhail,** A. T., **Mabbs,** F. E., **Richards,** A., and **Thornley,** A. S. Preparation, magnetic, and electronic spectral properties of some chromium(III)–*NN'*-ethylenebis(salicylideneiminato) complexes: crystal and molecular structure of *NN'*-ethylenebis(salicylideneiminato)diaquochromium(III) chloride, 3296.
Coggon, P. See also **Bennett,** J., 2094.
Colburn, C. B., **Hill,** W. E., and **Sharp,** D. W. A. Preparation and properties of dithiopyrophosphoryl tetrafluoride $[F_2P(:S)\cdot O\cdot P(:S)F_2]$ and some thiophosphoryl difluoride derivatives, 2221.
Cole, J. F. See **Barrer,** R. M., 1516, 1523.
Collamati, I., **Furlani,** A., and **Attioli,** G. Additional information on the complex hydridochlorobis(triphenylphosphine)platinum(II) in the solid state and in solution, 1694.
Commereuc, D., **Douek,** I., and **Wilkinson,** G. Oxidative addition and other reactions of rhodium, iridium, and platinum complexes with carbon disulphide, ethyl dithiochloroformate, and acids, 1771.
Connelly, N. G., and **McCleverty,** J. A. Transition-metal dithiolene complexes. Part XII. Rhodium and iridium complexes, 1621.
Connett, J. E. Chemical equilibria. Part III. Dehydrogenation of pentan-1-ol, pentan-2-ol, and 3-methylbutan-2-ol, 1284.
Connor, J. A., and **Lloyd,** J. P. Chromium(0) complexes of sterically hindered *vic*-diamines, 3237.
Cooke, J. See **Churchill,** M. R., 2046.
Cooke, M. See **Burt,** R., 2975, 2981.
Costa, G., **Mestroni,** G., **Puxeddu,** A., and **Reisenhofer,** E. Redox properties of cobalt chelates with delocalised electronic structure, 2870.
Cotton, S. A., and **Gibson,** J. F. Spectroscopic studies on pyridine *N*-oxide complexes of iron(III), 2105.
Cottrell, W. R. T., and **Farrar,** J. Preparation of Frémy's salt (potassium nitrodisulphonate) by electrochemical oxidation of potassium hydroxylamine disulphonate, 1418.
Counsell, J. F. See **Andon,** R. J., 833.
Coyle, T. D. See **Ritter,** J. J., 1303.
Cozens, R. J. See **Bergen,** A. van den, 3060.
Cradock, S. See **Glidewell,** C., 315.

Cragg, R. H., **Fortuin,** M. S., and **Greenwood,** N. N. Complexes of decaborane. Part I. Ultraviolet spectra of some bis(ligand) complexes containing phosphorus and sulphur, 1817.

Craig, D. P., and **Maclagan,** R. G. A. R. *d*-Orbitals in excited configurations of chlorine, 1431.

Crawford, N. P., and **Melson,** G. A. Co-ordination chemistry of scandium. Part III. Complexes of scandium(III) perchlorate with uni- and bi-dentate oxygen donor ligands, 141.

Creek, D. M., **Melliar-Smith,** C. M., and **Jonathan,** N. Infrared emission from the reaction of atomic oxygen with acetylene, 646.

Crescenzi, V. See **Brückner,** S., 1168.

Crisp, W. P., **Deutscher,** R. L., and **Kepert,** D. L. Six- and eight-co-ordinate complexes of titanium tetrachloride, 2199.

Croatto, U. See **Bandoli,** G., 2778.

Crociani, B., **Boschi,** T., **Pietropaolo,** R., and **Belluco,** U. Far-infrared study of palladium(II)–halogen complexes with chelating ligands containing nitrogen and σ carbon as donor atoms, 531.

Crociani, B. See also **Boschi,** T., 2408, **Clark,** R. J. H., 2458, and **Uguagliati,** P., 363.

Crooks, G. R., and **Johnson,** B. F. G. Transition-metal nitrosyl compounds. Part IV. Nitrosyl halide derivatives of rhodium(I) and iridium(I), 1662.

Crosbie, K. D. See **Brown,** D. H., 914.

Cross, J. H., and **Fenn,** R. H. Crystal and molecular structure of chloro-1,2-bis(diphenylphosphino)ethanemonocarbonyl-π-cyclopentadienylmolybdenum(II), 3019.

Cross, R. J., and **Wardle,** R. Interaction between organomercurials and halide complexes of platinum, palladium, and nickel. Carbon monoxide insertion into the platinum–carbon bond, 840.

Crossland, B. E., and **Staples,** P. J. Acid-catalysed hydrolysis of some *trans*-dinitrocobalt(III) complexes of cyclic quadridentate ligands, 1305.

Cruickshank, D. W. J. See **Clark,** A. H., 872, 1613.

Cudby, M. E. A. See **Peacock,** C. J., 2943.

Cundy, C. S., **Green,** M., and **Stone,** F. G. A. Reactions of low-valent metal complexes with fluorocarbons. Part XII. Fluoro-olefin reactions of zero-valent nickel complexes, 1647.

Currie, M., and **Speakman,** J. C. The crystal structure of the acid salts of some dibasic acids. Part III. Potassium hydrogen malonate: a neutron diffraction study, 1923.

Curtis, N. F. See **Whimp,** P. O., 1956.

D

Dacre, E. C. See **Atkinson,** J. R., 1377.

Dalton, R. F., and **Jones,** K. Reactions of metal–nitrogen compounds with unsaturated substrates. Part I. Reactions of aminostannanes, stannazanes, and stannylamines with carbon dioxide, carbon disulphide, and carbonyl sulphide, 590.

Dalton, R. F. See also **Sheldrick,** G. M., 493.

Daly, J. J. Crystal and molecular structure of 1,1-dimethyl-2,4,6-triphenylphosphorin, a phosphorus analogue of pyridine, 1832.

Daly, J. J. See also **Adamson,** G. W., 2724, and **Bart,** J. C. J., 567.

da Mota, M. M. See **Madden,** D. P., 790.

Dapporto, P., **Morassi,** R., and **Sacconi,** L. Spectral properties and crystal structure of the complex iodo-[*NN*-bis-(2-diphenylphosphinoethyl-2-methoxyethylamino]nickel(II) iodide, 1298.

Dapporto, P., and **Sacconi,** L. Five-co-ordination in nickel(II) complexes. Crystal structure of the high-spin complex of nickel(II) perchlorate with *NN*-bis-(2-diethylaminoethyl)-2-hydroxyethylamine, 618.

Crystal and molecular structure of the low-spin five-co-ordinate complex iodo[tris-(2-diphenylphosphinoethyl)amino-*NP*]-nickel(II) iodide, 1804.

Darragh, J. I. See **Brown,** D. H., 914.

Das, M. N. See **Kundu,** K. K., 2034, and **Ray,** A. K., 464, 1576.

Das, S. K., **Feakins,** D., **Last,** W. A., **Nabi,** S. N., **Ray,** S. K., **Shaw,** R. A., and **Smith,** B. C. Phosphorus–nitrogen compounds. Part XXIX. Compound formation between chloroisopropylaminocyclotriphosphazatrienes, 616.

da Silva, J. J. R. F., **Wootton,** R., and **Gillard,** R. D. Preparation of *N*-salicylideneamino-acid and -ester complexes of oxovanadium-(IV) and -(V), 3369.

Datta, S. P. See **Grzybowski,** A. K., 241.

Davey, G., and **Stephens,** F. S. Crystal and molecular structure of mono-α-picolinecopper(II) chloroacetate, 2803.

Davidson, P. J. See **Blackmore,** T., 3153.

Davies, A. G., **Milledge,** H. J., **Puxley,** D. C., and **Smith,** P. J. Crystal structure and Mössbauer spectrum of dimethyltin dichloride, 2862.

Davies, G. R., **Hewertson,** W., **Mais,** R. H. B., **Owston,** P. G., and **Patel,** C. G. π-Complexes of platinum(II) with unsaturated hydrocarbons. Part II. Crystal and molecular structure of *trans*-dichloro-(π-di-t-butylacetylene)-*p*-toluidineplatinum(II), 1873.

Davies, G. R., **Jarvis,** J. A. J., **Kilbourn,** B. T., **Mais,** R. H. B., and **Owston,** P. G. Crystal and molecular structure of bis-(*NN*-dimethyldithiocarbamato)nitrosyliron (at −80°), 1275.

Davies, J. V. See **Moore,** J. S., 1155.

Davies, M. B. See **Cleghorn,** H. P., 137.

Davies, N., **Saunders,** D., and **Wallbridge,** M. G. H. Exchange reactions of zirconium tetrakistetrahydroborate, 2915.

Davies, N., **Smith,** C. A., and **Wallbridge,** M. G. H. Preparation and properties of diethylaluminium hydroborate, 342.

Davies, R., **Stevenson,** M. B., and **Sykes,** A. G. Kinetics of the reactions of iodide with different forms of the μ-amido-μ-peroxobis{bis(ethylenediamine)cobalt(III)} complex, 1261.

Davies, T. K., and **Moss,** K. C. Nuclear magnetic resonance studies on fluorine-containing compounds. Part I. Antimony pentafluoride and its reactions with antimony trifluoride, arsenic trifluoride, and niobium pentafluoride, 1054.

Davis, C. S., and **Lalor,** G. C. Kinetic studies on 4*d* and 5*d* transition-metal complexes. Part VI. Kinetic study of the azidopenta-amminerhodium(III) ion in acidic aqueous solutions, 445.

Davis, J., and **Drake,** J. E. Phosphine–borane derivatives. Part II. Specifically deuteriated analogues of phosphine–borane, 2959.

Davis, J., **Drake,** J. E., and **Goddard,** N. Phosphine–borane derivatives. Part III. A proton magnetic resonance spectroscopic study of methyl- and silyl-phosphine with [$^1H_6$]- and [$^2H_6$]-diborane, 2962.
Davis, R. See **Addison,** C. C., 3333.
Day, M. See **Cadman,** P., 2058, 2498.
Day, P., and **Hall,** I. D. Charge transfer in mixed-valence solids. Part VI. Spectra and semiconductivity of mixed crystals of hexachloroplumbates(II,IV) and hexachloroindates(III), 2679.
Day, P. See also **Bird,** B. D., 100, and **Sanders,** N., 1190.
Dean, P. A. W., and **Evans,** F. D. Spectroscopic studies of inorganic fluoro-complexes. Part III. Fluorine-19 nuclear magnetic resonance studies of silicon(IV), germanium(IV), and titanium(IV) fluoro-complexes, 2569.
Deeming, A. J., **Johnson,** B. F. G., and **Lewis,** J. Chemistry of polynuclear compounds. Part XVIII. Some reactions of dodecacarbonyltriosmium and some related derivatives. Part XXI. Cationic hydridocarbonyl complexes of osmium. Part XXII. Protonation of triosmium dodecacarbonyl and some related compounds, 897, 2517, 2967.
Deeming, A. J., and **Shaw,** B. L. Some five-co-ordinate cationic complexes of the type $[Ir(CO)_xL_{5-x}]^+$, where $x = 1$—3 and L is dimethylphenyl-phosphine or -arsine, 2705.
Oxidative addition reactions of cationic five-co-ordinate iridium(I) complexes of the type $[Ir(CO)_x(PMe_2Ph)_{5-x}]$, 3356.
De Filippo, D., and **Preti,** C. Nickel(II) and cobalt(II) complexes with thiazolidine-2-thione, 1904.
De Filippo, D. See also **Preti,** C., 1901.
Degischer, G., and **Nancollas,** G. H. Thermodynamics of ion association. Part XX. Interpretation of the enthalpy changes, 1125.
Dempster, A. B., **Powell,** D. B., and **Sheppard,** N. Vibrational spectroscopic studies of internal rotation of symmetrical groups. Part I. Evidence for a high barrier to internal rotation in methylpentacarbonylmanganese, $CH_3Mn(CO)_5$, 1129.
Denney, D. J., and **Price,** A. H. Effect of water on dielectric relaxation in the tin(IV) chloride–benzene system, 351.
Desai, V. B., **Shaw,** R. A., and **Smith,** B. C. Phosphorus–nitrogen compounds. Part XXXI. Reactions of hexachlorocyclotriphosphazatriene with aniline, 2023.
Detoni, S., **Hadži,** D., **Smerkolj,** R., **Hawranek,** J., and **Sobczyk,** L. Hydrogen bonding in some adducts of oxygen bases with acids. Part VI. Infrared and dielectric studies of adducts with isothiocyanic acid, 2851.
Deutscher, R. L. See **Crisp,** W. P., 2199.
Deveney, M. J., and **Webster,** M. Some adducts of bidentate *N*-ligands with arsenic trichloride and tribromide, 1643.
Dhillon, H. S. See **Packter,** A., 1266.
Dickinson, L. C., **Dunhill,** R. H., and **Symons,** M. C. R. Electron spin resonance study of aqueous vanadyl tartrate solutions, 922.
Di Dio, E. See **Cavasino,** F. P., 1151.
Dillon, K. B., and **Waddington,** T. C. Behaviour of some inorganic phosphates in strongly acidic solvents studied by phosphorus-31 nuclear magnetic resonance spectroscopy, 1146.
Dilworth, J. R. See **Chatt,** J., 2239.
Di Sanseverino, L. R. See **Kennard,** O., 1779.
Djordjević, C., and **Katović,** V. Co-ordination complexes of niobium and tantalum. Part VIII. Complexes of niobium(IV), niobium(V), and tantalum(V) with mixed oxo, halogeno, alkoxy, and 2,2′-bipyridyl ligands, 3382.
Dodwell, C. See **Cadman,** P., 2371.
Doggett, G., and **McKendrick,** A. Electronic structure of the cyanide anion, 825.
Dollimore, D., **Jones,** T. E., and **Spooner,** P. Thermal decomposition of oxalates. Part XI. Dehydration of calcium oxalate monohydrate, 2809.
Dollimore, D., and **Tonge,** K. H. The constitution and oxidizing properties of materials in the copper(II) oxide–manganese(III) oxide system, 1728.
Donaldson, J. D., and **Nicholson,** D. G. The Mössbauer effect in tin(II) compounds. Part VII. Spectra of the complexes of tin(II) compounds with some oxygen- and some sulphur-containing donor molecules, 145.
Donaldson, J. D. See also **Cassidy,** J. E., 173.
Dosser, R. J., and **Underhill,** A. E. Copper(II) complexes of 2-(2-pyridyl)imidazole, 88.
Douek, I. See **Commereuc,** D., 1771.
Douglas, P. G., and **Shaw,** B. L. Multihydrido-complexes of osmium and related complexes, 334.
The relative affinities of tertiary phosphines, tertiary arsines or phosphites (L) for ruthenium in complexes of type $[RuHCl(CO)(PR_2Ph)_2L]$ (R = alkyl), 1556.
Downs, A. W., **McWhinnie,** W. R., **Naik,** B. G., and **Osbourne,** R. R. A study of the co-ordination behaviour of various 2-pyridyl ketones. Part IV. Some compounds of 2-benzoylpyridine with salts of manganese(II), cobalt(II), and nickel(II), 2624.
Dowsing, R. D., **Gibson,** J. F., **Goodgame,** M., and **Hayward,** P. J. Electron spin resonance studies of some complexes of manganese(II) with chelating ligands, 1133.
Drake, J. E., and **Goddard,** N. Halogenodisilanes, 2587.
Drake, J. E., **Hemmings,** R. T., and **Riddle,** C. Halogeno-derivatives of methylgermane, 3359.
Drake, J. E., and **Riddle,** C. Electric discharge reactions of silane and germane with some volatile Group VI species, 3134.
Drake, J. E. See also **Anderson,** J. W., 3131, and **Davis,** J., 2959, 2962.
Drew, M. G. B., and **Mandyczewsky,** R. Crystal and molecular structures of tungsten(VI) sulphide tetrachloride and tungsten(VI) sulphide tetrabromide, 2815.
Drew, M. G. B., **Matthews,** R. W., and **Walton,** R. A. Studies on co-ordination complexes of silver(II). Part IV. Crystal and molecular structure of silver(II) bis(pyridine-2,6-dicarboxylate) monohydrate, 1405.
Drew, M. G. B., and **Tomkins,** I. B. Crystal and molecular structure of molybdenum(V) oxide trichloride, 22.
Drummond, I. See **Birchall,** T., 1401, 1859.
Drummond, J., and **Wood,** J. S. Crystal and molecular structure of tetraphenylarsonium tetranitratomanganate(II) and *X*-ray study of other $M(NO_3)_4^{3-}$ ions (M = Ni, Cu, or Zn), 226.
Duddell, D. A., **Goggin,** P. L., **Goodfellow,** R. J., **Norton,** M. G., and **Smith,** J. G. Vibrational spectra of some gold(I), palladium(II), and platinum(II) complexes with trialkylphosphines and trialkylarsines, 545.
Dudley, C. W., **Huckerby,** T. N., and **Oldham,** C. Metal–triketone complexes. Part I. Nuclear magnetic resonance spectral study of the keto–enol equilibria in triketone ligands, 2605.
Dudley, C. W. See also **Baker,** D., 2608.

Dudley, R. J., and **Hathaway,** B. J. Single-crystal electronic and e.s.r. spectra of bis(aquo)monoacetylacetonatocopper(II) picrate, 1725.

Single-crystal electronic and electron spin resonance spectra of 2,2′-bipyridylbis(hexafluoroacetylacetonato)-copper(II), 2794.

Single-crystal electronic and electron spin resonance spectra of dichlorobis-(2-methylpyridine)copper(II), 2799.

Dudley, R. J. See also **Bew,** M. J., 2640, **Fereday,** R. J., 571, and **Hathaway,** B. J., 806, 1420.

Duffy, J. A., **Forbes,** S. M., and **Ingram,** M. D. Covalency in metal ion–sulphate interaction, 451.

Duffy, J. A., and **Macdonald,** W. J. D. Crystal field environments provided by the sulphate ligand, 977.

Reaction mechanisms in molten salts. Part I. Ligand replacement in chromium(III) complexes dissolved in hydrogen sulphate melt and in 100% sulphuric acid, 2066.

Duncan, C. S. See **Barnes,** J. C., 1442.

Dunhill, R. H. See **Dickinson,** L. C., 922.

du Preez, A. L. See **Haines,** R. J., 2341.

Dwek, R. A., **Richards,** R. E., **Taylor,** D., and **Shaw,** R. A. A theory for the intermolecular nucleus-electron scalar interaction and its application to dynamic polarisation results of phosphorus-31 nuclei, 1173.

Dyer, D. S. See **Michelson,** C. E., 2296.

E

Eaborn, C. See **Bennett,** S. W., 348, and **Chatt,** J., 881, 1[illegible].

Eachus, [illegible] S., and **Symons,** M. C. R. Unstable intermediates. Part LXX. An electron spin resonance study of [illegible]er radicals trapped in frozen aqueous sulphuric acid. [illegible] LXXII. Electron spin resonance spectral evidence [illegible] the existance of the $(AgH)^+$ and $(Ag_2H)^{2+}$ radical-c[illegible]. Part LXXX. An electron spin resonance inv[illegible]tion of the $[Ag–Cd]^{2}$ and Cd_2^{3+} diatomic cations, [illegible], 1336, 3080.

Eachus, R. S. See also **Bloom,** M. B. D., 1235.

Earnshaw, A., **Larkworthy,** L. F., and **Patel,** K. C. Chromium(II) chemistry. Part VII. Complexes of 2-picolylamine and 8-aminoquinoline, 1840.

Easey, J. F. See **Brown,** D., 3378.

East, R. L., and **Phillips,** L. Kinetics of disproportionation–combination reactions between the n-propoxyl radical and nitric oxide, and of the pyrolysis of the O–O bond in di-n-propyl peroxide in the gas phase, 331.

Eastmond, G. B. M., and **Pratt,** G. L. Pyrolyses in the presence of nitric oxide. Part I. Ethane. Part II. n-Butane. Part III. Acetaldehyde oxime and nitrosoethane, 2329, 2333, 2337.

Eatough, D. J. See **Izatt,** R. M., 2514.

Edmonds, M. I., **Howlett,** K. E., and **Wedzicha,** B. L. Kinetics and mechanisms of redox reactions in aqueous solutions. Part III. The reaction between chromium(VI) and thiosulphate, 2866.

Edwards, A. J. Fluoride crystal structures. Part XIV. Antimony trifluoride: a redetermination, 2751.

Edwards, A. J., and **Jones,** G. R. Fluoride crystal structures. Part X. Trifluoroselenium(IV) μ-fluorobis[pentafluoroniobate(V)]. Part XI. Trifluoroselenium(IV) hexafluoroniobate(V) and hexafluorotantalate(V), 1491, 1891.

Edwards, A. J., **Jones,** G. R., and **Sills,** R. J. C. Fluoride crystal structures. Part XII. Trimeric technetium oxide tetrafluoride, 2521.

Edwards, A. J., and **Sills,** R. J. C. Fluoride crystal structures. Part XIII. Difluorochlorine(III) hexafluoroantimonate(V), 2697.

Edwards, D. A., and **Ward,** R. T. Some reactions of rhenium(V) chloride, 1617.

Egland, R. J., and **Symons,** M. C. R. Unstable intermediates. Part LXIX. Trapped electrons: an electron spin resonance study of radiation damage in hydrogen cyanide and methyl cyanide, 1326.

Eilbeck, W. J., **Holmes,** F., and **Phillips,** G. Heterocyclic chelating agents. Part IV. Calorimetric studies with complexes of 2- and 4-(2-pyridyl)imidazole, 689.

Eilbeck, W. J., **Holmes,** F., and **Thomas,** T. W. Thermodynamic considerations in co-ordination. Part IV. Calorimetric studies on histamine [4(5)-(2-aminoethyl)-imidazole] and isohistamine [2-(2-aminoethyl)imidazole], 2062.

Elder, M., and **Hall,** D. Crystal and molecular structure of tri-μ-chloro-pentacarbonyl(trichlorostannyl)diruthenium, 245.

Elsbernd, H., and **Beattie,** J. K. A deprotonated ethylenediamine complex of ruthenium, 2598.

Emsley, J. Vibrational spectra of the triphosphonitrilic fluoride chlorides, 109.

Emsley, J., and **Udy,** P. B. Elucidation of the reaction of phosphorus pentachloride and ammonium chloride by phosphorus-31 nuclear magnetic resonance spectroscopy, 3025.

Engelhardt, L. M., and **Figgis,** B. N. Magnetic susceptibility of Tm^{3+} and Yb^{3+} in cubic $NaYF_4$, 415.

Erickson, N. E., and **Maddock,** A. G. Mössbauer and other data on the oxides and oxyanions of tellurium, 1665.

Ernstbrunner, E. E. Vibrational spectra of acetylacetone and its anion, 1558.

Evans, F. D. See **Dean,** P. A. W., 2569.

Everdell, M. H. See **Homer,** J., 1111.

F

Faithful, B. D. See **Stephenson,** T. A., 1504.

Faktor, M. M., **Heckingbottom,** R., and **Garrett,** I. Growth of crystals from the gas phase. Part I. Diffusional limitations and interfacial stability in crystal growth by dissociative sublimation, 2657.

Fantechi, R., and **Helcké,** G. A. A study of electron spin resonance hyperfine splitting in alkyl radicals by use of a semiempirical molecular orbital method, 1294.

Farago, M. E., **Keefe,** I. M., and **Mason,** C. F. V. Cobalt(III) complexes containing carboxylate ligands, 3194.

Farago, M. E., and **Mason,** C. F. V. Base hydrolysis of the oxalatobis(ethylenediamine)cobalt(III) ion, 3100.

Farmery, K., and **Kilner,** M. Substitution reactions of dihydridotetracarbonyliron, 634.

Farmery, K., **Kilner,** M., and **Midcalf,** C. Organonitrogen groups in metal carbonyl complexes. Part I. Diphenylmethyleneamino-derivatives of π-cyclopentadienylmolybdenum and -tungsten carbonyl complexes, 2279.

Farrar, J. See **Cottrell,** W. R. T., 1418.

Fawcett, J. K. See **Kennard,** O., 1779.

Feakins, D., and **Khoo,** K. H. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XI. Further measurements on the cell $H_2|HI|AgI–Ag$ in methanol–water mixtures, 361.

Feakins, D., **Lawrence,** K. G., **Voice,** P. J., and **Willmott,** A. R. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XII. Solubility product of silver chloride in 20·22 and 33·4% (w/w) methanol–water mixtures at 25°; and revision of earlier data, 837.

Feakins, D., and **Willmott,** A. R. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XIII. Free energies of transfer of barium chloride from water to 10, 20, and 40% (w/w) methanol–water mixtures, and of strontium chloride to the 20% mixture, at 25 °C. The behaviour of amalgam electrodes of the alkaline earth metals, 3121.

Feakins, D. See also **Das,** S. K., 616.

Fee, W. W., **Harrowfield,** J. N. MacB., and **Jackson,** W. G. Octahedral bis(ethylenediamine)chromium(III) complexes. Part I. Preparation and characterization, 2612.

Fenger, J., **Maddock,** A. G., and **Siekierska,** K. E. Chemical consequences of the nuclear reactions $^{58}Fe(n,\gamma)^{59}Fe$ and $^{57}Co(EC)^{57}Fe$ in soluble Prussian Blue, 3255.

Fenger, J., **Siekierska,** K. E., and **Maddock,** A. G. Formation of iron-57 divalent cation ($^{57}Fe^{2+}$) in Mössbauer sources of potassium trisoxalatoferrate(III), 1456.

Fenn, R. H., and **Segrott,** G. R. Crystal structure of bis-(pentafluorobenzenethiolato)bis(tributylphosphine)-platinum(II), 2781.

Crystal structure of di-μ-pentafluorobenzenethiolatobis-(pentafluorobenzenethiolato)-bis(triphenylphosphine)-dipalladium(II), $[Pd^{II}(Ph_3P)(SC_6F_5)]_2$, 3197.

Fenn, R. H. See also **Cross,** J. H., 3019.

Fenton, D. E. See **Layton,** A. J., 1894.

Fereday, R. J., **Hathaway,** B. J., and **Dudley,** R. J. Polarised single-crystal electronic spectrum of dichlorobis(triphenylphosphine)nickel(II), 571.

Fereday, R. J. See also **Hathaway,** B. J., 806.

Ferguson, I. F., and **Walker,** D. E. Y. The high temperature reaction between uranium monocarbide and β-silicon carbide, 35.

Fergusson, J. E. See **Chatt,** J., 1479.

Ferranti, F. A kinetic study of the reaction between octacyanomolybdate(V) and iodide ions, 134.

Field, D. S. See **Bryan,** R. F., 3068.

Fields, R., **Germain,** M. M., **Haszeldine,** R. N., and **Wiggans,** P. W. Metal carbonyl chemistry. Part IX. Improved syntheses and some reactions of tetracarbonylcyclo-octafluorotetramethyleneiron. Part X. Mono-(fluoro-olefin) complexes from pentacarbonyliron, 1964, 1969.

Fields, R., **Green,** M., **Harrison,** T., **Haszeldine,** R. N., **Jones,** A., and **Lever,** A. B. P. Metal carbonyl chemistry. Part VIII. Reaction of hydridopentacarbonylmanganese(I) with perfluorocyclopentadiene, 49.

Figgis, B. N. See **Engelhardt,** L. M., 415.

Fild, M., and **Schmutzler,** R. Phosphorus–fluorine chemistry. Part XXIII. t-Butyl-fluorophosphines and -fluorophosphoranes and their derivatives, 2359.

Filipescu, N. See **Minn,** F. L., 1016.

Filippin, C. See **Clark,** R. J. H., 659.

Finch, A., **Gardner,** P. J., **McNamara,** P. M., and **Wellum,** G. R. Cyclic boron compounds. Ring strain in the *B*-phenyl and *B*-butyl dioxaboron heterocycles, 3339.

Finkelstein, N. P. See **Ashurst,** K. G., 2302.

Firestone, R. A. Applications of the Linnett electronic theory to organic chemistry. Part III. Linnett structures for 1,3-dipoles and for the diradical intermediates in 1,3-dipolar cycloadditions, 1570.

Fitzsimmons, B. W. Mössbauer spectrum of dichlorodimethylbis(pyridine *N*-oxide)tin(IV) in an externally applied magnetic field, 3235.

Fitzsimmons, B. W., **Owusu,** A. A., **Seeley,** N. J., and **Smith,** A. W. The Mössbauer effect and chemistry. Part IV. Some further work on the stereochemistry of organotin complexes and results for organotin dithiocarbamates, 935.

Flint, C. D., and **Goodgame,** M. Spectral and magnetic properties of some anhydrous divalent metal thiocyanates and their methanol and ethanol complexes, 442.

Fogel, N. See **Lewis,** L. C., 1141.

Foong, S. W., **Stevenson,** M. B., and **Sykes,** A. G. Reactions of μ-hydroxo-dicobalt complexes. Part II. The kinetics of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with thiocyanate in aqueous perchloric acid and the characterization of the bisthiocyanate product, 1064.

Forbes, S. M. See **Duffy,** J. A., 451.

Ford, B. F. E. See **Yeats,** P. A., 2188.

Forsellini, E. See **Bombieri,** G., 1313, 3349.

Fortuin, M. S. See **Cragg,** R. H., 1817.

Fowles, G. W. A., and **Gadd,** K. F. Reaction of acrylonitrile with halides of titanium, zirconium, vanadium, niobium, tantalum, and copper, 2232.

Fowlie, A. D., **House,** D. A., **Robinson,** W. T., and **Rumball,** S. S. Crystal structure of the green isomer of trichloro-1,5-diamino-3-azapentanechromium(III), 803.

Frank, E., and **Bunbury,** D. St. P. Mössbauer effect in bis-μ-[oxy(phenyl)carbene-*C,O*:*C′,O′*]-bis(tricarbonyliron) (Fe–Fe) and related compounds, 2143.

Fraser, G. W., **Gibbs,** C. J. W., and **Peacock,** R. D. Tungsten chloride fluorides: the preparation of *cis*- and *trans*-tungsten dichloride tetrafluoride and its decomposition into other tungsten fluorides, 1708.

Frazer, M. J., **Gillespie,** B. G., **Goldstein,** M., and **Haines,** L. I. B. Reactions of 8-quinolinol with covalent halides. Part IV. Pentachlorides and pentabromides of niobium and tantalum, 703.

Frazer, M. J. See also **Charalambous,** J., 2645.

Freeman, H. C. See **Baraniak,** E., 2558.

Frey, H. M., and **Lister,** D. H. Photolysis of *trans*-2,3-dimethylcyclopentanone, 627.

Frey, H. M., and **Liu,** M. T. H. The thermal decomposition of the diazirines. Part IV. 3-Chloro-3-ethyldiazirine, 3-chloro-3-n-propyldiazirine, 3-chloro-3-isopropyldiazirine, and 3-chloro-3-t-butyldiazirine, 1916.

Frey, H. M., and **Metcalfe,** J. The thermal isomerization and dehydrogenation of *cis*-3a,7a-dihydroindene, 2529.

Frey, H. M., and **Vinall,** I. C. Photolysis of 2-methylcyclopentanone, 3010.

Frey, H. M., and **Walsh,** R. The mercury ($^3P_1$)-photosensitized decomposition of keten and some reactions of triplet methylene, 2115.

Frey, H. M. See also **Cocks,** A. T., 2566.

Frost, D. C. See **Branton,** G. R., 151.

Fryer, C. W., and **Smith,** J. A. S. Nuclear quadrupole resonance spectra of chlorine in some d^8-transition metal-complexes, 1029.

Fuger, J., and **Brown,** D. Thermodynamics of the actinide elements. Part II. Heats of solution in aqueous hydrochloric acid of $PaCl_4$(c), $PaBr_4$(c), PaI_4(c), and UCl_4(c), 763.

Furlani, A. See **Collamati,** I., 1694.

Furlani, C., **Tomlinson,** A. A. G., **Porta,** P., and **Sgamellotti,** A. Preparation, crystal structure, and spectroscopic properties of vanadium(III) tris-(*OO*-diethyl phosphorodithioate), $V[PS_2(OEt)_2]_3$, 2929.

G

Gadd, K. F. See **Fowles,** G. W. A., 2232.

Gardner, P. J. See **Finch,** A., 3339.

Garner, C. D., and **Mabbs,** F. E. Studies in eight-co-ordination. Part I. Crystal-field energies in the D_{2d} point-group, 1711.

Garner, C. D., and **Wallwork,** S. C. The crystal structure of anhydrous nitrates and their complexes. Part V. Potassium tetranitratoaurate(III), 3092.

Garrett, I. See **Faktor,** M. M., 2657.

Geary, W. J., and **Malcolm,** D. E. Complexes of *SSS'S'*-ethanediylidenetetra[(thio)acetic acid] and related ligands with cobalt(II), nickel(II), and copper(II), 797.

George, R. D., **Mackay,** K. M., and **Stobart,** S. R. Vibrational and mass spectra of trimethylsilylgermane, 1,1,1-trimethyldigermane and related species, 3250.

Gerloch, M., **Kohl,** J., **Lewis,** J., and **Urland,** W. Single-crystal polarized spectrum and paramagnetic anisotropy of five-co-ordinate square pyramidal nickel(II) complexes, 3269.

Single-crystal polarized spectrum and paramagnetic anisotropy of five-co-ordinate, square pyramidal cobalt(II) complexes, 3283.

Gerloch, M., **Lewis,** J., **Phillips,** G. G., and **Quested,** P. N. Magnetic properties of trigonally distorted octahedral iron(II) complexes, 1941.

Gerloch, M., and **Mackey,** D. J. Single-crystal magnetic properties of lanthanide complexes. Part I. Tri-iodohexakis(antipyrine)ytterbium. Part II. Tri-iodohexakis(antipyrine)cerium, 3030, 3040.

Gerloch, M. See also **Bentley,** R. B., 3003.

Germain, M. M. See **Fields,** R., 1964, 1969.

Ghilardi, C. A. See **Orioli,** P. L., 1511.

Gibb, T. C. Determination of the sign of the quadrupole coupling constant, e^2qQ, in tin compounds of Mössbauer spectroscopy, 2503.

Gibb, T. C., **Greatrex,** R., **Greenwood,** N. N., and **Sarma,** A. C. Mössbauer spectra of some tellurium complexes, 212.

Gibbs, C. J. W. See **Fraser,** G. W., 1708.

Gibson, D., **Johnson,** B. F. G., and **Lewis,** J. Metal β-diketone complexes. Part VI. Some β-diketone complexes of copper(I), silver(I), and gold(I), 367.

Gibson, J. F. See **Cotton,** S. A., 2105, and **Dowsing,** R. D., 1133.

Gibson, J. G., and **McKenzie,** E. D. Structural variety in mixed cobalt(III)–cobalt(II) chloro-compounds with 1,10-phenanthroline and 2,2'-bipyridyl, 2478.

Gilbert, J. D., **Rose,** D., and **Wilkinson,** G. Preparative use of blue solutions of ruthenium(II): ruthenium-(II) and -(III) complexes with amines, nitriles, phosphines, *etc.*, 2765.

Gillard, R. D., **Heaton,** B. T., and **Pilbrow,** M. F. 4-Methylpent-4-en-2-one (isomesityl oxide) complex of platinum(II), 353.

Gillard, R. D., **Heaton,** B. T., and **Vaughan,** D. H. Electrochemical reduction of *trans*-$[Rh(en)_2Cl_2]^+$ and subsequent reactions with oxygen, 3126.

Gillard, R. D., **Hill,** R. E. E., and **Maskill,** R. Optically active co-ordination compounds. Part XIX. Relative configurations of trisbipyridyl and trisphenanthroline complexes by chemical interversion. Part XX. Reactions of 1,10-phenanthroline co-ordinated to cobalt(III), 707, 1447.

Gillard, R. D., and **Laurie,** S. H. Optically active co-ordination compounds. Part XVIII. Conformations of labile complexes in solution, 59.

Gillard, R. D., **Payne,** N. C., and **Robertson,** G. B. Crystal and molecular structure of $(+)_{405}$-[L-glutamatobis(ethylenediamine)cobalt(III)] perchlorate: the product of a kinetically stereoselective reaction, 2579.

Gillard, R. D., and **Spencer,** A. Reactions of cobalt(III) complexes. Part VI. Detection of peroxocobalt(III) by chemiluminescence, 1761.

Gillard, R. D., and **Sutton,** H. M. Metal complexes as indicators for solvent structure. Part I. Nickel(II) complexes of *meso*-stilbenediamine or triethylenetetramine in mixed aqueous media. Part II. Nickel(II) complexes of *meso*-stilbenediamine in mixtures of water with alcohols, ketones, or amides. Part III. Nickel(II) complexes of *meso*-stilbenediamine in mixtures of water with some glycol ethers and with poly(ethylene oxide), 1309, 2172, 2175.

Gillard, R. D. See also **Addison,** A. W., 2523, **Beaumont,** A. G., 1757, and **da Silva,** J. J. R. F., 3369.

Gilles, L. See **Barat,** F., 1982.

Gillespie, B. G. See **Frazer,** M. J., 703.

Gillespie, R. J., and **Humphreys,** D. A. The hydrogen fluoride solvent system. Part II. Cryoscopic measurements, 2311.

Gilmour, A. D., **Cassidy,** J. K., and **McAuley,** A. Comparison of the dimerisation kinetics of the iron(III)–nitrilotriacetate and –bis-picolinate complexes, 2847.

Gilmour, A. D., and **McAuley,** A. Kinetics of the reaction of molecular oxygen with iron(III)–cysteine complexes, 1006.

Gilson, T. R. See **Beattie,** J. R., 980.

Ginsburg, D. See **Korat,** M., 1784.

Glasser, L. S. D. See **Lethbridge,** J. W., 1862.

Gleiter, R. The structure of tetrasulphur tetranitride, 3174.

Glidewell, C., and **Rankin,** D. W. H. Some preparative and spectroscopic studies of silylamines, 279.

Glidewell, C., **Rankin,** D. W. H., and **Robiette,** A. G. Molecular structure of trigermylamine: an electron diffraction study, 2935.

Glidewell, C., **Rankin,** D. W. H., **Robiette,** A. G., and **Sheldrick,** G. M. Electron diffraction determination of the molecular structure of tetrasilylhydrazine, 318.

Glidewell, C., **Rankin,** D. W. H., **Robiette,** A. G., **Sheldrick,** G. M., **Beagley,** B., and **Cradock,** S. Molecular structures of digermyl ether and digermyl sulphide in the gas phase, studied by electron diffraction, 315.

Glockling, F., **Light,** J. R. C., and **Strafford,** R. G. Alkylpolygermanes, 426.

Glockling, F., **Light,** J. R. C., **Walker,** J., and **Mackay,** K. M. Proton magnetic resonance and Raman spectra of some methylpolygermanes, 432.

Glockling, F., and **Wilbey,** M. D. Germyl–iridium complexes, 1675.
Glockling, F. See also **Chambers,** D. B., 741.
Goddard, N. See **Davis, J.,** 2962, and **Drake,** J. E., 2587.
Goggin, P. L. See **Duddell,** D. A., 545.
Goldstein, M. See **Ahlijah,** G. Y., 326, 2590, **Beadle,** P. J., 305, **Campbell,** M. J. M., 672, and **Frazer,** M. J., 703.
Goodfellow, R. J. See **Duddell,** D. A., 545.
Goodgame, D. M. L., **Goodgame,** M., and **Hayward,** P. J. Electron spin resonance spectra of some perchlorate, thiocyanate, or iodide complexes of manganese (triphenylphosphine or triphenylarsine oxides) of the type $Mn(Ph_3XO)_4Y_2$, 1352.
Goodgame, D. M. L., **Hitchman,** M. A., and **Marsham,** D. F. Zinc nitrite complexes with amine ligands, 1933.
Goodgame, D. M. L. See also **Beadle,** P. J., 305.
Goodgame, M. See **Dowsing,** R. D., 1133, **Flint,** C. D., 442, and **Goodgame,** D. M. L., 1352.
Goodman, B. A., and **Raynor,** J. B. An electron spin resonance study of the reaction of sulphide and dithionite with some iron(I) and iron(II) complexes: the valency and stereochemistry of iron in reduced non-haem iron proteins, 2038.
Goodwin, A. D. J. See **Bennett,** M. A., 541.
Gordon, M. Chemical combinatorics. Part II. On the third law of thermodynamics, 737.
Gordon, M., and **Temple,** W. B. Chemical combinatorics. Part I. Chemical kinetics, graph theory, and combinatorial entropy, 729.
Gore, E. S., and **Green,** M. L. H. Some bis-π-cyclopentadienylmolybdenum amino-acid derivatives and related compounds, 2315.
Götz, J., and **Masson,** C. R. Trimethylsilyl derivatives for the study of silicate structures. Part I. A direct method of trimethylsilylation, 2683.
Gould, R. O., and **Harding,** M. M. Nickel and palladium complexes of 1-hydroxyethane-2-thiol and analogues. Part I. Crystal structure of cyclohexakis[bis-(μ-1-hydroxyethane-2-thiolato)-nickel(II)], 875.
Gould, R. O., and **Sutton,** H. M. Complexes of d^{10} ions with amides and amidines. Part I. Dissociation constants of ligands and stability constants of mercury(II) complexes. Part II. Stability constants of silver(I) and cadmium(II) complexes with hydroxy-amidines, 1184, 1439.
Govil, G. Molecular orbital calculations on polypeptides and proteins. Part I. Extended Hückel theory calculations on *trans*-dipeptides, 2464.
Grant, E. A. See **Bird,** B. D., 100.
Graziani, R. See **Bombieri,** G., 14, 1313, 3349.
Greatrex, R. See **Gibb,** T. C., 212.
Green, B., and **Sowerby,** D. B. Cyclic inorganic compounds. Part IX. Fluorination of bisdimethylaminotetrachlorotriphosphonitrile, 987.
Green, M., **Osborn,** R. B. L., and **Stone,** F. G. A. Reactions of low-valent metal complexes with fluorocarbons. Part IX. Iridium and platinum complexes of bis(trifluoromethyl)thioketen and 1,1-bis(trifluoromethyl)ethene-2,2-dithiolate, 944.
Green, M. See also **Ashley-Smith,** J., 1847, 3161, **Burt,** R., 2975, 2981, **Clark,** B., 951, **Cundy,** C. S., 1647, **Fields,** R., 49, and **Mukhedkai,** A. J., 947, 3158, 3166.
Green, Mark, and **Sykes,** A. G. Kinetic studies on the reaction of nitrous acid with the μ-superoxobis[pentaamminecobalt(III)] complex, 3209.
Green, Mark. See also **Sykes,** A. G., 3221.
Green, Michael, and **Tasker,** P. A. *NN'*-Ethylenebis-(*o*-aminobenzylideneiminato)nickel(II) and its derivatives, 2531.
NN'-Ethylenebis-(*o*-aminobenzylideneiminato)cobalt(II) and its derivatives. Part I. Physical properties and and shape, 3105.
Green, M. L. H. See **Campbell,** C. H., 1318, and **Gore,** E. S., 2315.
Greene, P. T., and **Bryan,** R. F. Metal–metal bonding in co-ordination complexes. Part VI. Crystal structure of dicarbonylcyclopentadienyl(trichlorostannyl)iron. Part VIII. Crystal structure of dicarbonyl-π-cyclopentadienyl[dichloro(phenyl)stannyl]iron, 1696, 2261.
Greene, P. T., and **Sacconi,** L. Crystal and molecular structure of the tetrahedrally co-ordinated complex dichloro[oxydiethylenebis(diphenylphosphine)]nickel(II), 866.
Greene, P. T. See also **Bryan,** R. F., 3064, 3068.
Greenwood, N. N. See **Cragg,** R. H., 1817, and **Gibb,** T. C., 212.
Gregg, S. J., and **Ramsay,** J. D. Adsorption of carbon dioxide by magnesia studied by use of infrared and isotherm measurements, 2784.
Gregg, S. J. See also **Breakspere,** R. J., 1468.
Gregory, U. A., **Jarvis,** J. A. J., **Kilbourn,** B. T., and **Owston,** P. G. Molecular structure of dinuclear complexes of platinum(II). Part II. α- and β-Forms of dichloro-di-μ-thiocyanato-bis(tri-n-propylphosphine)platinum(II), 2770.
Griffith, W. P. Raman studies on rock-forming minerals. Part II. Minerals containing MO_3, MO_4, and MO_6 groups, 286.
Griffith, W. P., and **Turner,** G. T. Raman spectra and vibrational assignments of hexacyano-complexes, 858.
Griffith, W. P. See also **Cleare,** M. J., 1117, 2788.
Griffiths, T. R., and **Scarrow,** R. K. Influence of temperature and concentration upon nickel(II) chloride interactions in dimethyl sulphoxide, 827.
Grinter, R., **Harding,** M. J., and **Mason,** S. F. Optical rotatory power of co-ordination compounds. Part XIV. Crystal spectrum and circular dichroism of α-$Ni(H_2O)_6$-SO_4, 667.
Grinter, R., and **Mason,** J. Nitrogen-14 and -15 nuclear magnetic resonance spectroscopy. Part III. The diamagnetic correction and the absolute scale of nitrogen chemical shift, 2196.
Gross, P., and **Wilson,** G. L. Composition and heat of combination of a double oxide of iron and sodium, 1913.
Gross, P., **Wilson,** G. L., and **Gutteridge,** W. A. Composition and heat of combination of a double oxide of chromium and sodium, 1908.
Grotewold, J. See **Casas,** F., 1001.
Grzeskowiak, R. See **Beadle,** P. J., 305, and **Campbell,** M. J. M., 19, 672.
Grzybowski, A. K., **Tate,** S. S., and **Datta,** S. P. Magnesium and manganese complexes of citric and isocitric acids, 241.
Gupta, J. P. See **Qureshi,** M., 2620.
Gupta, K. S., and **Gupta,** Y. K. Kinetics and mechanism of the reduction of thallium(III) by hypophosphite, 256.
Gupta, S. P. See **Krishna,** B., 997.
Gupta, Y. K. See **Bhargava,** A. P., 2183, **Gupta,** K. S., 256, and **Mishra,** S. K., 260, 2918.
Gutteridge, W. A. See **Gross,** P., 1908.

H

Hadži, D. Hydrogen bonding in some adducts of oxygen bases with acids. Part V. Infrared spectra of some adducts with proton transfer, 418.

Hadži, D. See also **Detoni,** S., 2851.

Haigh, C. W. Notation for spin systems in nuclear magnetic resonance spectroscopy, 1682.

Haines, L. J. B. See **Frazer,** M. J., 703.

Haines, R. J., and **du Preez,** A. L. Reactions of metal carbonyl derivatives. Part III. The mechanism of halogenation of tetracarbonylbis-π-cyclopentadienyldiiron and its derivatives, 2341.

Hála, J., and **Tuck,** D. G. Solvent extraction studies. Part VII. The ammonia–tri-n-butyl phosphate system, 3242.

Hall, D. See **Baker,** E. N., 396, 400, 406, and **Elder,** M., 245.

Hall, I. D. See **Day,** P., 2679.

Hall, M. C., **Kilbourn,** B. T., and **Taylor,** K. A. Structure and reactivity in complexes of iridium and rhodium. Part I. Crystal and molecular structure of bis-[1,2-bis(diphenylphosphino)ethane]rhodium(I) perchlorate, 2539.

Hall, P. G. Desolvation of solid complexes of 1,7-diacetoxy-2,4,6-trinitro-2,4,6-triazaheptane with organic solvents, 3137.

Hall, P. G., and **Hope,** C. J. Adsorption of non-polar gases of iron and titanium, 2003.

Hambleton, F. H. See **Peglar,** R. J., 2170.

Hammel, J. C., and **Smith,** J. A. S. Electric-field effects in nuclear magnetic resonance spectroscopy. Part III. $^{13}C-^{1}H$ Spin–spin coupling constants. Part IV. Substituted β-diketone complexes, 1852, 1855.

Hanania, G. I. H., and **Irvine,** D. H. Ionization of metal-bound water in sperm whale ferrimyoglobin and in some corrinoids, 2389.

Harding, M. J. See **Grinter,** R., 667.

Harding, M. M. See **Candlin,** R., 384, and **Gould,** R. O., 875.

Hargis, J. H. See **Mazhar-ul-Haque,** 1786.

Hargreaves, R. G. See **Booth,** B. L., 308.

Harman, J. S., and **Sharp,** D. W. A. Reactions between phosphorus pentafluoride and methylamine, ethylamine, and t-butylamine, 1138.

Reactions between phosphorus trifluoride and primary amines, 1935.

Harrison, T. See **Fields,** R., 49.

Harrowfield, J. N. MacB. See **Fee,** W. W., 2612.

Hartland, E. J. See **Homer,** J., 931, 1111.

Haszeldine, R. N. See **Alexander,** E. S., 2285, **Booth,** B. L., 1974, 1979, and **Fields,** R., 49, 1964, 1969.

Hathaway, B. J., **Bew,** M. J., and **Billing,** D. E. Single-crystal electronic and electron spin resonance spectra of bis(diethylenetriamine)copper(II) nitrate, 1090.

Hathaway, B. J., **Billing,** D. E., and **Dudley,** R. J. Single-crystal electronic and electron spin resonance spectra of bis-(3-methylpentane-2,4-dionato)copper(II), 1420.

Hathaway, B. J., **Billing,** D. E., **Dudley,** R. J., **Fereday,** R. J., and **Tomlinson,** A. A. G. Electronic and electron spin resonance spectra of diamminocopper(II) trithiocyanatoargentate(I) and iodobis(2-2′-bipyridyl)copper(II) iodide, 806.

Hathaway, B. J., and **Stephens,** F. The electronic properties and crystal structure of $Na_4Cu(NH_3)_4[Cu(S_2O_3)_2]_2,L$ ($L = H_2O$ or NH_3), 884.

Hathaway, B. J. See also **Bew,** M. J., 2640, **Billing,** D. E., 1877, **Dudley,** R. J., 1725, 2794, 2799, and **Fereday,** R. J., 571.

Hawranek, J. See **Detoni,** S., 2851.

Hay, R. W., and **Barnes,** D. J. Stopped-flow kinetics of the base hydrolysis of the *cis*-$[Co(L)_2(NH_2Bu^n)Cl]^{2+}$ ion (L = ethylenediamine), 3337.

Hayward, P. J. See **Dowsing,** R. D., 1133, and **Goodgame,** D. M. L., 1352.

Heaton, B. T. See **Gillard,** R. D., 353, 3126.

Heckingbottom, R. See **Faktor,** M. M., 2657.

Helcké, G. A. See **Fantechi,** R., 1294.

Hemmings, R. T. See **Drake,** J. E., 3359.

Hendra, P. J. See **Peacock,** C. J., 2943.

Heseltine, R. W. See **Brown,** M. P., 410.

Hessett, B., and **Perkins,** P. G. Thermochemistry of some complexes of titanium tetrachloride with organic ligands, 3229.

Thermochemistry of phosphoryl(V) chloride complexes of titanium tetrachloride, 3331.

Hewertson, W. See **Davies,** G. R., 1873.

Hewitt, T. G. See **Clark,** A. H., 872, 1613.

Hewson, M. J. C. See **Peake,** S. C., 2364.

Hickel, B. See **Barat,** F., 1982.

Higginson, W. C. E., and **Samuel,** B. Structures of the ethylenediaminetetra-acetate complexes of some bivalent cations in aqueous solution, 1579.

Higginson, W. C. E. See also **Hin-Fat,** L., 2836, 2842.

Hill, A. E. See **Briggs,** E. M., 2008.

Hill, H. A. O., and **Simpson,** K. A. Identification of *syn*- and *anti*-isomers of a *cis*-co-ordinated dithioether ligand by proton magnetic resonance spectroscopy, 3266.

Hill, J. See **Brown,** D., 476, 497, **McAuley,** A., 2461, and **Malik,** M. N., 643.

Hill, R. E. E. See **Gillard,** R. D., 707, 1447.

Hill, W. E. See **Colburn,** C. B., 2221.

Hillier, I. H., and **Saunders,** V. R. A theoretical study of the electronic structure of phosphine oxide and trimethylphosphine oxide and the donor–acceptor properties of phosphine and trimethylphosphine, 2475.

Hin-Fat, L., and **Higginson,** W. C. E. Decomposition of dioxalatodiaquocobaltate(III) and trioxalatocobaltate(III) in aqueous solution, 2836.

Some reactions of carboxylate anions with dioxalatodiaquocobaltate(III) in aqueous solution, 2842.

Hitchman, M. A. The interpretation of rhombic *g* tensors in copper complexes, 4.

Hitchman, M. A. See also **Goodgame,** D. M. L., 1933.

Hobday, M. D., and **Smith,** T. D. Reaction of phosphorus trichloride and arsenic trichloride with transition-metal ion Schiff-base complexes, 1085.

Hockey, J. A. See **Peglar,** R. J., 2170.

Hodgkin, D. C. See **Adams,** M. J., 2632.

Hohnstedt, L. F., **Brennan,** J. P., and **Reynard,** K. A. Boron and phosphorus chemistry. Part I. Simple, high-yield syntheses of pure chlorodiorganoboranes, 2455.

Hojo, N., and **Yoneno,** H. Preparation of 2,5-diaminoterephthalic acid by the Hofmann degradation of pyromellitic di-imide (benzene-1,2,4,5-tetracarboxylic 1,2:4,5-di-imide) in the presence of metal salts, 2387.

Holah, D. G. See **Brown,** D., 423, 786.

Holloway, C. E., **Hulley,** G., **Johnson,** B. F. G., and **Lewis,** J. Olefin rotation in platinum(II) olefin complexes. Part II, 1653.

Holmes, F. See **Eilbeck,** W. J., 689, 2062.
Homer, J., **Everdell,** M. H., **Hartland,** E. J., and **Jackson,** C. J. Proton nuclear magnetic resonance studies of the variation of 'neighbour anisotropy' screening with composition of mixtures, and some comments on its relationship to the thermodynamics of solutions, 1111.
Homer, J., **Hartland,** E. J., and **Jackson,** C. J. Molecular complexes. Part VI. A new procedure for investigating molecular interactions in solution by nuclear magnetic resonance spectroscopy, 931.
Hooton, K. A. Preparation and reactions of some ionic organoplatinum(II) complexes, 1896.
Hope, C. J. See **Hall,** P. G., 2003.
Horder, J. R. See **Beattie,** I. R., 329, 2433.
Horsfield, A., and **Wassermann,** A. Electron spin resonance spectra of ferricinium salts, 3202.
Hoskins, B. F., and **Whillans,** F. D. The crystal and molecular structure of a five-covalent copper(II) complex, 123.
Hoskins, B. F., and **White,** A. H. Crystal and molecular structure of monochlorobis(diethyldithiocarbamato)iron(III), 1668.
House, D. A. See **Fowlie,** A. D., 803.
Howlett, K. E. See **Edmonds,** M. I., 2866.
Huckerby, T. N. See **Dudley,** C. W., 2605.
Hudson, A. See **Bennett,** S. W., 348.
Hughes, M. N., and **Nicklin,** H. G. The chemistry of peroxonitrites. Part II. Copper(II)-catalysed reaction between hydroxylamine and peroxonitrite in alkali, 925.
Hughes, M. N., and **Rutt,** K. J. Complexes of thiazoles. Part III. Complexes of thiazole with cobalt(II), nickel(II), copper(II), zinc(II), and palladium(II) salts, 3015.
Hulley, G., **Johnson,** B. F. G., and **Lewis,** J. Metal β-diketone complexes. Part VII. Some reactions of the acid complexes $HPt(acac)_2X$ (X = Cl or Br), 1732.
Hulley, G. See also **Holloway,** C. E., 1653.
Humphreys, D., and **Staples,** P. J. The acid-catalysed hydrolysis of nitrotrichloroplatinate(II) and tetranitroplatinate(II) and -palladate(II) anions, 2708.
Humphreys, D. A. See **Gillespie,** R. J., 2311.
Husain, M. See **Wells,** C. F., 1013.
Husain, W. See **Qureshi,** M., 1204.
Hussain, M. D. See **Coe,** J. S., 90.

I

Ibekwe, S. D., and **Taylor,** K. A. Hydridoalkoxycarbonyl complexes of iridium, 1.
Ibekwe, S. D. See also **Chatt,** J., 1343.
Ige, R. O. See **Beetlestone,** J. G., 1368.
Inel, Y. See **Cadman,** P., 1207.
Ingram, M. D. See **Duffy,** J. A., 451.
Iqbal, M. Z. See **Blackmore,** T., 3153, and **Bruce,** M. I., 3204.
Ireland, P. R., and **Robinson,** W. T. Crystal structure of a cobalt(III) macrocyclic Schiff-base complex, 663.
Irvine, D. H. See **Bailey,** J. E., 749, 756, **Beetlestone,** J. G., 1368, and **...anania,** G. I. H., 2389.
Irving, H. M. N. H. See **Advani,** A. T., 2649.
Irving, R. J. See **Abraham,** M. H., 199.
Isaacs, N. W., and **Kennard,** C. H. L. Crystal structure of *cis*-dichloro-*cis*-bis(dimethylsulphoxide)-*trans*-dimethyltin(IV), 1257.
Ismail, A. A. See **Salem,** T. M., 2415, 2419.
Izatt, R. M., **Eatough,** D. J., **Morgan,** C. E., and **Christensen,** J. J. Half cell potential of the Pd,Pd^{2+} couple in 3·94-molal perchloric acid and the entropy of $Pd^{2+}(aq)$, 2514.
Izatt, R. M. See also **Christensen,** J. J., 454.

J

Jackson, C. J. See **Homer,** J., 931, 1111.
Jackson, R. A. See **Bennett,** S. W., 348.
Jackson, W. G. See **Fee,** W. W., 2612.
Jacobson, R. A. See **Porter,** S. K., 1356, 1359, and **Rodgers,** J., 1826.
James, J. M. See **Baraniak,** E., 2558.
James, T. A., and **McCleverty,** J. A. Reactions of the dicarbonyl substituted cyclopentadienyl nitrosyl manganese complex cation $[(\pi\text{-}C_5H_4)Mn(NO)(CO)_2]^+$ with some nitrogen and phosphorus donor ligands, 850.
Transition-metal dithiolene complexes. Part XV. π-Cyclopentadienyl nitrosyl and related molybdenum complexes. Part XVII. Cleavage of the ring from π-cyclopentadienyl–metal complexes by 1,2-dithiolato- and dithiocarbamato-ligands, 3308, 3318.
Jardine, F. H., **Rule,** L., and **Vohra,** A. G. The chemistry of copper(I) complexes. Part I. Halogeno-complexes, 238.
Jarvis, J. A. J., **Mais,** R. H. B., **Owston,** P. G., and **Thompson,** D. T. Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part V. Crystal structure of bis-μ-diphenylphosphido-bis(dicarbonylnickel), 1867.
Jarvis, J. A. J. See also **Davies,** G. R., 1275, and **Gregory,** U. A., 2770.
Jelen, A. See **Cassidy,** J. E., 173.
Jenkins, A. D. See **Chandra,** G., 2550.
Jindal, V. K., **Agrawal,** M. C., and **Mushran,** S. P. Mechanism of the oxidation of hydroxylamine by ferricyanide, 2060.
Johnson, B. F. G., **Lewis,** J., and **Robinson,** P. W. The chemistry of polynuclear compounds. Part XX. Reactivity of hexadecacarbonylhexarhodium, 1100.
Mass spectra of inorganic molecules. Part VI. Some transition-metal hydride complexes, 1684.
Johnson, B. F. G., **Lewis,** J., and **White,** D. A. Reactions of co-ordinated ligands. Part V. Reactions of triphenylmethyl tetrafluoroborate and fluoroboric acid with a variety of enyl metal complexes, 1738.
Johnson, B. F. G., **Lewis,** J., and **Williams,** I. G. The chemistry of polynuclear compounds. Part XIX. Products from the reaction of dodecacarbonyltriruthenium with di-n-butyl ether, 901.
Johnson, B. F. G. See also **Crooks,** G. R., 1662, **Deeming,** A. J., 897, 2517, 2967, **Gibson,** D., 367, **Holloway,** C. E., 1653, and **Hulley,** G., 1732.
Johnson, M. D., and **Lewis,** G. J. Sulphur dioxide insertion reactions of σ-bonded alkylcobalt(III) compounds, 2153.
Johnson, M. D., and **Winterton,** N. σ-Bonded organotransition-metal ions. Part IX. Strong hyperconjugative and inductive electron donation by some alkylmanganese, -molybdenum, -tungsten, and -iron carbonyl groups in substituted pyridinium ions. Part X. Kinetics and mechanism of the unimolecular hydrolysis of some pyridiomethyl metal carbonyl compounds in aqueous acid, 507, 511.
Johnson, M. D. See also **Bartlett,** E. H., 517, 523.

Johnson, N. P. See **Allen,** E. A., 2137.
Johnston, G. F. See **Abraham,** M. H., 188, 193, 199.
Johnston, H. D. See **Christensen,** J. J., 454.
Jonathan, N. See **Creek,** D. M., 646.
Jones, A. See **Fields,** R., 49.
Jones, A. D., and **Williams,** D. R. Thermodynamic considerations in co-ordination. Part VIII. A calorimetric and potentiometric study of complex formation between some lanthanide(III) ions and histidine, 3138.
Jones, C. J., and **McCleverty,** J. A. Complexes of transition metals with Schiff bases and the factors influencing their redox properties. Part I. Nickel and copper complexes of some diketone bis-thiosemicarbazones, 2829.
Jones, D. L. See **Barrer,** R. M., 1531.
Jones, G. R. See **Edwards,** A. J., 1491, 1891, 2521.
Jones, J. G., and **Twigg,** M. V. The nature of 'chloroferric phthalocyanine', 1546.
Jones, K. See **Dalton,** R. F., 590, and **Sheldrick,** G. M., 493.
Jones, P. J. See **Beattie,** I. R., 329.
Jones, S. L. See **Bullock,** T. I., 2472.
Jones, T. E. See **Dollimore,** D., 2809.
Jowitt, R. N., and **Mitchell,** P. C. H. Complexes of molybdenum(VI) and molybdenum(V) with dithiocarbamate, dithiocarbonate, and phosphorothionate, 1702.
Junk, G. A., **Preston,** F. J., **Svec,** H. J., and **Thompson,** D. T. Ligand effects on the ionization potentials and bond energies of some $L^1L^2Fe_2(CO)_6$ complexes, 3171.
Junk, G. A., and **Svec,** H. J. The mass spectra, ionization potentials, and bond energies of the Group VIIA decacarbonyls, 2102.

K

Kamenar, B., and **Prout,** C. K. Crystal and molecular structures of dichloro(oxo)-2,2′-bipyridylethoxyniobium-(V) and tetraphenylarsonium oxopentathiocyanatoniobate(V), 2379.
Kandil, S. A., and **Allred,** A. L. Tertiary butyl derivatives of tin, 2987.
Kanellopoulos, A. G. See **Barrer,** R. M., 765, 775.
Kang, J. W. See **Moseley,** K., 2875.
Kapila, V. P. See **Paul,** R. C., 2267.
Kapoor, P. N. See **Chatt,** J., 881, 1343.
Kasrai, M., and **Maddock,** A. G. The chemical effects of nuclear transformations in the alkali chlorides. Part II. Analytical problems with sulphur-35, 1105.
Katović, V. See **Djordjević,** C., 3382.
Kay, A., and **Mitchell,** P. C. H. Complexes of molybdenum-(V) and -(VI) with L-cysteine and related compounds and their reactions with hydrogen sulphide, 2421.
Keat, R. Synthesis and properties of some silylphosphinoalkylamines, 1795.
Synthesis of dichlorophosphinyl and dichlorophosphinothioyl derivatives of methylamine, 2732.
Keat, R., **Sim,** W., and **Payne,** D. S. Preparation of bis-(*N*-alkyl-*N*-diphenylphosphinoamino)phenylphosphines and their reactions with sulphur and methyl iodide, 2715.
Keefe, I. M. See **Farago,** M. E., 3194.
Keeling, G. See **Buttery,** H. J., 471.
Keller, P. C. See **Rund,** J. V., 2827.
Kemp, T. J. See **Buick,** A. R., 2227.
Kennard, C. H. L. See **Isaacs,** N. W., 1257, **Robinson,** D. J., 1008, and **Tillack,** J. V., 1637.
Kennard, O., **Kerr,** K. A., **Watson,** D. G., **Fawcett,** J. K., and **Di Sanseverino,** L. R. *X*-Ray analysis of the structure of (±)-1-acetyl-3-methylaspidospermidine 9-methiodide, 1779.
Kepert, D. L. See **Crisp,** W. P., 2199.
Keppie, S. A. See **Cardin,** D. J., 2594.
Kerr, K. A. See **Kennard,** O., 1779.
Kettle, S. F. A. See **Buttery,** H. J., 471.
Khoo, K. H. See **Feakins,** D., 361.
Kilbourn, B. T., and **Powell,** H. M. Allogons: isomerism in the crystal and molecular structure of the green form of dibromobis(benzyldiphenylphosphine)nickel(II); Ni-$[P(CH_2Ph)Ph_2]_2Br_2$[square], $2Ni[P(CH_2Ph)Ph_2]_2Br_2$-[tetrahedral], 1688.
Kilbourn, B. T. See also **Davies,** G. R., 1275, **Gregory,** U. A., 2770, and **Hall,** M. C., 2539.
Kilner, M. See **Farmery,** K., 634, 2279.
Kirschenbaum, L. J., and **Kustin,** K. Kinetics of copper-(II)–ethylenediamine complex formation, 684.
Knight, J., and **Mays,** M. J. New polynuclear carbonyl complexes containing iron with cobalt or rhodium, 654.
Protonation of some polynuclear carbonyl complexes, 711.
Knox, S. A. R., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part LIX. Organo-silicon- and -tin-(carbonyl)osmium complexes, 3147.
Kohl, J. See **Gerloch,** M., 3269, 3283.
Korat, M., **Schmuckler,** G., and **Ginsburg,** D. Propellanes. Part X. Palladium complexes of azapropellanes, 1784.
Koster, D. A., and **Wagner,** A. J. Reinvestigation of the crystal structure of ammoniumtetrametaphosphate, $(NH_4)_4P_4O_{12}$, 435.
Krishna, B., and **Gupta,** S. P. Calculation of ionization potential of some alternant hydrocarbon molecules and radicals by extended Hückel theory, 997.
Krishna, B., **Moghe,** C. K., and **Prakash,** B. Dielectric study of amines: electric dipole moments, solute–solvent interactions, and molecular configuration, 3367.
Krishna, B., and **Upadhyay,** R. K. Electric dipole moment and relaxation time of some ester molecules in benzene. Part I, 3144.
Kumar, R. See **Qureshi,** M., 272, 1488, 1986.
Kundu, K. K., **Chattopadhyay,** P. K., and **Das,** M. N. Thermodynamics of proton transfer processes involving ammonium and some substituted ammonium ions in ethylene glycol, 2034.
Kuritsyn, L. V. See **Wells,** C. F., 676, 1372.
Kustin, K. See **Kirschenbaum,** L. J., 684.

L

Lai, T. F. See **Cheung,** K. K., 3345.
Laing, K. R., and **Roper,** W. R. Preparation and properties of nitrosyl complexes of ruthenium(0), 2149.
Lalor, G. C. See **Davis,** C. S., 445.
Lam, S. Y. See **Cheung,** K. K., 3345.
Lancaster, J. C., and **McWhinnie,** W. R. An investigation of substituted tri-(2-pyridyl)amine complexes of nickel(II) and iron(II) by use of electronic and iron-57 Mössbauer spectroscopy, 2673.
Lappert, M. F., **Litzow,** M. R., **Pedley,** J. B., **Riley,** P. N. K., **Spalding,** T. R., and **Tweedale,** A. Bonding studies of compounds of boron and the Group IV elements. Part III. First ionisation potentials of some simple boron compounds by electron impact and by a new empirical molecular orbital method, 2320.

Lappert, M. F., **Lorberth,** J., and **Poland,** J. S. Organometallic diazoalkanes. Part I. Synthesis and characterisation of simple Group IVB organometallic diazomethanes, and the tin–carbon cleavage reactions of bis-(trimethylstannyl)diazomethane, 2954.

Lappert, M. F., and **Travers,** N. F. Binuclear organometallic compounds. Part II. Reactions of tri-organotin hydrides with iridium(I) and rhodium(I) complexes, 3303.

Lappert, M. F. See also **Cardin,** D. J., 2594, and **Chandra,** G., 2550.

Larkworthy, L. F., **Patel,** K. C., and **Phillips,** D. J. Vanadium(II) chemistry. Part II. Spectral and magnetic studies of the hydrated halides, 1095.

Larkworthy, L. F. See also **Earnshaw,** A., 1840.

Last, W. A. See **Das,** S. K., 616.

Laurie, S. H. See **Gillard,** R. D., 59.

Lawrence, K. G. See **Feakins,** D., 837.

Layton, A. J., **Nyholm,** R. S., **Banerjee,** A. K., **Fenton,** D. E., **Lestas,** C. N., and **Truter,** M. R. Alkali-metal complexes. Part III. Adducts of 1,10-phenanthroline with alkali-metal salts of 1-nitroso-2-naphthol, *o*-nitrophenol, and 2,4- and 2,6-dinitrophenol, 1894.

Layton, A. J. See also **Banerjee,** A. K., 292.

Leach, J. B., **Morris,** J. H., and **Perkins,** P. G. Derivatives of Δ^2-tetrazaboroline. Part VII. Unsymmetrically *N*-substituted Δ^2-tetrazaborolines, 1077.

Leary, G., and **Porter,** G. The photochemistry of two phytyl quinones: α-tocopherylquinone and vitamin K_1, 2273.

Lee, A. G. Insertion reactions of thallium–carbon and thallium–oxygen bonds, 467.

Cyclopentadienyl- and phenylethynyl-dimethylthallium, 2157.

Lees, E. B. See **Andon,** R. J., 833.

Le Fèvre, R. J. W. See **Aroney,** M. J., 2224.

Leggett, C., and **Thynne,** J. C. J. Decomposition of ethoxyl radicals, 1188.

Legzdins, P., **Mitchell,** R. W., **Rempel,** G. L., **Ruddick,** J. D., and **Wilkinson,** G. The protonation of ruthenium- and rhodium-bridged carboxylates and their use as homogeneous hydrogenation catalysts for unsaturated substances, 3322.

Leigh, G. J., and **Mingos,** D. M. P. Charge-transfer spectra of some complexes of ruthenium, rhenium, osmium, iridium, and platinum halides with tertiary phosphines and tertiary arsines, 587.

Leigh, G. J. See also **Chatt,** J., 2239, 2243.

Lestas, C. N. See **Layton,** A. J., 1894.

Leszczyński, Z. K. See **Bates,** A. J., 2435.

Lethbridge, J. W., **Glasser,** L. S. D., and **Taylor,** H. F. W. Crystal structure of oxalatobis(ethylenediamine)chromium(III) bis(oxalato)ethylenediaminechromate(III) dihydrate, $[Cr(NH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2)_2C_2O_4][CrNH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2(C_2O_4)_2].2H_2O$, 1862.

Lever, A. B. P. See **Fields,** R., 49.

Levison, J. J., and **Robinson,** S. D. Transition-metal complexes containing phosphorus ligands. Part I. Triaryl phosphite complexes of cobalt and nickel. Part II. Triaryl phosphite derivatives of ruthenium and osmium. Part III. Convenient syntheses of some triphenylphosphine complexes of the platinum metals, 96, 639, 2947.

Lewis, G. J. See **Johnson,** M. D., 2153.

Lewis, J. See **Bentley,** R. B., 3003, **Deeming,** A. J., 897, 2517, 2967, **Gerloch,** M., 1941, 3269, 3283, **Gibson,** D., 367, **Holloway,** C. E., 1653, **Hulley,** G., 1732, and **Johnson,** B. F. G., 901, 1100, 1684, 1738.

Lewis, L. C., and **Fogel,** N. Thermochemistry of cobalt(II) chloride–pyridine complexes, 1141.

Light, J. R. C. See **Glockling,** F., 426, 432.

Lindley, P. F., and **Mills,** O. S. Carbon compounds of the transition metals. Part XX. Crystal and molecular structure of μ-cycloundeca-allyl-heptacarbonyldi-iron, 38.

Lintonbon, R. M. See **Addison,** C. C., 1465.

Lissi, E. A. See **Casas,** F., 1001.

Lister, D. H., and **Symons,** M. C. R. Structure and reactivity of the oxyanions of transition metals. Part XVIII. A study of gamma-irradiated potassium chromate by electron spin resonance spectroscopy, 782.

Lister, D. H. See also **Frey,** H. M., 627

Litzow, M. R., **Power,** L. F., and **Tait,** A. M. Complexes of 8-amino-2-methylquinoline with nickel(II), 275.

Spectroscopic evidence for the conversion of octahedral nickel(II) into tetrahedral nickel(II), 2516.

Five-co-ordinate high-spin complexes of divalent nickel and copper with 2-methyl-8-[(6-methyl-2-pyridyl)-methyleneamino]quinoline, 2907.

Complexes of 8-amino-2-methylquinoline with copper(II), 3226.

Litzow, M. R. See also **Lappert,** M. F., 2320.

Liu, M. T. H. See **Frey,** H. M., 1916.

Livingston, K. M. S. See **Beattie,** I. R., 449, 1210.

Lloyd, J. P. See **Connor,** J. A., 3237.

Lloyd, N. C. See **Bush,** R. P., 1587.

Logan, N. See **Addison,** C. C., 3333.

Longoni, G. See **Chini,** P., 1542.

Lorberth, J. See **Lappert,** M. F., 2954.

Love, J. L. See **Chatt,** J., 1479.

Lunelli, B. See **Pecile,** C., 690.

Luth, H., and **Truter,** M. R. Crystal structure of hydroxo-bis(pentafluorophenyl)thallium(III), 1287.

Lynden-Bell, R. M., **Nixon,** J. F., and **Schmutzler,** R. Phosphorus–fluorine compounds. Part XVIII. Some n.m.r. observations on tetrakis(fluorophosphine) and mixed fluorophosphine-carbonyl complexes of nickel(0), 565.

Lyons, J. R. See **Coe,** J. S., 90.

M

Mabbs, F. E., and **Smail,** W. R. Studies in eight-co-ordination. Part II. The electron spin resonance of, and crystal field in, calcium copper acetate hexahydrate, 1716.

Mabbs, F. E. See also **Bentley,** R. B., 3003, **Coggon,** P., 3296, and **Garner,** C. D., 1711.

McAlees, A. J. See **Clark,** R. J. H., 2026.

McArdle, P., and **Manning,** A. R. The structures of some derivatives of dicarbonylcyclopentadienyliron dimer $[\{Fe(\pi\text{-}C_5H_5)(CO)_2\}_2]$ obtained from the reaction of pentacarbonyliron with fulvenes, 2119.

Tautomerism in dienedicarbonylcobalt dimer complexes, $[\{Co(\pi\text{-diene})(CO)_2\}_2]$, 2123.

The structures of dicarbonylcyclopentadienylruthenium dimer $[\{Ru(\pi\text{-}C_5H_5)(CO)_2\}_2]$ and some related complexes in solution, 2128.

Infrared spectra of $[(\pi\text{-}C_5H_5)Fe(CO)_2]_2$ and related compounds in hydroxylic solvents, 2133.

McAuley, A., **Malik,** M. N., and **Hill,** J. Metal-ion oxidation in solution. Part VIII. Characterisation of the intermediate formed in the cobalt(III)-ion oxidation of chloride, 2461.

McAuley, A. See also **Gilmour,** A. D., 1006, 2847, and **Malik,** M. N., 643.

McCarthy, A. E. Preparation and investigation of a mixed valence complex of potassium. Manganese and cyanide containing manganese(II) and (III), 1379.

McCleverty, J. A., and **Orchard,** D. G. Transition-metal dithiolene complexes. Part XVI. π-Cyclopentadienyl manganese nitrosyl 1,1-dithiolene complexes, 3315.

McCleverty, J. A., and **Ratcliff,** B. Transition-metal dithiolene complexes. Part XIII. Nitric oxide adducts of iron bis(diaryl-1,2-dithiolenes). Part XIV. Five-co-ordinate phosphine and phosphite adducts of cobalt and iron bis(diaryl-1,2-dithiolenes), 1627, 1631.

McCleverty, J. A. See also **Connelly,** N. G., 1621, **James,** T. A., 850, 3308, 3318, and **Jones,** C. J., 2829.

Macdonald, W. J. D. See **Duffy,** J. A., 977, 2066.

McDonald, W. S., and **Pettit,** L. D. Crystal structure of 1,4-diselenocyanatobenzene: the co-ordination of selenium(II), 2044.

McDonald, W. S. See also **Malone,** J. F., 3124, 3362.

McGlinchey, M. J., **Odom,** J. D., **Reynoldson,** T., and **Stone,** F. G. A. Synthesis by use of molecular carbon. Part II. Germanium tetrachloride, phosphorus trichloride, and sulphur monochloride, 31.

McGregor, R. G., and **Wiles,** D. R. Thallous–thallic exchange in solutions of the chloroacetic acids, 323.

Mackay, K. M. See **Glockling,** F., 432, and **George,** R. D., 3250.

McKean, T. E. See **Popp,** C. J., 2394.

McKendrick, A. See **Doggett,** G., 825.

McKenzie, E. D. On the suggested correlation between the electronic absorption spectra and stereochemistry in $[CuN_5]^{2+}$ and $[CuN_6]^{+2}$ chromophores, 3095.

McKenzie, E. D. See also **Gibson,** J. G., 2478.

Mackey, D. J. See **Gerloch,** M., 3030, 3040.

Maclagan, R. G. A. R. The perfect-pairing valence states of some later second-row elements, 2992.

Maclagan, R. G. A. R. See also, **Craig,** D. P., 1431.

McNamara, P. M. See **Finch,** A., 3339.

McPartlin, M., and **Mason,** R. Structure and formation of dichloro(benzylacetophenone)bis(dimethylsulphoxide)-iridium(III), 2206.

McPhail, A. T. See **Bennett,** J., 2094, and **Coggon,** P., 3296.

McWhinnie, W. R. See **Downs,** A. W., 2624, and **Lancaster,** J. C., 2673.

Madden, D. P., **da Mota,** M. M., and **Nelson,** S. M. Five-co-ordination in molecular complexes of zinc, cadmium, and mercury(II) with potentially ter- or tetra-dendate ligands with nitrogen donor atoms, 790.

Maddock, A. G. See **Erickson,** N. E., 1665, **Fenger,** J., 1456, 3255, and **Kasrai,** M., 1105.

Mais, R. H. B. See **Davies,** G. R., 1275, 1873, and **Jarvis,** J. A. J., 1867.

Maitlis, P. M. See **Moseley,** K., 2875, 2884.

Majer, J. R., and **Perry,** R. Detection of geometrical isomers by fractional sublimation in a mass spectrometer, 822.

Malatesta, L., **Angoletta,** M., and **Caglio,** G. (Alkoxycarbonyl)iridium compounds with *N*-donor bases and with triphenylphosphine, 1836.

Malcolm, D. E. See **Geary,** W. J., 797.

Malhotra, K. C. See **Paul,** R. C., 2267, 2712.

Malik, M. N., **Hill,** J., and **McAuley,** A. Metal-ion oxidations in solution. Part VII. Oxidation of bromide by cobalt(III), 643.

Malik, M. N. See also **McAuley,** A., 2461.

Mallinson, P. R. See **Bullen,** G. J., 2213.

Malone, J. F., and **McDonald,** W. S. Crystal structure of acetylacetonato(π-pentamethylbicyclo[2,2,0]hexa-2,5-dienylmethyl)palladium(II), 3124.

Crystal structures of triphenylgallium and triphenylindium, 3362.

Mandyczewsky, R. See **Drew,** M. G. B., 2815.

Mann, B. E. Analysis of nuclear magnetic resonance spectra of the type $[AMX_n]_2$, assuming $J_X = 0$, 3050.

Mann, F. G. See **Allen,** D. W., 999.

Manning, A. R., and **Miller,** J. R. The C–O stretching vibrations and force constants of phosphine- and arsine-substituted cobalt carbonyl complexes $[LCo(CO)_3]_2$ and $[LCo(CO)_3]_2Hg$ complexes, 3352.

Manning, A. R. See also **Casey,** M., 2258, and **McArdle,** P., 2119, 2123, 2128, 2133.

Marangoni, G. See **Boschi,** T., 2408.

Maraschini, F. See **Bossa,** M., 1416.

Marcilly, C. See **Barrer,** R. M., 2735.

Maresca, L. See **Clark,** R. J. H., 2687.

Marr, G. See **Beech,** G., 795, 2903.

Marsham, D. F. See **Goodgame,** D. M. L., 1933.

Marsmann, H., **Van Wazer,** J. R., and **Robert,** J.-B. *d*-Orbitals in positive, neutral, and negative phosphorus atoms, 1566.

Martin, J. F. See **Andon,** R. J., 833.

Martineau, E., and **Milne,** J. B. The stereochemistry of hexachloroantimony(III) compounds, 2971.

Marynick, D., and **Onak,** T. Low temperature and paramagnetic ion effects on the proton and boron-11 nuclear magnetic resonance spectra of the triborohydride in $(B_3H_8^-)$, 1160.

Maskill, R. See **Gillard,** R. D., 707, 1447.

Mason, C. F. V. See **Farago,** M. E., 3100, 3194.

Mason, J., and **Bronswijk,** W. van. Nitrogen nuclear magnetic resonance spectroscopy. Part II. The nitro (nitryl) and nitrate groups, 1763.

Mason, J. See also **Andersson,** L.-O., 296, and **Grinter,** R., 2196.

Mason, R., and **Rae,** A. I. M. The bonding of carbon disulphide to transition metals: the crystal structure of (carbon disulphide)bis(triphenylphosphine)platinum(0), 1767.

Mason, R., and **Robertson,** G. B. Crystal and molecular structure of (vitamin-A aldehyde)tricarbonyliron, 1229.

Mason, R., **Robertson,** G. B., and **Whimp,** P. O. Crystal structure of a dichloro-di-μ-(pentamethylbicyclo[2,2,0]-hexa-2,5-dienylmethyl)diplatinum(II), 535.

Mason, R., and **Towl,** A. D. C. Crystal structure and stereochemistry of the solvated complex dichlorodi-pyridine-[*o*-(di-*o*-tolyphosphino)benzyl]rhodium(III)–0·61 chloroform: the *trans*-influence of ligands in octahedral complexes, 1601.

Mason, R. See also **McPartlin,** M., 2206.

Mason, S. F. See **Grinter,** R., 667.

Masson, C. R. See **Götz,** J., 2683.

Mather, G. G., and **Pidcock,** A. Interpretation of tungsten-183–phosphorus-31 nuclear spin coupling constants, 1226.

Mathur, V. K. See **Saxena,** U. B., 904.

Matthews, J. D., **Singer,** N., and **Swallow,** A. G. Crystal and molecular structure of chloro-π-cyclopentadienylbis-8-quinolinolatotitanium(IV), 2545.
Matthews, R. W. See **Drew,** M. G. B., 1405.
Matts, T. C., and **Moore,** P. Kinetics of the oxidation of the azidopenta-aquochromium(III) ion by nitrous acid in aqueous acidic perchlorate and chloride media, and analysis of the chromium(III) product distribution in the presence of scavenger anions, 2819.
Mawaziny, S. Conversion of arylsilanes, arylchlorosilanes, and siloxanes into chlorosilanes, 1641.
Mays, M. J., **Simpson,** R. N. F., and **Stefanini,** F. P. Cationic complexes of iridium. Part II. Kinetic studies on the reductive elimination of hydrogen from $[IrH_2(CO)_2L_2]$-BPh_4 (L = tertiary phosphine or tertiary arsine), 3000.
Mays, M. J. See also **Bancroft,** G. M., 956, 2146, **Church,** M. J., 1938, 2909, and **Knight,** J., 654, 711.
Mazhar-ul-Haque, Caughlan, C. N., **Hargis,** J. H., and **Bentrude,** W. G. Crystal and molecular structure of 5-t-butyl-2-methyl-2-oxo-1,3,2-dioxaphosphorinan ($C_8H_{17}PO_3$), 1786.
Mehrotra, R. C. See **Saxena,** U. B., 904.
Melia, T. P., and **Merrifield,** R. Thermal properties of transition-metal compounds. Part II. Complexes of manganese, iron, cobalt, nickel, and zinc of the type $(NEt_4)_2MCl_4$, 1166.
Melliar-Smith, C. M. See **Creek,** D. M., 646.
Melson, G. A., **Stokely,** P. F., and **Bryan,** R. F. Metal–metal bonding in co-ordination complexes. Part VII. Crystal structure of dicarbonylcyclopentadienyl(tribromostannyl)iron, 2247.
Melson, G. A. See also **Crawford,** N. P., 141.
Meriani, S. See **Calligaris,** M., 3386.
Merrifield, R. See **Melia,** T. P., 1166.
Mestroni, G. See **Costa,** G., 2870.
Metcalfe, J. See **Frey,** H. M., 2529.
Michelson, C. E., **Dyer,** D. S., and **Ragsdale,** R. O. A fluorine-19 nuclear magnetic resonance spectral study of some titanium tetrafluoride diadducts, 2296.
Midcalf, C. See **Farmery,** K., 2279.
Midollini, S., and **Bacci,** M. Oxomolybdenum(IV) and oxovanadium(IV) complexes with a tridentate Schiff base, 2964.
Milledge, H. J. See **Davies,** A. G., 2862.
Miller, J. M. See **Rake,** A. T., 1881.
Miller, J. R. See **Manning,** A. R., 3352.
Mills, O. S. See **Lindley,** P. F., 38.
Milne, J. B. See **Martineau,** E., 2971.
Mingos, D. M. P. See **Chatt,** J., 1243, and **Leigh,** G. J., 587.
Minichelli, D. See **Calligaris,** M., 2411.
Minn, F. L., and **Filipescu,** N. Nearest-neighbour model for transfer of electronic excitation energy, 1016.
Mishra, S. K., and **Gupta,** Y. K. Kinetics of oxidation of antimony(III) by cerium(IV) in media containing perchloric acid, 260.
Stoicheiometry and kinetics of the reaction between cerium(IV) and hydrazine in acid solution, 2918.
Mitchell, K. A. R. See **Branton,** G. R., 151.
Mitchell, P. C. H., and **Trifiro,** F. Spectroscopic investigation of bismuth–molybdenum–oxide catalysts, 3183.
Mitchell, P. C. H. See also **Jowitt,** R. N., 1702, and **Kay,** A., 2421.
Mitchell, R. W. See **Legzdins,** P., 3322.
Moeller, T. See **Arrington,** D. E., 2627.
Moghe, C. K. See **Krishna,** B., 3367.
Moore, J. S., **Phillips,** G. O., **Power,** D. M., and **Davies,** J. V. Polyanions and their complexes. Part VII. Mechanism of methylene blue–polyanion interactions, 1155.
Moore, P. See **Benton,** D. J., 3179, and **Matts,** T. C., 2819.
Morassi, R. See **Dapporto,** P., 1298, and **Sacconi,** L., 575.
Morgan, C. E. See **Izatt,** R. M., 2514.
Morris, J. H. See **Leach,** J. B., 1077.
Moseley, K., **Kang,** J. W., and **Maitlis,** P. M. Pentamethylcyclopentadienyl-rhodium and -iridium halides. Part II. Reactions with mono-, di-, and tri-olefins, 2875.
Moseley, K., and **Maitlis,** P. M. Pentamethylcyclopentadienyl-rhodium and -iridium halides. Part III. Reactions with cyclohexadienes, 2884.
Moser, W. See **Cassidy,** J. E., 173.
Moss, J. R., and **Shaw,** B. L. Some tertiary phosphine and teriary arsine complexes of molybdenum(II), molybdenum(IV), tungsten(II), and tungsten(IV), 595.
Moss, K. C. Nuclear magnetic resonance studies on fluorine-containing compounds. Part II. Reactions of niobium pentafluoride with organic donor molecules, 1224.
Moss, K. C. See also **Davies,** T. K., 1054.
Mukhedkar, A. J., **Green,** M., and **Stone,** F. G. A. Reactions of low-valent metal complexes with fluorocarbons. Part X. Reactions of tetrakis(methyldiphenylphosphine)platinum, 947.
Mukhedkar, A. J., **Mukhedkar,** V. A., **Green,** M., and **Stone,** F. G. A. Reactions of low-valent metal complexes with fluorocarbons. Part XIII. (π-Cyclopentadienyl)bis(π-ethylene)rhodium. Part XV. Acetylacetonatobis-(methyldiphenyl- or triphenyl-phosphine)rhodium, 3158, 3166.
Mukhedkar, V. A. See **Mukhedkar,** A. J., 3158, 3166.
Mulley, B. A., and **Winfield,** A. J. Non-ionic surface-active agents. Part VII. Solubility of benzoic acid in aqueous solutions of some monododecyl polyoxyalkanols, 1459.
Murphy, E. V. T. See **Barrer,** R. M., 2506.
Murray, J. See **Peglar,** R. J., 2170.
Murray, K. S. See **Bergen,** A. van den, 3060, **Buckley,** A. N., 2298, and **Price,** J. H., 968.
Murrell, J. N., and **Nikolsky,** A. B. A pseudo-triatomic model for the analysis of metal–ligand force constants, 1363.
Murthy, A. S. N., **Bhat,** S. N., and **Rao,** C. N. R. Molecular orbital studies of the hydrogen bond, 1251.
Mushram, S. P. See **Jindal,** V. K., 2060.

N

Nabi, S. N. See **Das,** S. K., 616.
Naik, B. G. See **Downs,** A. W., 2624.
Nancollas, G. H. See **Degischer,** G., 1125.
Naqvi, R. R., and **Wheatley,** P. J. The stereochemistry of molecules containing the C=C=N group. Part IV. *X*-Ray determination of the molecular structure of *N*-*p*-tolyl-2,2-diphenylvinylideneamine and *N*-*p*-bromophenyl-2,2-diphenylvinylidenamine, 2053.
Nardin, G. See **Calligaris,** M., 714, 1069, 2411, 3386.
Nash, T. Absorption of nitrogen dioxide by aqueous solutions, 3023.
Natarajan, M., and **Rao,** C. N. R. Phase transitions in silver halides: silver iodide and its solid solutions with silver bromide, 3087.

Nathan, L. C. See **Popp,** C. J., 2394.
Natile, G. See **Bombieri,** G., 14, and **Clark,** R. J. H., 659.
Neal, G. T. See **Buick,** A. R., 2227.
Nelson, J., **Spratt,** R., and **Nelson,** S. M. Proton nuclear magnetic resonance spectra of free and hydrogen-bonded thiocyanic, cyanic, and hydrazoic acids, 583.
Nelson, S. M. See **Madden,** D. P., 790, and **Nelson,** J., 583.
Newlands, M. J. See **Alexander,** E. S., 2285, and **Bryan,** R. F., 3068.
Newton, D. C. See **Adams,** D. M., 2822.
Newton, W. E., and **Rochow,** E. G. Vibrational spectra of some trialkoxysilanes, 2664.
Nicholls, D., and **Warburton,** B. A. Some salts of protonated azobenzene and the conversion of azobenzene into benzidine by copper(I) halides in hydrochloric acid, 346.
Nicholls, D., and **Wilkinson,** D. N. Preparation and properties of oxotetrachlorovanadates(V), 1103.
Nicholls, D. See also **Bagley,** M. J., 2694.
Nicholls, P. See **Billing,** D. E., 1877.
Nichols, D. I. A fluorine-19 nuclear magnetic resonance study of inductive and mesomeric effects in tertiary phosphine gold phenyl complexes, 1216.
Nichols, D. I. See also **Charlton,** J. S., 1484.
Nicholson, D. G. See **Cassidy,** J. E., 173, and **Donaldson,** J. D., 145.
Nicklin, H. G. See **Hughes,** M. N., 925.
Nicol, M. J. See **Rosseinsky,** D. R., 1196.
Nikolsky, A. B. See **Chatt,** J., 1479, and **Murrell,** J. N., 1363.
Nixon, J. F., and **Sexton,** M. D. Phosphorus–fluorine compounds. Part XVII. Fluorophosphine complexes of zerovalent platinum, 321.
Nixon, J. F., and **Swain,** J. R. Phosphorus–fluorine compounds. Part XIX. Syntheses of, and nuclear magnetic resonance spectral studies on, hexaco-ordinate fluorophosphate anions containing phosphorus–hydrogen bonds, 2075.
Nixon, J. F. See also **Bishop,** E. O., 1074, and **Lynden-Bell,** R. M., 565.
Noble, A. M., and **Winfield,** J. M. Reactions of tungsten hexafluoride with sulphite esters and with trimethyl phosphite. Preparation and reactions of alkoxy- and phenoxy-tungsten(VI) pentafluorides, 501.
Reactions of tungsten hexafluoride with alkylalkoxy- and alkylphenoxy-silanes, hexamethyldisiloxane, and dimethyl ether, 2574.
Nockolds, C. E. See **Baraniak,** E., 2558.
Norton, M. G. See **Duddell,** D. A., 545.
Norwood, L. S. See **Ball,** M. C., 1476.
Nyholm, R. S. See **Banerjee,** A. K., 292, **Bradford,** C. W., 2889, and **Layton,** A. J., 1894.

O

Oakley, R. T. See **Chivers,** T., 2324.
O'Brien, S. The nuclear magnetic resonance spectra of some platinum and palladium π-allyl complexes and their reactions with sulphur dioxide, 9.
O'Brien, T. A. See **Churchill,** M. R., 161, 206.
Odom, J. D. See **McGlinchey,** M. J., 31.
Ogunmola, G. B. See **Bailey,** J. E., 749.
Oldham, C. See **Baker,** D., 2608, and **Dudley,** C. W., 2605.
Oliver, J. F. C. See **Abraham,** M. H., 203.
Oliver, J. G., and **Worrall,** I. J. Studies into the constitution of some Group III alkoxides, 845.
Mode of ionisation in molten phosphorus oxyhalide–gallium halide complexes, 848.
Structure of tribenzyloxyaluminium and tri-(4-chlorobenzyloxy)aluminium, 1389.
Mass spectra of some Group III alkoxides, 2347.
Onak, T. See **Marynick,** D., 1160.
Onyszchuk, M. See **Vandrish,** G., 3327.
Orchard, D. G. See **McCleverty,** J. A., 3315.
Orioli, P. L., and **Ghilardi,** C. A. Five-co-ordination in nickel(II) complexes. The crystal structure of dibromobis-(2-diphenylphosphinoethyl)aminenickel(II), 1511.
Osborn, R. B. L. See **Green,** M., 944.
Osbourne, R. R. See **Downs,** A. W., 2624.
O'Sullivan, K., **Thompson,** R. C., and **Trotter,** J. Crystal structure of ammonium fluorosulphate, 1814.
Owston, P. G. See **Davies,** G. R., 1275, 1873, **Gregory,** U. A., 2770, and **Jarvis,** J. A. J., 1867.
Owusu, A. A. See **Fitzsimmons,** B. W., 935.
Ozin, G. A. An unambiguous assignment for the totally symmetrical phosphorus–indium–phosphorus stretching mode in the five-co-ordinate, trigonal bipyramidal complex indium trichloride–bis(trimethylphosphine) by use of oriented single-crystal Raman polarization data, 1307.
High-temperature gas-phase laser Raman spectroscopy: evidence for the existence and molecular structure of the interpnictides As_2P, As_2P_2, and AsP_3 in mixtures of phosphorus and arsenic vapours and SbP_3 in mixtures of phosphorus and antimony vapours, 2307.
Ozin, G. A., and **Walton,** R. A. Vibrational spectra and structures of the 1 : 1 complexes of niobium and tantalum, and antimony pentachlorides and tantalum pentabromide with aceto-, perdeuterioaceto-, and propionitriles in the solid and solution states and a vibrational analysis of the species $MX_5,NC{\cdot}CY_3$ (Y = H or D), 2236.
Ozin, G. A. See also **Beattie,** I. R., 370, 449, 1210, 2071.

P

Packter, A., and **Dhillon,** H. S. Kinetics and mechanism of the heterogeneous reactions of γ-, κ-, and α-aluminas with aqueous sodium hydroxide solutions, 1266.
Packter, A., and **Saunders,** D. F. Precipitation of sparingly soluble alkaline-earth and lead salts; the effects of chelating additives on nucleation and growth rates, 725.
Paddock, N. L. See **Branton,** G. R., 151, and **Chivers,** T., 2324.
Palazzi, A. See **Busetto,** L., 474.
Palmieri, P. See **Bendazzoli,** G. L., 2357.
Panattoni, C. See **Bandoli,** G., 2778, and **Bombieri,** G., 14, 1313.
Paoletti, P. See **Barbucci,** R., 2202.
Park, C. H. See **Ballard,** R. E., 1340.
Parker, A. J. See **Peglar,** R. J., 2170.
Parker, D. J. Infrared spectra (700—200 cm.$^{-1}$) of some π-cyclopentadienyl–metal carbonyls and their substituted derivatives, 1382.
Parker, D. J., and **Stiddard,** M. H. B. Vibrational and electronic spectra of transition-metal carbonyl complexes. Part VII. Infrared spectra of some cyclopentadienyl-metal carbonyl complexes. Part VIII. Infrared spectra of some methyl-π-cyclopentadienyl complexes, 480, 1040.
Parsonage, N. G. Contribution to the variation with coverage of the isosteric heat of adsorption on a square lattice and in incompletely separated cells, 2859.

Parthasarathy, R. See **Sime, J. G.,** 1919.
Patel, C. G. See **Davies,** G. R., 1873.
Patel, K. C. See **Earnshaw,** A., 1840, and **Larkworthy,** L. F., 1095.
Patil, K. C. See **Ramdas,** S., 64.
Paul, I. See **Buttery,** H. J., 471.
Paul, I. C. See **Arrington,** D. E., 2627.
Paul, K. K. See **Paul,** R. C., 2712.
Paul, R. C., **Kapila,** V. P., and **Malhotra,** K. C. Behaviour of acid halides in disulphuric acid, 2267.
Paul, R. C., **Paul,** K. K., and **Malhotra,** K. C. Solution chemistry in substituted sulphuric acids. Part I. Conductimetric investigations of the ionization of some solutes in methanesulphonic acid, 2712.
Pauling, P. J., **Porter,** D. W., and **Robertson,** G. B. Structure of *trans*-dichlorobis-[*o*-phenylene(bisdimethylarsine)]cobalt(III) perchlorate, 2728.
Payne, D. S. See **Keat,** R., 2715.
Payne, N. C. See **Gillard,** R. D., 2579.
Peacock, C. J., **Hendra,** P. J., **Willis,** H. A., and **Cudby,** M. E. A. Raman spectrum and vibrational assignment for poly(tetrafluoroethylene), 2943.
Peacock, R. D. See **Fraser,** G. W., 1708.
Peake, S. C., **Hewson,** M. J. C., and **Schmutzler,** R. Phosphorus–fluorine chemistry. Part XXIV. Preparation and nuclear magnetic resonance investigation of the fluorophosphate anions, $[RPF_5]^-$ and $[R^1R^2PF_4]^-$, and of the dialkyl(or diaryl)dialkylaminodifluorophosphoranes, $R^1R^2PF_2NR^3_2$, 2364.
Peake, S. C., and **Schmutzler,** R. Phosphorus–fluorine chemistry. Part XXII. Alkylthio- and arylthio-substituted fluorophosphoranes, 1049.
Pearce, C. A. See **Bush,** R. P., 1587.
Pecile, C., **Lunelli,** B., and **Busetti,** V. The vibrational spectrum of quinones. Part II. The infrared spectrum of 1,4-naphthaquinone and 1,4-[$^2H_6$]naphthaquinone, 690.
Pedley, J. B. See **Lappert,** M. F., 2320.
Peglar, R. J., **Murray,** J., **Hambleton,** F. H., **Sharp,** M. J., **Parker,** A. J., and **Hockey,** J. A. Chemical production and trapping of methyl radicals at silica surfaces, 2170.
Pendlebury, R. E. See **Coates,** G. E., 156.
Perkins, P. G. See **Armstrong,** D. R., 2748, **Hessett,** B., 3229, 3331, and **Leach,** J. B., 1077.
Perry, R. See **Majer,** J. R., 822.
Perry, R. O. See **Beattie,** I. R., 2071, 2429.
Pettit, L. D. See **Advani,** A. T., 2649, 2691, and **McDonald,** W. S., 2044.
Phillip, A. T. See **Bosnich,** B., 264.
Phillips, D. J. See **Larkworthy,** L. F., 1095.
Phillips, G. See **Eilbeck,** W. J., 689.
Phillips, G. G. See **Gerloch,** M., 1941.
Phillips, G. O. See **Moore,** J. S., 1155.
Phillips, L. See **East,** R. L., 331.
Phillipson, J. J. See **Bates,** A. J., 2435.
Pidcock, A., and **Roberts,** G. G. Ligand displacement reactions. Part V. The mechanisms of displacement of bidentate olefins from olefin(tetramethyl-1,4-benzoquinone)nickel(0) complexes by trimethyl phosphite, 2922.
Pidcock, A., and **Waterhouse,** C. R. Phosphite and phosphonate complexes. Part I. Synthesis and structures of dialkyl and diphenyl phosphonate complexes of palladium and platinum, 2080.
Pidcock, A. See also **Allen,** F. H., 2087, **Bennett,** J., 2094, and **Mather,** G. G., 1226.
Pietropaolo, R. See **Crociani,** B., 531.
Pilbrow, J. R., **Carr,** S. G., and **Smith,** T. D. An electron spin resonance study of the formation of mixed-ligand chelates of copper(II) with amino-acids and certain 3,4-dihydroxyphenols, 723.
Pilbrow, J. R. See also **Price,** J. H., 968, and **Toy,** A. D., 2600.
Pilbrow, M. F. See **Gillard,** R. D., 353.
Poë, A. J., and **Shaw,** K. The *trans*-effect in octahedral complexes. Part IV. Kinetic *trans*-effect of OH^-, OH_2, and NH_3 in complexes of the form *trans*-$RhA_2L(OH_2)^{n+}$, where A = ethylenediamine (en), 393.
Poë, A. J. See also **Bott,** H. L., 1745.
Poh, B. L. See **Yeats,** P. A., 2188.
Poland, J. S. See **Lappert,** M. F., 2954.
Popp, C. J., **Nathan,** L. C., **McKean,** T. E., and **Ragsdale,** R. O. Donor properties of acridine *N*-oxide, 2394.
Popp, C. J., and **Ragsdale,** R. O. Nickel(II), cobalt(II), and copper(II) complexes with *N*-methyl-*p*-nitrosoaniline and *p*-nitrosoaniline, 1822.
Porta, P. See **Furlani,** C., 2929.
Porter, D. W. See **Pauling,** P. J., 2728.
Porter, G. See **Leary,** G., 2273.
Porter, G. B., **Simpson,** J., and **Baughan,** E. C. Antimony halides as solvents. Part VII. Magnetic susceptibility measurements on perylene radical-cations, 2806.
Porter, S. K., and **Jacobson,** R. A. Crystal structure of pyridinium tetrachloroantimonate(III), 1356.
Crystal structure of pyridinium nonabromodiantimonate(III) dibromide, 1359.
Powell, D. B. See **Dempster,** A. B., 1129.
Powell, H. M. See **Kilbourn,** B. T., 1688.
Power, D. M. See **Moore,** J. S., 1155.
Power, L. F. See **Litzow,** M. R., 275, 2516, 2907, 3226.
Prakash, B. See **Krishna,** B., 3367.
Prater, B. E. See **Bancroft,** G. M., 956, 2146.
Pratt, G. L. See **Eastmond,** G. B. M., 2329, 2333, 2337.
Preston, F. J. See **Junk,** G. A., 3171.
Preti, C., and **De Filippo,** D. Six-co-ordinate complexes of thiomorpholin-3-one with cobalt(II) and Group VIB metal carbonyls, 1901.
Preti, C. See also **De Filippo,** D., 1904.
Previtali, C. See **Casas,** F., 1001.
Price, A. H. See **Denney,** D. J., 351.
Price, J. H., **Pilbrow,** J. R., **Murray,** K. S., and **Smith,** T. D. Electron spin resonance study of exchange and dipole–dipole coupling in copper(II) chelates of cyclopentanetetracarboxylic acid and related systems, 968.
Prince, R. H. See **Burgess,** J., 2111.
Prout, C. K., and **Castellano,** E. E. Molecular complexes. Part IX. Crystal and molecular structure of 2-methyl-3-*N*-methylanilinomethyl-1-4-naphthoquinone, 2775.
Prout, C. K. See also **Kamenar,** B., 2379.
Puxeddu, A. See **Costa,** G., 2870.
Puxley, D. C. See **Davies,** A. G., 2862.

Q

Quadrifoglio, F. See **Brückner,** S., 1168.
Quested, P. N. See **Gerloch,** M., 1941.
Qureshi, M., and **Gupta,** J. P. Separation of Ga^{3+} from Fe^{3+}, Al^{3+}, and In^{3+}, with a new stable synthetic titanium tungstate. Effect of drying on its stability and ion-exchange properties, 2620.

Qureshi, M., and **Husain,** W. Synthesis of thorium molybdate and its use for the quantitative separation of iron(III) from zinc(II), cobalt(II), and copper(II), 1204.

Qureshi, M., and **Kumar,** V. Synthesis and ion-exchange characteristics of titanium antimonates, 1488.

Qureshi, M., **Kumar,** R., and **Rathore,** H. S. Synthesis and properties of stannic arsenate, 272.

Synthesis and ion-exchange properties of stannic arsenates: separation of Fe^{3+} from Ni^{2+}, Co^{2+}, Mn^{2+}, Ca^{2+}, and Al^{3+}; separation of Al^{3+} from Mg^{2+} and In^{3+}, 1986.

R

Radford, D. See **Saxena,** U. B., 904.

Rae, A. I. M. See **Mason,** R., 1767.

Raeburn, U. A. See **Adams,** M. J., 2632.

Ragsdale, R. O. See **Michelson,** C. E., 2296, and **Popp,** C. J., 1822, 2394.

Rai, A. K. See **Saxena,** U. B., 904.

Rake, A. T., and **Miller,** J. M. Fragmentation and rearrangement processes in the mass spectra of perhalogenoaromatic compounds. Part III. Phenyl and pentafluorophenyl derivatives of Group V, 1881.

Ramdas, S., **Patil,** K. C., and **Rao,** C. N. R. Thermodynamics and kinetics of oxidation of Pr_2O_3 and Tb_2O_3 to non-stoicheiometric oxides, 64.

Ramsay, J. D. See **Gregg,** S. J., 2784.

Randaccio, L. See **Calligaris,** M., 1069, 2411, 3386.

Rankin, D. W. H. See **Glidewell,** C., 279, 315, 318, 2935.

Rao, C. N. R. See **Murthy,** A. S. N., 1251, **Natarajan,** M., 3087, and **Ramdas,** S., 64.

Rastogi, P. See **Ahuja,** I. S., 378, 2161.

Ratajczak, E. See **Cadman,** P., 2109.

Ratcliff, B. See **McCleverty,** J. A., 1627, 1631.

Rathore, H. S. See **Qureshi,** M., 272, 1986.

Ray, A. K., and **Das,** M. N. Ion association effects on rates of alkaline hydrolysis of acetylsalicylate and acetylmandelate ions, 464.

Specific solvent effects on rates of alkaline hydrolysis of acetylmandelate ion, 1576.

Ray, S. K. See **Das,** S. K., 616.

Raynor, J. B., and **Symons,** M. C. R. Electron spin resonance study of the complex ions $[Fe(NO_2)(CN)_5]^{3-}$ and $[Fe(CN)_5NO]^{3-}$, 339.

Raynor, J. B. See also **Goodman,** B. A., 2038.

Reed, C. A., and **Roper,** W. R. On the supposed iridium–gold compound $Cl_3(CO)(PPh_3)_2Ir{\cdot}Au(PPh_3)$, 506.

Oxidative additions to nitrosyltris(triphenylphosphine)-iridium(—II). Five-co-ordinate methyl–nitrosyl and hydride–nitrosyl derivatives of iridium(I), 3054.

Reisenhofer, E. See **Costa,** G., 2870.

Rempel, G. L. See **Legzdins,** P., 3322.

Revitt, D. M., and **Sowerby,** D. B. Rotational isomerism in ethylhalogenoarsines, 1218.

Reynard, K. A. See **Hohnstedt,** L. F., 2498.

Reynolds, D. J. See **Beattie,** I. R., 449, 1210.

Reynoldson, T. See **McGlinchey,** M. J., 31.

Rice, N. M. See **Ashurst,** K. G., 2302.

Richards, A. See **Coggon,** P., 3296.

Richards, J. A. See **Abraham,** M. H., 203.

Richards, R. E. See **Cannon,** T. C., 1180, and **Dwek,** R. A., 1173.

Richards, R. L. See **Chatt,** J., 1479, 2243.

Rickard, C. E. F. See **Brown,** D., 423, 476, 497, 786, 3373.

Riddle, C. See **Drake,** J. E., 3134, 3359.

Riley, P. N. K. See **Lappert,** M. F., 2320.

Ripamonti, A. See **Calligaris,** M., 714, 1069, 3386.

Ritter, J. J., and **Coyle,** T. D. Halogen exchange reactions of diboron tetrahalides, 1303.

Robert, J.-B. See **Marsmann,** H., 1566.

Roberts, G. G. See **Pidcock,** A., 2922.

Roberts, P. J., and **Trotter,** J. Crystal structure of octacarbonylbis-μ-[bis(dimethylarsino)tetrafluorocyclobutene-*AsAs*]-*triangulo*-triruthenium, 3246.

Robertson, G. B. See **Gillard,** R. D., 2579, **Mason,** R., 535, 1229, and **Pauling,** P. J., 2728.

Robiette, A. G. See **Glidewell,** C., 315, 318, 2935.

Robinson, D. J., and **Kennard,** C. H. L. Stereochemistry of flexible-chelate–metal complexes. Part II. Crystal structure of dichloro(tetrahydrogenethylenediaminetetraacetato)palladium(II) pentahydrate, 1008.

Robinson, E., and **Ross,** R. A. The sorption of furans on silica gels, 84.

Robinson, P. W. See **Johnson,** B. F. G., 1100, 1684.

Robinson, S. D. See **Levison,** J. J., 96, 639, 2947.

Robinson, W. T. See **Fowlie,** A. D., 803, and **Ireland,** P. R., 663.

Rochow, E. G. See **Newton,** W. E., 2664.

Rockett, B. W. See **Beech,** G., 795.

Rodgers, J., and **Jacobson,** R. A. Crystal and molecular structure of the five-co-ordinate complex dibromo-[6,6′-dimethyldi(2-pyridylmethyl)amine-*NNN*]-nickel(II), 1826.

Rodgers, M. A. J. See **Baxendale,** J. H., 1246.

Root, K. D. J. See **Bennett,** S. W., 348.

Roper, W. R. See **Laing,** K. R., 2149, and **Reed,** C. A., 506, 3054.

Rose, D., and **Wilkinson,** G. The blue solutions of ruthenium(II) chloride: a cluster anion, 1791.

Rose, D. See also **Gilbert,** J. D., 2765.

Rosevear, D. T. See **Allen,** E. A., 2137.

Ross, D. S. See **Brown,** D. H., 914.

Ross, R. A. See **Robinson,** E., 84.

Rosseinsky, D. R., and **Nicol,** M. J. Electron transfer reactions of vanadium(IV) with some oxyanion oxidants in aqueous perchloric acid. Part I. Reaction with chromium(VI) and manganese(VII), 1196.

Rosseinsky, D. R., and **Zlotnick,** J. Electron transfer reactions of vanadium(IV) with some oxyanion oxidants in aqueous perchloric acid. Part II. Reaction with chlorine(V), 1200.

Ruddick, J. D. See **Legzdins,** P., 3322.

Rule, L. See **Jardine,** F. H., 238.

Rumball, S. S. See **Fowlie,** A. D., 803.

Rumbold, B. D. See **Buckley,** A. N., 2298.

Rund, J. V., and **Keller,** P. C. ^1H Nuclear magnetic resonance study of 1,10-phenanthroline in aqueous acid. Isolation of 2-bis(phenanthroline)–perchloric acid, 2827.

Rutt, K. J. See **Hughes,** M. N., 3015.

S

Sacconi, L. Some factors governing the spin-multiplicity of five-co-ordinate complexes of cobalt(II) and nickel(II), 248.

Sacconi, L., and **Morassi,** R. Four-, five-, and six-co-ordinate cobalt(II) and nickel(II) complexes with tetradentate 'tripod-like' nitrogen–oxygen and nitrogen–sulphur ligands, 575.

Sacconi, L. See also **Dapporto,** P., 618, 1298, 1804, and **Greene,** P. T., 866.
Salem, T. M., and **Ismail,** A. A. Electrochemistry of indium. Part I. Anodic oxidation of indium in sodium hydroxide solutions. Part II. Electrolytic polarization at n-type indium oxide electrode, 2415, 2419.
Sams, J. R. See **Chivers,** T., 928, and **Yeats,** P. A., 2188.
Samuel, B., **Snaith,** R., **Summerford,** C., and **Wade,** K. Azomethine derivatives. Part XIII. Azomethine stretching frequencies of some di- and tri-substituted methyleneamines, their hydrochlorides, and their boron trifluoride adducts, 2019.
Samuel, B. See also **Higginson,** W. C. E., 1579.
Sanders, J. R. See **Chatt,** J., 1479.
Sanders, N., and **Day,** P. The spectra of complexes of conjugated ligands. Part IV. Zero differential overlap calculations on phenanthroline and its mono-complexes, 1190.
Sarma, A. C. See **Gibb,** T. C., 212.
Saunders, D. See **Davies,** N., 2915.
Saunders, D. F. See **Packter,** A., 725.
Saunders, V. R. See **Hillier,** I. H., 2475.
Sawbridge, J. E. See **Wilson,** J. M., 1024.
Saxena, U. B., **Rai,** A. K., **Mathur,** V. K., **Mehrotra,** R. C., and **Radford,** D. Reactions of zirconium isopropoxide with β-diketones and β-keto-esters, 904.
Scarrow, R. K. See **Griffiths,** T. R., 827.
Schaffrin, R. M., and **Trotter,** J. Crystal structure of DL-ornithine hydrobromide, 25.
Structure of dibenzothiophen, 1561.
Schmidt, A. R., and **Swaddle,** T. W. Homolysis *versus* heterolysis in the decomposition of chromium(III) complexes in acidic aqueous solution, 1927.
Schmuckler, G. See **Korat,** M., 1784.
Schmutzler, R. See **Fild,** M., 2359, **Lynden-Bell,** R. M., 565, and **Peake,** S. C., 1049, 2364.
Seeley, N. J. See **Fitzsimmons,** B. W., 935.
Segrott, G. R. See **Fenn,** R. H., 2781, 3197.
Sexton, M. D. See **Nixon,** J. F., 321.
Sgamellotti, A. See **Furlani,** C., 2929.
Sharp, D. W. A. See **Brown,** D. H., 914, **Colburn,** C. B., 2221, and **Harman,** J. S., 1138, 1935.
Sharp, J. H., and **Symons,** M. C. R. Unstable intermediates. Part LXXIX. Electron spin resonance studies of the effect of environment upon the hyperfine parameters for CO_2^- and NO_2. Part LXXXI. Electron spin resonance spectra of γ-irradiated methyl silanes: methyl silyl radicals, 3075, 3084.
Sharp, M. The apparent dipole moment of *NN*-dimethyl-4-nitroaniline in solution, 1593.
Dielectric study of dilute solutions of poly-γ-benzyl-L-glutamate, 1596.
Sharp, M. J. See **Peglar,** R. J., 2170.
Sharrocks, D. N. See **Bruce,** M. I., 680.
Shaw, A. W., and **Vosper,** A. J. Dinitrogen trioxide. Part VII. The absorption of nitric oxide by dinitrogen tetroxide and the preparation of pure dinitrogen trioxide, 2193.
Shaw, B. L. See **Deeming,** A. J., 2705, 3356, **Douglas,** P. G., 334, 1556, and **Moss,** J. R., 595.
Shaw, K. See **Bott,** H. L., 1745, and **Poë,** A. J., 393.
Shaw, R. A. See **Biddlestone,** M., 1750, **Das,** S. K., 616, **Desai,** V. B., 2023, and **Dwek,** R. A., 1173.
Sheldrick, G. M., and **Sheldrick,** W. S. Crystal structure of trimethylthallium, 28.
Crystal and molecular structure of the orthorhombic modification of *NN*-dimethyldithiocarbamatotrimethylstannane, 490.
Sheldrick, G. M. **Sheldrick,** W. S., **Dalton,** R. F., and **Jones,** K. Crystal and molecular structure of the monoclinic modification of *NN*-dimethyldithiocarbamatotrimethylstannane, 493.
Sheldrick, G. M. See also **Airey,** W., 1222, and **Glidewell,** C., 315, 318.
Sheldrick, W. S. See **Sheldrick,** G. M., 28, 490, 493.
Sheppard, N. See **Dempster,** A. B., 1129.
Sherwood, P. M. A., and **Turner,** J. J. The mass spectrum of iodine pentoxide and a novel reaction with copper, 2349.
Shields, L. An electron spin resonance study of vanadium(II). Part II. V^{3+} in single crystals of AgCl, 303.
Shields, L., and **Weston,** G. J. Numerical solution of spin eigenvalues and eigenvectors for the analysis of the allowed and forbidden electron spin resonance transitions in mixed crystals of ammonium chloride–manganese(II) chloride dihydrate, 2291.
Shields, L. See also **Chan,** K. K., 300, 2700.
Siekierska, K. E. See **Fenger,** J., 1456, 3255.
Sills, R. J. C. See **Edwards,** A. J., 2521, 2697.
Sim, G. A. See **Bush,** M. A., 605, 611.
Sim, W. See **Keat,** R., 2715.
Sime, J. G., **Speakman,** J. C., and **Parthasarathy,** R. The crystal structures of the acid salts of some dibasic acids. Part II. Potassium hydrogen malonate: two *X*-ray studies, 1919.
Simpson, J. See **Porter,** G. B., 2806.
Simpson, K. A. See **Hill,** H. A. O., 3266.
Simpson, R. N. F. See **Church,** M. J., 2909, and **Mays,** M. J., 3000.
Singer, N. See **Matthews,** J. D., 2545.
Smail, W. R. See **Bentley,** R. B., 3003, and **Mabbs,** F. E., 1716.
Smerkolj, R. See **Detoni,** S., 2851.
Smith, A. W. See **Fitzsimmons,** B. W., 935.
Smith, B. C. See **Das,** S. K., 616, and **Desai,** V. B., 2023.
Smith, C. A., and **Wallbridge,** M. G. H. Preparation and properties of some co-ordination compounds formed between aluminium alkyls and their derivatives and ligands from Groups V and VI, 2675.
Smith, C. A. See also **Davies,** N., 342.
Smith, D. W. Ligand-field splittings in non-cubic complexes. Part III. Tetragonal copper(II)–oxygen systems. Part IV. The tetrachlorocuprate ion in distorted tetrahedral symmetry, 176, 2900.
Overlap considerations relevant to the geometry of copper(II) complexes, 1498.
Relationship between electron spin resonance *g*-values and covalent bonding in tetragonal copper(II) compounds, 3108.
Smith, J. A. S. See **Fryer,** C. W., 1029, and **Hammel,** J. C., 1852, 1855.
Smith, J. G. See **Duddell,** D. A., 545.
Smith, P. A. See **Brown,** M. P., 410.
Smith, P. J. See **Clark,** R. J. H., 2687, and **Davies,** A. G., 2862.
Smith, P. W., and **Wedd,** A. G. Effects of intermetallic bonding and lattice interactions. Electronic spectra of Group VIA tervalent halides and complex halides, 2447.
Smith, T. D. See **Hobday,** M. D., 1085, **Pilbrow,** J. R., 723, **Price,** J. H., 968, and **Toy,** A. D., 2600.

Snaith, R., **Summerford,** C., **Wade,** K., and **Wyatt,** B. K. Azomethine derivatives. Part XIV. Dimeric alkylideneaminoaluminium dihalides, and monomeric trialkylideneamino-derivatives of aluminium, 2635.

Snaith, R., **Wade,** K., and **Wyatt,** B. K. Azomethine derivatives. Part X. 1,1,3,3-Tetramethylguanidine adducts of trimethylaluminium, triethylaluminium, and aluminium trichloride: dimethyl-, diethyl-, and dichlorobis(dimethylamino)methyleneaminoaluminium, 380.

Snaith, R. See also **Samuel,** B., 2019.

Sobczyk, L. See **Detoni,** S., 2851.

Solymosi, F., and **Börcsök,** S. Heterogeneous decomposition of perchloric acid on chromium oxide catalysts, 601.

Sowerby, D. B. See **Green,** B., 987, and **Revitt,** D. M., 1218.

Spalding, T. R. See **Lappert,** M. F., 2320.

Sparrow, G. R. See **Svec,** H. J., 1162.

Speakman, J. C. See **Currie,** M., 1923, and **Sime,** J. G., 1919.

Spencer, A. See **Gillard,** R. D., 1761.

Spiro, M. See **Archer,** M. D., 68, 73, 78, 82.

Spooner, P. See **Dollimore,** D., 2809.

Spratt, R. See **Nelson,** J., 583.

Squire, A. See **Adams,** D. M., 814, 1808.

Srivastava, R. C. See **Chandra,** G., 2550.

Stamper, P. J. See **Buttery,** H. J., 471.

Staples, P. J. On medium effects, added salts, and ion pairs in the acid-catalysed hydrolysis of the *trans*-azidochlorobis(ethylenediamine)cobalt(III) ion, 811.

Staples, P. J. See also **Crossland,** B. E., 1305, and **Humphreys,** D., 2708.

Stefanini, F. P. See **Bancroft,** G. M., 2146, **Church,** M. J., 2909, and **Mays,** M. J., 3000.

Stephens, F. See **Hathaway,** B. J., 884.

Stephens, F. S. Structure of a *cis*-complex derived from tetracarbonylbis-π-cyclopentadienyldi-iron. Crystal and molecular structure of di-μ-carbonyl-μ-(1,2-di-π-cyclopentadienyl-*NNN'N'*-tetramethylethylenediamine)-bis(carbonyliron), 1722.

Crystal and molecular structure of *trans*-3-*p*-tolythiocinnamic acid, 1843.

Crystal structure of the 1 : 1 adduct of bis(pyridine-2-carboxylato)-copper(II) with potassium thiocyanate, 2377.

Crystal and molecular structure of *trans*-di-μ-carbonyl-bis-(π-2,3-*cis*-dimethylbutadiene carbonylcobalt), 2745.

Stephens, F. S. See also **Davey,** G., 2803.

Stephenson, T. A. Some anionic ruthenium(III) and rhodium(III) complexes of tertiary monophosphines and arsines, 889.

Stephenson, T. A., and **Faithful,** B. D. Five- and six-co-ordinate tertiary phosphine complexes of bis(diphenylphosphinodithioato)palladium(II), 1504.

Stevenson, M. B., **Taylor,** R. S., and **Sykes,** A. G. Reactions of μ-hydroxo-dicobalt complexes. Part I. The kinetics of the equilibration of the μ-amido-μ-hydroxo-bis[tetra-ammine cobalt(III)] complex with dilute nitric acid. Part V. Equilibrium and kinetic studies on the reaction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with sulphate in aqueous perchloric acid solutions, 1059, 3214.

Stevenson, M. B. See also **Davies,** R., 1261, and **Foong,** S. W., 1064.

Stiddard, M. H. B., and **Townsend,** R. E. Benzenethiolato-derivatives of iridium(I) and iridium(III), 2719.

Stiddard, M. H. B. See also **Parker,** D. J., 480, 1040.

Stobart, S. R. See **George,** R. D., 3250.

Stokely, P. F. See **Melson,** G. A., 2247.

Stone, F. G. A. See **Ashley-Smith,** J., 3161, **Blackmore,** T., 3153, **Bruce,** M. I., 680, 3204, **Clark,** B., 951, **Cundy,** C. S., 1647, **Green,** M., 944, **Knox,** S. A. R., 3147, **McGlinchey,** M. J., 31, and **Mukhedkar,** A. J., 947, 3158, 3166.

Stone, T. J. See **Buick,** A. R., 2227.

Strafford, R. G. See **Glockling,** F., 426.

Subramanian, E., and **Trotter,** J. Crystal structure of shanorellin chloride (6-chloromethyl-2-hydroxy-3,5-dimethyl-1,4-benzoquinone), 622.

Subramanian, E. See also **Chieh,** P. C., 179.

Subramanian, S., and **Symons,** M. C. R. Oxides and oxyions of the non-metals. Part XIV. Structure and reactivity of the oxyanions of transion metals. Part XIX. Electron spin resonance study of the radicals AsO_4^{2-} and VO_4^{2-} formed by γ-irradiation of arsenate and vanadate in calcium tungstate, 2367.

Subramanian, S., **Symons,** M. C. R., and **Wardale,** H. W. Oxides and oxyions of the non-metals. Part XIII. Electron spin resonance studies of the PO_4^{2-} radical and related species in γ-irradiated phosphates, 1239.

Subramanian, S. See also **Begum,** A., 918, 1323, 1334.

Summerford, C., and **Wade,** K. Azomethine derivatives. Part XI. Monomeric and dimeric arylmethyleneamino- and diarylmethyleneamino-boron compounds, 2010.

Summerford, C., **Wade,** K., and **Wyatt,** B. K. Azomethine derivatives. Part XII. Alkylideneaminoberyllium chlorides and bis(alkylideneamino)-derivatives of beryllium, 2016.

Summerford, C. See also **Samuel,** B., 2019, and **Snaith,** R., 2635.

Sutton, H. M. See **Gillard,** R. D., 1309, 2172, 2175, and **Gould,** R. O., 1184, 1439.

Sutton, J. See **Barat,** F., 1982.

Svec, H. J., and **Sparrow,** G. R. Mass spectra of the silicon tetrahalides: metastable ions, 1162.

Svec, H. J. See also **Junk,** G. A., 2102, 3171.

Swaddle, T. W. See **Schmidt,** A. R., 1927.

Swain, J. R. See **Bishop,** E. O., 1074, and **Nixon,** J. F., 2075.

Swallow, A. G. See **Matthews,** J. D., 2545.

Swaroop, R. See **Bhargava,** A. P., 2183.

Sykes, A. G., and **Green,** Mark. The identification of one- and two-equivalent paths in the reaction of vanadium(II) with mercury(II), 3221.

Sykes, A. G., and **Taylor,** R. S. Reactions of μ-hydroxo-dicobalt complexes. Part III. Reactions of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with concentrated acids and the identification of new complexes, 1424.

Sykes, A. G., and **Thorneley,** R. N. F. Identification of inner- and outer-sphere paths in the reaction of chromium(II) with hexachloroiridate(IV), and the kinetics of the decomposition of the binuclear intermediate, 232.

Sykes, A. G. See also **Davies,** R., 1261, **Foong,** S. W., 1064, **Green,** Mark, 3209, **Stevenson,** M. B., 1059, 3214, **Taylor,** R. S., 856, 1991, and **Thorneley,** R. N. F., 862, 1036.

Symons, M. C. R. Unstable intermediates. Part LXXIII. E.s.r. studies of peroxyl radicals formed from vanadium(V). Part LXXV. Electron spin resonance studies of the effect of environment upon the hyperfine parameters for PO_3^{2-} and NO_3^{2-}, 1889, 1998.

Symons, M. C. R., and **Barnes,** S. B. Unstable intermediates. Part LXXVI. An electron spin resonance study of radiation damage in persulphate crystals. Interconversion of $S_2O_8^-$ and SO_5^- radicals induced by light and heat, 2000.

Symons, M. C. R., and **Yandell,** J. K. Unstable intermediates. Part LXXIV. An electron spin resonance study of the optical and radiation damage of poly-(2,6-dimethylphenyleneoxide), 1995.

Symons, M. C. R. See also **Begum,** A., 918, 1323, 1334, **Bloom,** M. B. D., 1235, **Catton,** R. C., 2255, **Dickinson,** L. C., 922, **Eachus,** R. S., 1329, 1336, 3080, **Egland,** R. J., 1326, **Lister,** D. H., 782, **Raynor,** J. B., 339, **Sharp,** J. H., 3075, 3084, and **Subramanian,** S., 1239, 2367.

T

Tait, A. M. See **Litzow,** M. R., 275, 2516, 2907, 3226.

Tasker, P. A. See **Green,** Michael, 2531, 3105.

Tate, S. S. See **Grzybowski,** A. K., 241.

Tattershall, B. W. Preparation of solutions of trichloronitrosomethane from chloroform, 3261.
Reactions of trichloronitrosomethane, 3263.

Taylor, D. See **Cannon,** T. C., 1180, and **Dwek,** R. A., 1173.

Taylor, F. B. See **Campbell,** M. J. M., 19.

Taylor, H. F. W. See **Lethbridge,** J. W., 1862.

Taylor, K. A. See **Hall,** M. C., 2539, and **Ibekwe,** S. D., 1.

Taylor, M. B. See **Booth,** B. L., 1974.

Taylor, M. J. Raman spectra and structures in the gallium–chlorine system, 2812.

Taylor, R. S., and **Sykes,** A. G. Reactions of μ-hydroxo-dicobalt complexes. Part IV. The kinetics of the reduction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with vanadium(II) and chromium(II) in aqueous perchlorate solution, 1991.

Taylor, R. S., **Thorneley,** R. N. F., and **Sykes,** A. G. Reactions of vanadium(II) with the μ-amido[aquotetra-amminecobalt(III)] [chlorotetra-amminecobalt(III)], and chloropenta-amminecobalt(III) complexes. A comparison of kinetic data, 856.

Taylor, R. S. See also **Stevenson,** M. B., 1059, 3214, and **Sykes,** A. G., 1424.

Temple, W. B. See **Gordon,** M., 729.

Thomas, J. M., **Williams,** J. O., and **Clarke,** T. A. Observations on dislocations in manganese(II) formate dihydrate, sucrose, and other crystals of the monoclinic system, 2938.

Thomas, K., and **Wilkinson,** G. Substitution reactions of the hydridopentamminerhodium(III) ion, 356.

Thomas, T. W. See **Eilbeck,** W. J., 2062.

Thompson, D. T. See **Jarvis,** J. A. J., 1867, and **Junk,** G. A., 3171.

Thompson, R. C. See **O'Sullivan,** K., 1814.

Thorneley, R. N. F., and **Sykes,** A. G. Formation of binuclear complexes in the reaction of chromium(II) with hexacyanoferrate(III), 862.
Kinetics of the one-equivalent reactions of vanadium(II), vanadium(III), and iron(II) with hexachloroiridate(IV), 1036.

Thorneley, R. N. F. See also **Sykes,** A. G., 232, and **Taylor,** R. S., 856.

Thornley, A. S. See **Coggon,** P., 3296.

Thynne, J. C. J. See **Leggett,** C., 1188.

Tickle, P. See **Wilson,** J. M., 1024.

Tillack, J. V., and **Kennard,** C. H. L. Crystal structure of potassium nitrilotrisulphonate dihydrate, 1637.

Timms, P. L. Chemistry of transition-metal vapours. Part I. Reactions with trifluorophosphine and related compounds, 2526.

Tipping, A. E. See **Alexander,** E. S., 2285.

Tomkins, I. B. See **Drew,** M. G. B., 22.

Tomlinson, A. A. G. See **Furlani,** C., 2929, and **Hathaway,** B. J., 806.

Tondello, E. See **Bombieri,** G., 3349.

Tonge, K. H. See **Dollimore,** D., 1728.

Towl, A. D. C. See **Mason,** R., 1601.

Townsend, R. E. See **Stiddard,** M. H. B., 2719.

Toy, A. D., **Smith,** T. D., and **Pilbrow,** J. R. Electron spin resonance spectral study of exchange coupling in the copper(II) chelate of 2,5-diethoxalylcyclopentanone, 2600.

Travers, N. F. See **Lappert,** M. F., 3303.

Trifiro, F. See **Mitchell,** P. C. H., 3183.

Trotman-Dickenson, A. F. See **Cadman,** P., 1207, 2058, 2109, 2371, 2498, 3189.

Trotter, J., and **Whitlow,** S. H. Crystal structure of trichloro(octamethylcyclotetraphosphonitrilium)copper(II), $[(NPMe_2)_4H]CuCl_3$, 455.
Crystal structure of bis(octamethylcyclotetraphosphonitrilium) tetrachlorocobaltate(II), $[(NPMe_2)_4H]_2CoCl_4$, 460.

Trotter, J. See also **Allen,** F. H., 907, **Chieh,** P. C., 179, 184, 911, **O'Sullivan,** K., 1814, **Roberts,** P. J., 3246, **Schaffrin,** R. M., 25, 1561, and **Subramanian,** E., 622.

Truter, M. R. See **Banerjee,** A. K., 292, **Layton,** A. J., 1894, and **Luth,** H., 1287.

Tuck, D. G. See **Hála,** J., 3242.

Turner, G. T. See **Griffith,** W. P., 858.

Turner, J. J. See **Sherwood,** P. M. A., 2349.

Tweedale, A. See **Lappert,** M. F., 2320.

Twigg, M. V. See **Jones,** J. G., 1546.

U

Udy, P. B. See **Emsley,** J., 3025.

Uguagliati, P., **Crociani,** B., and **Belluco,** U. Novel cationic palladium(II) and platinum(II) diolefin derivatives, 363.

Underhill, A. E. See **Dosser,** R. J., 88.

Upadhyay, R. K. See **Krishna,** B., 3144.

Urie, R. G. See **Ball,** M. C., 528.

Urland, W. See **Gerloch,** M., 3269, 3283.

V

Vacca, A. See **Barbucci,** R., 2202.

Vaciago, A., and **Zambonelli,** L. A three-dimensional refinement of the molecular structure of dimethylglyoximatocopper(II), 218.

Vandrish, G., and **Onyszchuk,** M. A reinvestigation of the enthalpies of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 3327.

Van Wazer, J. R. See **Marsmann,** H., 1566.

Vaughan, D. H. See **Gillard,** R. D., 3126.

Vaughan, H. J. See **Aroney,** M. J., 2224.

Villiger, H. See **Barrer,** R. M., 1523.

Vinall, I. C. See **Frey,** H. M., 3010.
Vincent, A., and **White,** R. F. M. An improved Beckmann cryoscopic method for sulphuric acid solutions. The use of dilute oleum as a cryoscopic solvent, 2177.
Vohra, A. G. See **Jardine,** F. H., 238.
Voice, P. J. See **Feakins,** D., 837.
Volponi, L. See **Bombieri,** G., 14.
Vosper, A. J. Dissociation of dinitrogen tetroxide in the gas phase, 625.
The dissociation of dinitrogen tetroxide in the liquid phase, 2191.
Vosper, A. J. See also **Shaw,** A. W., 2193.

W

Waddington, T. C. See **Dillon,** K. B., 1146.
Wade, K. See **Samuel,** B., 2019, **Snaith,** R., 380, 2635, and **Summerford,** C., 2010, 2016.
Wagner, A. J. See **Koster,** D. A., 435.
Walker, D. E. Y. See **Ferguson,** I. F., 35.
Walker, J. See **Glockling,** F., 432.
Walker, P. J. See **Brown,** M. P., 410.
Wallbridge, M. G. H. See **Davies,** N., 342, 2915, and **Smith,** C. A., 2675.
Wallwork, S. C. See **Garner,** C. D., 3092.
Walsh, R. See **Frey,** H. M., 2115.
Walton, R. A. See **Drew,** M. G. B., 1405, and **Ozin,** G. A., 2236.
Warburton, B. A. See **Bagley,** M. J., 2694, and **Nicholls,** D., 346.
Ward, M. D. See **Baxendale,** J. H., 1246.
Ward, R. T. See **Edwards,** D. A., 1617.
Wardale, H. W. See **Subramanian,** S., 1239.
Wardle, R. See **Cross,** R. J., 840.
Wasif, S. Solutions in selenic acid. Part VI. Correlation of conductivities in selenic, sulphuric, and phosphoric acids, 118.
Wassermann, A. See **Clark,** R. J. H., 2458, and **Horsfield,** A., 3202.
Waterhouse, C. R. See **Allen,** F. H., 2087, **Bennett,** J., 2094, and **Pidcock,** A., 2080.
Waters, J. M. See **Bear,** C. A., 2494.
Waters, T. N. See **Baker,** E. N., 396, 400, 406, and **Bear,** C. A., 2494.
Watkins, S. F. Crystal and molecular structure of di-μ-chloro-[dichlorobis(trimethylarsine)]platinum(II); a quantitative assessment of the *trans*-influence of the methylarsine ligand, 168.
Watson, D. G. See **Kennard,** O., 1779.
Webster, M. See **Deveney,** M. J., 1643.
Wedd, A. G. See **Smith,** P. W., 2447.
Wedzicha, B. L. See **Edmonds,** M. I., 2866.
Wells, C. F., and **Husain,** M. Kinetics of the oxidation of hydrogen peroxide by aquocerium(IV) ions in aqueous perchlorate media, 1013.
Wells, C. F., and **Kuritsyn,** L. V. Kinetics of the oxidation of quinol by aquomanganese(III) ions in aqueous perchlorate media, 676.
Kinetics of the oxidation of quinol by aquovanadium(V) ions in perchlorate media, 1372.
Wells, P. B., and **Wilson,** G. R. The hydrogenation of alkadienes. Part V. The hydrogenation of *trans*- and of *cis*-penta-1,3-diene catalysed by cobalt, nickel, copper, palladium, and platinum, 2442.
Wells, P. B. See also **Bates,** A. J., 2435.
Wellum, G. R. See **Finch,** A., 3339.
Weston, G. J. See **Shields,** L., 2291.
Wheatley, P. J. See **Naqvi,** R. R., 2053.
Whillans, F. D. See **Hoskins,** B. F., 123.
Whimp, P. O., **Bailey,** M. F., and **Curtis,** N. F. Some cyclic tetra-amines and their metal-ion complexes. Part VI. The crystal structure of acetato-*C*-*rac*-(5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate, 1956.
Whimp, P. O. See also **Mason,** R., 535.
White, A. H. See **Hoskins,** B. F., 1668.
White, A. J. See **Cadman,** P., 2371, 3189.
White, D. A. See **Johnson,** B. F. G., 1738.
White, R. F. M. See **Vincent,** A., 2177.
Whitehead, M. A. See **Boyd,** R. J., 2469.
Whitfield, H. J. Structure of the complex of palladium(II) chloride with 1,2-bis(isopropylseleno)ethane, 113.
The crystal structure of tetra-arsenic trisulphide, 1800.
Whitlow, S. H. See **Trotter,** J., 455, 460.
Wiggans, P. W. See **Fields,** R., 1964, 1969.
Wilbey, M. D. See **Glockling,** F., 1675.
Wiles, D. R. See **McGregor,** R. G., 323.
Wilkinson, D. N. See **Nicholls,** D., 1103.
Wilkinson, G. See **Brown,** C. K., 2753, **Commereuc,** D., 1771, **Gilbert,** J. D., 2765, **Legzdins,** P., 3322, **Rose,** D., 1791, **Thomas,** K., 356, **Yagupsky,** G., 1392, and **Yagupsky,** M., 937, 941.
Wilkinson, W. See **Allen,** E. A., 2137.
Williams, D. R. Thermodynamic considerations in co-ordination. Part VII. Solubility of the histidine–H^+ system and stability constants, free energies, enthalpies, and entropies of protonation of histidine and tryptophan and of formation of their manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes, 1550.
Williams, D. R. See also **Jones,** A. D., 3138.
Williams, I. G. See **Johnson,** B. F. G., 901.
Williams, J. O. Dislocations in *p*-terphenyl, 2939.
Williams, J. O. See also **Thomas,** J. M., 2938.
Willis, H. A. See **Peacock,** C. J., 2943.
Williston, C. S. See **Allen,** F. H., 907.
Willmott, A. R. See **Feakins,** D., 837, 3121.
Wilson, G. L. See **Gross,** P., 1908, 1913.
Wilson, G. R. See **Bates,** A. J., 2435, and **Wells,** P. B., 2442.
Wilson, G. V. H. See **Buckley,** A. N., 2298.
Wilson, J. M., **Briggs,** A. G., **Sawbridge,** J. E., **Tickle,** P., and **Zuckerman,** J. J. Acid–base equilibria of substituted benzoic acids. Part II. Thermodynamic parameters for dissociation of t-butyl- and trimethylsilyl-substituted acids. A re-evaluation of the results of the Chatt and Williams experiment, 1024.
Winfield, A. J. See **Mulley,** B. A., 1459.
Winfield, J. M. See **Noble,** A. M., 501, 2574.
Winterton, N. See **Johnson,** M. D., 507, 511.
Woffenden, N. P. See **Booth,** B. L., 1979.
Wood, D. C. See **Ashley-Smith,** J., 1847.
Wood, J. S. See **Drummond,** J., 226.
Woodford, R. C. Spectrophotometric study of aqueous solutions of thallium(I) chloride in the presence of added chloride ions, 651.
Wootton, R. See **da Silva,** J. J. R. F., 3369.
Worrall, I. J. See **Oliver,** J. G., 845, 848, 1389, 2347.
Wyatt, B. K. See **Snaith,** R., 380, 2635, and **Summerford,** C., 2016.

Y

Yagupsky, G., **Brown,** C. K., and **Wilkinson,** G. Further studies on hydridocarbonyltris(triphenylphosphine)-rhodium(I); intermediate species in hydroformylation; rhodium and iridium analogues, 1392.

Yagupsky, G. See also **Yagupsky,** M., 937.

Yagupsky, M., **Brown,** C. K., **Yagupsky,** G., and **Wilkinson,** G. Further studies on hydridocarbonyltris(triphenylphosphine)rhodium(I). Part I. Nature of inactivation of catalytic reactions, 937.

Yagupsky, M., and **Wilkinson,** G. Further studies on hydridocarbonyltris(triphenylphosphine)rhodium(I). Part II. Isomerisation of n-pentenes and hex-1-ene, 941.

Yandell, J. K. See **Symons,** M. C. R., 1995.

Yeats, P. A., **Poh,** B. L., **Ford,** B. F. E., **Sams,** J. R., and **Aubke,** F. Synthesis, Mössbauer and vibrational spectra of tin(IV) fluorosulphate and dichlorotin(IV) fluorosulphate, 2188.

Yoneno, H. See **Hojo,** N., 2387.

Z

Zambonelli, L. See **Vaciago,** A., 218.

Zauli, C. See **Bendazzoli,** G. L., 2357.

Zlotnick, J. See **Rosseinsky,** D. R., 1200.

Zuckerman, J. J. See **Wilson,** J. M., 1024.

INDEX OF SUBJECTS, 1970

A

Absorption by polyurethane foams; new method of separation, 1082.
of nitric oxide by dinitrogen tetroxide and the preparation of pure dinitrogen trioxide. Dinitrogen trioxide. Part VII, 2193.
nitrogen dioxide by aqueous solutions, 3023.
Acetylacetone and its anion, vibrational spectra of, 1558.
(±)-1-Acetyl-3-methylaspidospermidine 9-methiodide, *X*-ray analysis of the structure of, 1779.
Acetylene. Infrared emission from the reaction of atomic oxygen with acetylene, 646.
Acetylmandelate ion, specific solvent effects on rates of alkaline hydrolysis of acetylmandelate ion, 1576.
Acetylsalicylate and acetylmandelate ions, ion association effects on rates of alkaline hydrolysis of, 464.
Acid–base equilibria of substituted benzoic acids. Part II, thermodynamic parameters for dissociation of t-butyl- and trimethylsilyl-substituted acids: a re-evaluation of the results of the Chatt and Williams experiment 1024.
benzoic. Non-ionic surface-active agents. Part VII, solubility of benzoic acid in aqueous solutions of some monododecyl polyoxyalkanols, 1459.
hydrocyanic, dissociation at 10, 25, and 40°, $\Delta H°$, $\Delta S°$, and $\Delta C_p°$ values for. Thermodynamics of proton ionisation in aqueous solution. Part XII, 454.
isothiocyanic, infrared and dielectric studies of. Hydrogen bonding in some adducts of oxygen bases with acid Part VI, 2851.
perchloric, heterogeneous decomposition on chromium oxide catalysts, 601.
perchloric. An electron-diffraction investigation of gaseous perchloric acid and calculation of its skeletal force field and amplitudes of vibration, 1613.
peroxynitrous, kinetics and mechanism of the formation and decay in perchloric acid solutions, 3179.
Acids, aromatic carboxylic. Electron spin resonance studies of reduction by solvated electrons in liquid ammonia. Part III, 2227.
citric and isocitric; magnesium and manganese complexes of, 241.
dibasic, crystal structures of the acid salts of. Part II, potassium hydrogen malonate: two *X*-ray studies, 1919. Part III, potassium hydrogen malonate: a neutron diffraction study, 1923.
mercapto-carboxylic. Complexes of *SSS'S'*-ethanediylidenetetra[(thio)acetic acid] and related ligands with cobalt(II), nickel(II), and copper(II), 797.
selenic, sulphuric, and phosphoric, correlation of conductivities in. Solutions in selenic acid. Part VI, 118.
strong proton, derived from aluminium, iron, gallium, and indium trichlorides, isolation and characterisation of, 2458.
substituted sulphuric, solution chemistry in. Part I, conductimetric investigations of the ionisation of some solutes in methanesulphonic acid, 2712.
Proton nuclear magnetic resonance of free and hydrogen-bonded thiocyanic, cyanic, and hydrazoic acids, 583.
Acridine *N*-oxide, donor properties of, 2394.
Acrylonitrile, reaction with halides of titanium, zirconium, vanadium, niobium, tantalum, and copper, 2232.
Actinide bromides and bromo-complexes, preparation by use of liquid boron tribromide or liquid bromine, 476.
elements, thermodynamics of the. Part I, heats of solution in aqueous hydrochloric acid of $PaCl_4$(c), $PaBr_4$(c), PaI_4(c), and VCl_4(c), 763.
tetrahalide–phosphine oxide complexes, preparation, crystallographic, and infrared properties of, 497.
Adsorption of carbon dioxide by magnesia studied by use of infrared and isotherm measurements, 2784.
of non-polar gases on iron and titanium, 2003.
Contribution to the variation with coverage of the isosteric heat of adsorption on a square lattice and in completely separated cells, 2859.
Influence of decationation and dealumination on sorption by mordenite and clinoptilolite, 2506.
Alcohols. Chemical equilibria. Part III, dehydrogenation of pentan-1-ol, pentan-2-ol, and 3-methylbutan-2-ol, 1284.
Aliphatic compounds. Desolvation of solid complexes of 1,7-diacetoxy-2,4,6-trinitro-2,4,6-triazaheptane with organic solvents, 3137.
Kinetics of hydrogen abstraction by difluoroamino-radicals, from acetaldehyde, n- and iso-valeraldehyde, and their acyl radical decompositions, 3189.
Preparation of solutions of trichloronitrosomethane from chloroform, 3261.
Raman spectrum and vibrational assignment for poly(tetrafluoroethylene), 2943.
Reaction of fluoro-olefins with iron and ruthenium carbonyl complexes, 2975.
of hexafluorobut-2-yne with carbonyl complexes of iron, ruthenium, and osmium, 2981.
of trichloronitrosomethane, 3263.
Alkadienes, hydrogenation of. Part IV, reaction of buta-1,3-diene with deuterium catalysed by rhodium, palladium, and platinum, 2435. Part V, hydrogenation of *trans*- and of *cis*-penta-1,3-diene catalysed by cobalt, nickel, copper, palladium, and platinum, 2442.
Alkali chlorides, chemical effects of nuclear transformations in. Part II, analytical problems with sulphur-35, 1105.
-metal complexes. Part II, compounds with two different ligands, salicylic acid, *o*-nitrophenol, isonitrosoacetophenone, 1-nitroso-2-naphthol, and 8-hydroxyquinoline, 292. Part III, adducts of 1,10-phenanthroline with alkali-metal salts of 1-nitroso-2-naphthol, *o*-nitrophenol, and 2,4- and 2,6-dinitrophenol, 1894.
Alkenes, homogeneous hydroformylation of, with hydridocarbonyltris(triphenylphosphine)rhodium(I) as catalyst, 2753.

Alkoxides, Group III, studies in the constitution of, 845.
Alkyl halides. Shock tube pyrolyses. Part I, thermal decomposition of isopropyl chloride, ethyl fluoride, and n-propyl fluoride, 2498.
Allogons: isomerism in the crystal and molecular structure of the green form of dibromobis(benzyldiphenylphosphine)nickel(II): $Ni[P(CH_2Ph)Ph_2]_2Br_2$[square], $2Ni[P(CH_2Ph]Ph_2[_2Br_2$[tetrahedral], 1688.
Aluminium, tribenzyloxy-, and tri-(4-chlorobenzyloxy)-aluminium, structure of, 1389.
Azomethine derivatives. Part X, 1,1,3,3-tetramethylguanidine adducts of trimethylaluminium, triethylaluminium and aluminium trichloride: dimethyl-, diethyl-, and dichloro-bis(dimethylamino)methylenealuminium, 380. Part XIV, dimeric alkylideneaminoaluminium dihalides, and monomeric trialkylideneamino-derivatives of aluminium, 2635.
Kinetics and mechanism of the heterogeneous reactions of γ-, χ-, and α-aluminas with aqueous sodium hydroxide solutions, 1266.
Preparation and properties of diethylaluminium hydroborate, 342.
of some co-ordination compounds formed between aluminium alkyls and their derivatives and ligands from Group V and VI, 2675.
Amides and amidines, complexes of d^{10} ions with. Part II, stability constants of silver(I) and cadmium(II) complexes with hydroxy-amidines, 1439.
Crystal structure of cyanoacetamide, 184.
of malonamide, 179.
Amido-derivatives of metals and metalloids. Part X, reactions of titanium(IV), zirconium(IV), and hafnium(IV) amides with unsaturated substrates, and some related experiments with amides of boron silicon, germanium, and tin(IV), 2550.
Amines, cyclic tetra-, and their metal-ion complexes. Part VI, crystal structure of acetato-*C-rac*-(5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate, 1956.
dielectric study of: electric dipole moments, solute–solvent interactions, and molecular configuration, 3367.
predictions of the enthalpies of protonation of: log K, ΔH, and ΔS values for the protonation of ethylenediamine and tri-, tetra-, penta-, and hexa-methylenediamine, 2202.
primary, reactions with phosphorus trifluoride, 1935.
silyl-, some preparative and spectroscopic studies of, 279.
Absence of stereoselectivity in complexes of optically active and racemic 1,2-diamines, 2691.
Chromium(0) complexes of sterically hindered *vic*-diamines, 3237.
Amino-acids. Crystal structure of DL-ornithine hydrobromide, 25.
Reactivity differences between hæmoglobins. Part XVI, correlation between the amino-acid composition of methæmoglobins and their reactivity towards azide ion, 749. Part XVII, variability of the Bohr effect between species and the effect of 2,3-diphosphoglyceric acid on the Bohr effect, 756.
Ammonia–tri-n-butyl phosphate system. Solvent extraction studies. Part VII, 3242.
Ammonium chloride–manganese(II) chloride dihydrate, mixed crystals of, numerical solution of spin eigenvalues and eigenvectors for the analysis of the allowed and forbidden electron spin resonance transitions in mixed crystals of, 2291.
vapour, sorption in zeolites. Part I, hydrogen chloride and ammonia, 765. Part II, mixture of hydrogen chloride and ammonia, 775.
Aniline, *NN*-dimethyl-4-nitro-, apparent dipole moment in solution, 1593.
Antimony halides as solvents. Part VI, cryoscopic measurements in antimony trichloride, 1377. Part VII, magnetic susceptibility measurements on perylene radical-cations, 2806.
-(III), hexachloro-, compounds, stereochemistry of, 2971.
pentafluoride and its reactions with antimony trifluoride, arsenic trifluoride, and niobium pentafluoride. Nuclear magnetic resonance studies on fluorine-containing compounds. Part I, 1054.
trifluoride: a re-determination. Fluoride crystal structures. Part XIV, 2751.
Crystal structure of pyridinium nonabromodiantimonate(III) dibromide, 1359.
of pyridinium tetrachloroantimonate(III), 1356.
Far-infrared and Raman spectra of tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), 326.
Kinetics of the oxidation of antimony(III) by cerium(IV) in media containing perchloric acid, 260.
Single-crystal Raman spectra of arsenolite (As_4O_6) and senarmonite (Sb_4O_6). The gas-phase Raman spectra of P_4O_6, P_4O_{10}, and As_4O_6, 449.
Aromatic compounds. Apparent dipole moment of *NN*-dimethyl-4-nitroaniline in solution, 1593.
Crystal and molecular structure of *trans*-3-*p*-tolylthiocinnamic acid, 1843.
Crystal structure of shanorellin chloride (6-chloromethyl-2-hydroxy-3,5-dimethyl-1,4-benzoquinone), 622.
Fragmentation and rearrangement processes in the mass spectra of perhalogeno-aromatic compounds. Part III, phenyl and pentafluorophenyl derivatives of Group V, 1881.
Preparation of 2,5-diaminoterephthalic acid by the Hofmann degradation of pyromellitic di-imide (benzene-1,2,4,5-tetracarboxylic 1,2:4,5-di-imide) in the presence of metal salts, 2387.
Some salts of protonated azobenzene and the conversion of azobenzene into benzidine by copper(I) halides in hydrochloric acid, 346.
Thermal isomerisation of methyl-, trifluoromethyl-, methoxy-, and hydrogen-substituted fluorinated benzene isomers, 2109.
Arsenic trichloride and phosphorus trichloride, reaction with transition-metal ion Schiff-base complexes, 1085.
Adducts of bidentate *N*-ligands with arsenic trichloride and tribromide, 1643.
Crystal structure of tetra-arsenic trisulphide, 1800.
Far-infrared and Raman spectra of tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), 326.
High-temperature gas-phase laser Raman spectroscopy: evidence for the existence and molecular structure of the interpnictides as As_2P, As_2P_2, and AsP_3 in mixtures of phosphorus and arsenic vapours and SbP_3 in mixtures of phosphorus and antimony vapours, 2307.
Rotational isomerism in ethylhalogenoarsines, 1218.
Single-crystal Raman spectra of arsenolite (As_4O_6) and senarmonite (Sb_4O_6). The gas-phase Raman spectra of P_4O_6, P_4O_{10}, and As_4O_6, 449.

Arsenic (*contd.*)
Synthesis and ion-exchange properties of stannic arsenates: separation of Fe^{3+} from Ni^{2+}, Co^{2+}, Mn^{2+}, Ca^{2+}, and Al^{3+}: separation of Al^{3+} from Mg^{2+} and In^{3+}, 1986.
Azobenzene. Some salts of protonated azobenzene and the conversion of azobenzene into benzidine by copper(I) halides in hydrochloric acid, 346.
Azomethine derivatives. Part X, 1,1,3,3-tetramethylguanidine adducts of trimethylaluminium, triethylaluminium, and aluminium trichloride: dimethyl-, diethyl-, and dichloro-bis(dimethylamino)methyleneaminoaluminium, 380. Part XI, monomeric and dimeric arylmethyleneamino- and diarylmethyleneamino-boron compounds, 2010. Part XII, alkylideneaminoberyllium chlorides and bis(alkylideneamino)-derivatives of beryllium, 2016. Part XIII, azomethine stretching frequencies of some di- and tri-substituted methyleneamines, their hydrochlorides, and their boron trifluoride adducts, 2019. Part XIV, dimeric alkylideneamino-aluminium dihalides, and monomeric trialkylideneamino-derivatives of aluminium, 2635.

B

Barium chloride dihydrate, electron spin resonance spectrum of copper(II) ion incorporated into, 2099.
Benzoic acids, substituted, acid–base equilibria of. Part II, thermodynamic parameters for dissociation of t-butyl- and trimethylsilyl-substituted acids: re-evaluation of the results of the Chatt and Williams experiment, 1024.
Beryllium dialkyls, electron impact studies on, 741.
Alkali-metal dialkylberyllium hydrides and their thermal decomposition, 156.
Azomethine derivatives. Part XII, alkylideneaminoberyllium chlorides and bis(alkylideneamino)-derivatives of beryllium, 2016.
Bismuth–molybdenum oxide catalysts, spectroscopic investigation of, 3183.
Far-infrared and Raman spectra of tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), 326.
Boron and phosphorus chemistry. Part I, simple, high-yield syntheses of pure chlorodiorganoboranes, 2455.
compounds, cyclic: ring strain in the *B*-phenyl and *B*-butyl dioxaboron heterocycles, 3339.
Azomethine derivatives. Part XI, monomeric and dimeric arylmethyleneamino- and diarylmethyleneamino-boron compounds, 2010. Part XIII, azomethine stretching frequencies of some di- and tri-substituted methyleneamines, their hydrochlorides, and their boron trifluoride adducts, 2019.
Bonding studies of compounds of boron and the Group IV elements. Part III, first ionisation potentials of some simple boron compounds by electron impact and by a new empirical molecular orbital method, 2320.
Borane–phosphine derivatives. Part II, specifically deuteriated analogues of phosphine–borane, 2959. Part III, proton magnetic resonance spectroscopic study of methyl- and silyl-phosphine with $[^1H_4]$- and $[^2H_4]$-diborane, 2962.
Crystallographic studies of the boron–nitrogen bond in aminoboranes. Part II, crystal structure of (dimethylamino)dimethylborane at −95 °C, 992. Part III, crystal and molecular structure of tri-(1,3,2-benzodioxaborol-2-yl)amine, 2213.
Derivatives of Δ^2-tetrazaboroline. Part VII, unsymmetrically *N*-substituted Δ^2-tetrazaborolines, 1077.
Electronic structure of dimeric aminoborane, $(NH_2BH_2)_2$, 2748.
Exchange reactions of zirconium tetrakistetrahydroborate, 2915.
Halogen exchange reactions of diboron tetrahalides, 1303.
Infrared study of co-ordinated BH_3 and BH_2 groups as proton acceptors in hydrogen bonding, 410.
Low temperature and paramagnetic ion effects on the proton and boron-11 nuclear magnetic resonance spectra of the triborohydride in $(B_3H_8^-)$, 1160.
Molecular orbital LCAO calculation and electronic spectra of phenylboronic acid and triphenylboroxine, 1416.
Reactions of co-ordinated ligands. Part V, reactions of triphenylmethyl tetrafluoroborate and fluoroboric acid with a variety of enyl metal complexes, 1738.
Bromine. Metal-ion oxidations in solution. Part VII, oxidation of bromide by cobalt(III), 643.

C

Cadmium. Study of the reaction of cadmium vapour with oxygen by the high dilute flame method, 1468.
Unstable intermediates. Part LXXX, election spin resonance investigation of the $[Ag–Cd]^{2+}$ and Cd_2^{3+} diatomic cations, 3080.
Caesium *trans*-bis(trifluoromethyl)tetrafluorophosphate, $Cs^+[(CF_3)_2PF_4]^-$, reinterpretation of the fluorine-19 nuclear magnetic resonance spectrum of: partial second-order effects in $[A_mB_nX]$ systems, 1074.
Calcium sulphate–water system. Part II, kinetics of dehydration of β-$CaSO_4$,$\frac{1}{2}H_2O$, 528. Part III, kinetics of dehydration of α-calcium sulphate hemihydrate, 1476.
Carbohydrates. Observations on dislocations in manganese(II) formate dihydrate, sucrose, and other crystals of the monoclinic system, 2938.
Carbon, molecular, synthesis by use of. Part II, germanium tetrachloride, phosphorus trichloride, and sulphur monochloride, 31.
Enhancement and reversal of carbon-13 resonances in nuclear–electron double resonance, 1180.
Carbonyls. Metal carbonyl chemistry. Part VIII, reaction of hydridopentacarbonylmanganese(I) with pentafluorocyclopentadiene, 49. Part IX, improved syntheses and some reactions of tetracarbonylcyclooctafluorotetramethyleneiron, 1964. Part X, mono-(fluoro-olefin) complexes from pentacarbonyliron, 1969. Part XII, reactions of metal carbonyl anions with some perfluoroaromatic compounds, 1974. Part XIII, kinetic studies on the reactions of phenyl- and benzoyl-manganese carbonyl complexes with the ligand 4-ethyl-2,6,7-trioxa-1-phosphabicyclo[2,2,2]octane, 1979.
chemistry of. Part LVIII, reactivity of the tricarbonylcyclopentadienyltungstate anion, $[(\pi\text{-}C_5H_5)W(CO)_3]^-$, towards fluorocarbene, 680. Part LIX, organosilicon- and -tin-(carbonyl)osmium complexes, 3147.
Catalysis, heterogeneous, in solution. Part VI, effect of solids on the aquation of two halogenopenta-amminecobalt(III) ions, 68. Part VII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by mercuric

Catalysis (*contd.*)
sulphide and silver bromide, **73**. Part VIII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by metallic platinum, **78**.
Catalysts, bismuth–molybdenum oxide, spectroscopic investigation of, **3183**.
chromium oxide, heterogeneous decomposition of perchloric acid on, **601**.
hydridocarbonyltris(triphenylphosphine)rhodium(I), homogeneous hydroformylation of alkenes with, **2753**.
Protonation of ruthenium- and rhodium-bridged carboxylates and their use as homogeneous hydrogenation catalysts for unsaturated substances, **3322**.
Catalytic reactions, inactivation of. Hydridocarbonyltris-(triphenylphosphine)rhodium(I). Part I, **937**. Part II, isomeriation of n-pentenes and hex-1-ene, **941**.
Cerium. Stoicheiometry and kinetics of the reaction between cerium(IV) and hydrazine in acid solution, **2918**.
Charge transfer in mixed-valence solids. Part VI, spectra and semiconductivity of mixed crystals of hexachloroplumbates(II,IV) and hexachloroindates(III), **2679**.
Chlorine dioxide, gaseous, electron diffraction investigation of, **46**.
d orbitals in excited configurations of, **1431**.
Chromium(II) chemistry. Part VII, complexes of 2-picolylamine and 8-aminoquinolone, **1840**.
-(0) complexes of sterically hindered *vic*-diamines, **3237**.
-(III)–*NN'*-ethylenebis(salicylideneiminato) complexes, preparation, magnetic, and electronic spectral properties of: crystal and molecular structure of *NN'*-ethylenebis(salicylideneiminato)diaquochromium(III) chloride, **3296**.
oxide and iron(III) oxide: single-crystal Raman spectra of nearly opaque materials, **980**.
-(VI), reaction with thiosulphate. Kinetics and mechanisms of redox reactions in aqueous solutions. Part III, **2866**.
-(III), tertiary phosphine complexes of, **541**.
Composition and heat of combination of a double oxide of chromium and sodium, **1908**.
Crystal structure of the green isomer of trichloro-1,5-diamino-3-azapentanechromium(III), **803**.
of oxalatobis(ethylenediamine)chromium(III) bis(oxalato)ethylenediaminechromate(III) dihydrate, $[Cr(NH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2)_2C_2O_4]$-$[CrNH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2(C_2O_4)_2],2H_2O$, **1862**.
Formation of binuclear complexes in the reaction of chromium(II) with hexacyanoferrate, **862**.
Homolysis *versus* heterolysis in the decomposition of chromium(III) complexes on acidic aqueous solution, **1927**.
Kinetics of the oxidation of the azidopenta-aquochromium(III) ion by nitrous acid in aqueous acidic perchlorate and chloride media, and analysis of the chromium(III) product distribution in the presence of scavenger anions, **2819**.
Metal–carbonyl and metal–nitrosyl complexes. Part VIII, molecular structure of isocyanatocyclopentadienyldinitrosylchromium, **605**. Part IX, molecular structures of *cis*- and *trans*-di-μ-dimethylamido-bis-(cyclopentadienylnitrosylchromium), **611**.
Octahedral bis(ethylenediamine)chromium(III) complexes. Part I, preparation and characterisation, **2612**.
Reaction mechanisms in molten salts. Part I, ligand replacement in chromium(III) complexes dissolved in hydrogen sulphate melt and in 100% sulphuric acid, **2066**.
Solid-state studies. Part III, Raman- and infrared-active carbonyl stretching vibrations of 1,3- and 1,4-dimethylbenzenetricarbonylchromium, **471**.
Vibrational spectra of π-benzenetricarbonylchromium and related compounds, **814**.
Cobalt(II) and zinc(II) diethyldithiophosphinates, crystal and molecular structure of, **714**.
chelates with delocalised electronic structure, redox properties of, **2870**.
-(II) chloride pyridine complexes, thermochemistry of, **1141**.
-(III) complexes containing carboxylate ligands, **3194**.
-(III) complexes, reactions of. Part VI, detection of peroxocobalt(III) complexes by chemiluminescence, **1761**.
-(II), pyrazole complexes of, **2694**.
-(III), reactions of complex compounds of. Part V, studies on the mechanism of oxidative degradation of co-ordinated salicylic acid, **1757**.
Absolute configurations and circular dichroism spectra of a series of cobalt(III) complexes containing a stereoselective quadridentate ligand, **264**.
Acid-catalysed hydrolysis of some *trans*-dinitrocobalt(III) complexes of cyclic quadridentate ligands, **1305**.
Aquation of *cis*-dichlorobis(ethylenediamine)cobalt(III) in mixed aqueous solvents, **2703**.
Base hydrolysis of the oxalatobis(ethylenediamine)-cobalt(III) ion, **3100**.
Chemical consequences of the nuclear reactions $^{58}Fe(n,\gamma)^{59}Fe$ and $^{57}Co(EC)^{57}Fe$ in soluble Prussian Blue, **3255**.
Complexes of 2-aminobenzothiazole with cobalt(II) and nickel(II), **672**.
C–O stretching vibrations and force constants of phosphine- and arsine-substituted cobalt carbonyl complexes $[LCo(CO)_3]_2$ and $[LCo(CO)_3]_2Hg$ complexes, **3352**.
Crystal and molecular structure of *trans*-di-μ-carbonyl-bis-(π-2,3-*cis*-dimethylbutadienecarbonylcobalt), **2745**.
of $(+)_{495}$-[L-glutamatobis(ethylenediamine)cobalt(III)] perchlorate: the product of a kinetically stereoselective reaction, **2579**.
of D-histidino-L-histidinocobalt(II) dihydrate, **384**.
of thiosulphatopenta-aminecobalt(III) chloride monohydrate, **2384**.
Crystal structure of bis(octamethylcyclotetraphosphonitrilium) tetrachlorocobaltate(II), $[(NPMe_2)_4H]_2$-$CoCl_4$, **460**.
of a cobalt(III) macrocyclic Schiff-base complex, **663**.
Decomposition of dioxalatodiaquocobaltate(III) and trioxalatocobaltate(III) in aqueous solution, **2836**.
Electron spin resonance and bulk paramagnetism studies of some diarylbis(diethylphenylphosphine)cobalt(II) complexes, **3003**.
NN'-Ethylenebis-(*o*-aminobenzylideneiminato)cobalt(II) and its derivatives. Part I, physical properties and shape, **3105**.
Factors governing the spin-multiplicity of five-co-ordinate complexes of cobalt(II) and nickel(II), **248**.
Four-, five-, and six-co-ordinate cobalt(II) and nickel(II) complexes with tetradentate ' tripod-like ' nitrogen–oxygen and nitrogen–sulphur ligands, **575**.

Cobalt (*contd.*)
Heterogeneous catalysis in solution. Part VI, effect of solids on the aquation of two halogenopenta-amminecobalt(III) ions, 68. Part VII, catalysis of the equation of the bromopenta-amminecobalt(III) ion by mercuric sulphide and silver bromide, 73. Part VIII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by metallic platinum, 78.
Kinetics of the reactions of iodide with different forms of the μ-amido-μ-peroxo-bis{bis(ethylenediamine)-cobalt(III)} complex, 1261.
Kinetic studies on the reaction of nitrous acid with the μ-superoxobis[penta-amminecobalt(III)] complex, 3209.
Medium effects, added salts, and ion pairs in the acid-catalysed hydrolysis of the *trans*-azidochlorobis-(ethylenediamine)cobalt(III) ion, 811.
Optically active co-ordination compounds. Part XX, reactions of 1,10-phenanthroline co-ordinated to cobalt(III), 1447.
Rate of electron transfer between cobalt complex ions in aqueous polyelectrolyte solutions, 1168.
of reduction by solid silver of the chloro- and bromo-penta-amminecobalt(III) ions in aqueous acid solution, 82.
Reactions of carboxylate anions with dioxalatodiaquo-cobaltate(III) in aqueous solution, 2842.
μ-hydroxo-dicobalt complexes. Part I, kinetics of the equilibration of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(IV)] complex with dilute nitric acid, 1059. Part II, kinetics of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with thiocyanate in aqueous perchloric acid and the characterisation of the bisthiocyanate product, 1064. Part III, reactions of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with concentrated acids and the identification of new complexes, 1424. Part IV, kinetics of the reduction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with vanadium(II) and chromium(II) in aqueous perchlorate solution, 1991. Part V, equilibrium and kinetic studies on the reaction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with sulphate in aqueous perchloric acid solutions, 3214.
Single-crystal polarised spectrum and paramagnetic anisotropy of five-co-ordinate, square pyramidal cobalt(II) complexes, 3283.
Six-co-ordinate complexes of thiomorpholin-3-one with cobalt(II) and Group VIB metal carbonyls, 1901.
Some reactions of carboxylate anions with dioxalatodi-aquocobaltate(III) in aqueous solution, 2842.
Stopped-flow kinetics of the base hydrolysis of the *cis*-$[Co(L)_2(NH_2Bu^n)Cl]^{2+}$ ion (L = ethylenediamine), 3337.
Structural and spectroscopic study of carbonatodiaquo-bisimidazolecobalt(II), a bidentate carbonato-complex of cobalt(II), 2558.
aspects of the synthetic oxygen-carrier *NN'*-ethylene-bis(salicylideneiminato)cobalt(II). Part I, structure of the addition compound with oxygen containing dimethylformamide, 1069. Part II, crystal and molecular structure of the monopyridine complex, 2411.
variety in mixed cobalt(III)–cobalt(II) chloro-compounds with 1,10-phenanthroline and 2,2′-bipyridyl, 2478.
Structure of *trans*-dichlorobis[*o*-phenylene(bisdimethyl-arsine)]cobalt(III) perchlorate, 2728.
Sulphur dioxide insertion reactions of σ-bonded alkyl-cobalt(III) compounds, 2153.
Tautomerism in dienedicarbonylcobalt dimer complexes, $[\{Co(\pi\text{-diene})(CO)_2\}_2]$, 2123.
Complex compounds of cobalt(III), reactions of. Part V, studies on the mechanism of oxidative degradation of co-ordinated salicylic acid, 1757.
Complexes, actinide tetrahalide–phosphine oxide, preparation, crystallographic, and infrared properties of, 497.
alkali-metal. Part II, compounds with two different ligands, salicylic acid, *o*-nitrophenol, isonitrosoacetophenone, 1-nitroso-2-naphthol, and 8-hydroxyquinoline, 292. Part III, adducts of 1,10-phenanthroline with alkali-metal salts of 1-nitroso-2-naphthol, *o*-nitrophenol, and 2,4- and 2,6-dinitrophenol, 1894.
alkylimido-(or alkylnitrene), of rhenium, 2239.
aquorhodium(III), ion pairing and possible nucleophilic assistance in anation reactions of, 1745.
aurous and auric, ^{197}Au Mössbauer spectroscopy on, 1484.
binuclear, formation in the reaction of chromium(II) with hexacyanoferrate(III), 862.
cationic hydride, of iron, ruthenium, and osmium, including a triad of molecular nitrogen complexes, 2146.
hydrido-carbonyl, of osmium. Chemistry of polynuclear compounds. Part XXI, 2517.
of iridium. Part II, kinetic studies on the reductive elimination of hydrogen from $[IrH_2(CO)_2L_2]BPh_4$ (L = tertiary phosphine or tertiary arsine), 3000.
trans-chlorodicarbonyl(cyano-olefin)rhodium of the type *trans*-$[Rh(CO)_2LXCl]$ (L = ligand, X = cyano-olefin), reactions with bidentate ligands, 474.
chromium(III)–*NN'*-ethylenebis(salicylideneiminato), preparation, magnetic, and electronic spectral properties of: crystal and molecular structure of *NN'*-ethylene-bis(salicylideneiminato)diaquochromium(III) chloride, 3296.
chromium(0), of sterically hindered *vic*-diamines, 3237.
cobalt(II) chloride pyridine, thermochemistry of, 1141.
cobalt(III), containing carboxylate ligands, 3194.
reactions of. Part VI, detection of peroxocobalt(III) complexes by chemiluminescence, 1761.
containing osmium–gold bonds, syntheses, structures, reactions, and vibrational spectra of: trinuclear osmium and related complexes, 2889.
co-ordinated, of niobium and tantalum. Part VIII, complexes of niobium(IV), niobium(V), and tantalum(V) with mixed oxo, halogeno, alkoxy, and 2,2′-bipyridyl ligands, 3382.
co-ordination, metal–metal bonding in. Part VI, crystal structure of dicarbonylcyclopentadienyl(trichlorostannyl)iron, 1696. Part VII, crystal structure of dicarbonylcyclopentadienyl(tribromostannyl)iron, 2247. Part VIII, crystal structure of dicarbonyl-π-cyclopentadienyl[dichloro(phenyl)stannyl]iron, 2261. Part IX, crystal structure of *trans*-di-μ-carbonyl-dicarbonyldi-π-cyclopentadienyldi-iron(Fe–Fe), a redetermination, 3064. Part X, preparation, spectroscopic properties, and crystal structure of the *cis*-isomer of di-μ-carbonyl-dicarbonyldi-π-cyclopentadienyldi-iron(Fe–Fe), 3068.

Complexes (*contd.*)
of silver(II). Part IV, crystal and molecular structure of silver(II) bis(pyridine-2,6-dicarboxylate) monohydrate, 1405.
copper, interpretation of rhombic *g* tensors in, 4.
copper(I). Part I, halogeno-complexes, 238.
copper(II) of 2,2′-azopyridine, semicarbazide, thiosemicarbazide, and 2,3-dimethylquinoxaline, magnetic properties of, 19.
of 2-(2-pyridyl)imidazole, 88.
overlap considerations relevant to the geometry of, 1498.
crystal structure of anhydrous nitrates and their. Part V, potassium tetranitratoaurate(III), 3092.
diarylbis(diethylphenylphosphine)cobalt(II) complexes, electron spin resonance and bulk paramagnetism studies of, 3003.
NN-diethyldithiocarbamate, of tervalent lanthanide and actinide elements and the crystal structure of tetraethylammonium neptunium(III) tetrakis-(*NN*-diethyldithiocarbamate), 786.
dimeric tetrahedral, of mercury(II) chloride and bromide with some pyridine *N*-oxides, 378.
dinitrogen, of osmium(II), 2243.
of ruthenium(II), reactivity and structure of, 1479.
five-co-ordinate high-spin, of bivalent nickel and copper with 2-methyl-8-[(6-methyl-2-pyridyl)methyleneamino]quinoline, 2907.
of the type $[Ir(CO)_xL_{3-x}]^+$ where X = 1—3 and L is dimethylphenyl-phosphine or -arsine, 2705.
fluorophosphine, of zerovalent platinum. Phosphorus–fluorine compounds. Part XVII, 321.
germyl–iridium, 1675.
hexacyano-, Raman spectra and vibrational assignments of, 858.
hydridoalkoxycarbonyl, of iridium, 1.
μ-hydroxo-dicobalt, reactions of. Part I, kinetics of the equilibration of the μ-amido-μ-hydroxo-bis[tetraamminecobalt(III)] complex with dilute nitric acid, 1059. Part II, kinetics of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with thiocyanate in aqueous perchloric acid and the characterisation of the bisthiocyanate product, 1064. Part III, reactions of the μ-amido-μ-hydroxo-bis[tetraamminecobalt(III)] complex with concentrated acids and the identification of new complexes, 1424. Part IV, kinetics of the reduction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with vanadium(II) and chromium(II) in aqueous perchlorate solution, 1991. Part V, equilibrium and kinetic studies on the reaction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with sulphate in aqueous perchloric acid solutions, 3214.
inorganic fluoro-, spectroscopic studies of. Part III, fluorine-19 nuclear magnetic resonance studies of silicon(IV), germanium(IV) and titanium(IV) fluoro-complexes, 2569.
ionic organoplatinum(II), preparation and reactions of, 1896.
iridium(I) and rhodium(I), reactions of triorganotin hydrides with. Binuclear organometallic compounds. Part II, 3303.
iron and ruthenium carbonyl, reaction with fluoro-olefins, 2975.
iron(III)–cysteine, kinetics of the reaction of molecular oxygen, 1006.
monophenolate, kinetic investigation of formation and dissociation of, 1151.
–nitrilotriacetate and –bis-picolinate, comparison of the dimerisation kinetics of, 2847.
lanthanide, single-crystal magnetic properties of. Part I, tri-iodohexakis(antipyrine)ytterbium, 3030. Part II, tri-iodohexabis(antipyrine)cerium, 3040.
$L^1L^2Fe_2(CO)_6$, ligand effect on the ionisation potentials and bond energies of, 3171.
low-valent metal, reactions with fluorocarbons. Part X, reactions of tetrakis(methyldiphenylphosphine)-platinum, 947. Part XI, chlorocarbonylbis(methyldiphenylphosphine)iridium and chlorodinitrogenbis-(triphenylphosphine)iridium, 951. Part XIII, (π-cyclopentadienyl)bis(π-ethylene)rhodium, 3158. Part XIV, hexafluoroisopropylideneamine-nickel and -platinum complexes, 3161. Part XV, acetylacetonatobis(methyldiphenyl- or triphenyl-phosphine)-rhodium, 3166.
magnesium and manganese, of citric and isocitric acids, 241.
metal, as indicators for solvent structure. Part I, nickel(II) complexes of *meso*-stilbenediamine or triethylenetetramine in mixed aqueous media, 1309. Part II, nickel(II) complexes of *meso*-stilbenediamine in mixtures of water with alcohols, ketones, or amides, 2172. Part III, nickel(II) complexes of *meso*-stilbenediamine in mixtures of water with some glycol ethers and with poly(ethylene oxide), 2175.
metal–carbonyl and metal–nitrosyl. Part VIII, molecular structure of isocyanatocyclopentadienyldinitrosylchromium, 605. Part IX, molecular structures of *cis*- and *trans*-di-μ-dimethylamido-bis(cyclopentadienylnitrosylchromium), 611.
metal carbonyl, organonitrogen groups in. Part I, diphenylmethyleneamino-derivatives of π-cyclopentadienyl-molybdenum and -tungsten carbonyl complexes, 2279.
β-diketone. Part VI, some β-diketone complexes of copper(I), silver(I), and gold(I), 367. Part VII, some reactions of the acid complexes $HPt(acac)_2X$ (X = Cl or Br), 1732.
metal-ion, cyclic tetra-amine. Part VI, crystal structure of acetato-*C*-*rac*-(5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate, 1956.
metal, of azopyridines. Part III, complexes of nickel(II) and copper(II) with 2,2′-azopyridine, 305.
metal–triketone. Part I, nuclear magnetic resonance spectral study of the keto–enol equilibria in triketone ligands, 2605. Part II, copper complexes exhibiting antiferromagnetism, 2608.
molecular. Part VI, procedure for investigating molecular interactions in solution by nuclear magnetic resonance spectroscopy, 931.
Part IX, crystal and molecular structure of 2-methyl-3-*N*-methylanilinomethyl-1,4-naphthoquinone, 2775.
of zinc cadmium and mercury(II), with potentially ter- or tetra-dentate ligands with nitrogen donor atoms; five co-ordination in, 790.
multihydrido-, of osmium and related complexes, 334.

Complexes (*contd.*)
nickel and palladium, of 1-hydroxyethane-2-thiol and analogues. Part I, crystal structure of cyclohexakis-[bis-(μ-1-hydroxyethane-2-thiolato)-nickel(II)], 875.
nickel(II) and cobalt(II), with thiazolidine-2-thione, 1904.
and zinc(II), of 2-alkoxyphenols, 2472.
cobalt(II), and copper(II), with *N*-methyl-*p*-nitroso-aniline and *p*-nitrosoaniline, 1822.
five-co-ordination in. Crystal structure of dibromobis-(2-diphenylphosphinoethyl)aminenickel(II), 1511.
five-co-ordination in: crystal structure of the high-spin complex of nickel(II) perchlorate with *NN*-bis-(2-diethylaminoethyl)-2-hydroxyethylamine, 618.
nitrosyl, of ruthenium(0), preparation and properties of, 2149.
non-cubic, ligand-field splittings in. Part III, tetragonal copper(II)–oxygen systems, 176. Part IV, the tetrachlorocuprate ion in distorted tetrahedral symmetry, 2900.
novel μ-sulphido- and tetrasulphido-, of platinum(II), 1243.
octahedral bis(ethylenediamine)chromium(III). Part I, preparation and characterisation, 2612.
trans-effect in Part IV, kinetic *trans*-effect of OH^-, OH_2, and NH_3 in complexes of the form *trans*-$RhA_2L(OH_2)^{n+}$, where A = ethylenediamine (en), 393.
of 2-aminobenzothiazole with cobalt(II) and nickel(II), 672.
of 8-amino-2-methylquinoline with copper(II), 3226.
with nickel(II), 275.
of conjugated ligands, spectra of. Part IV, zero differential overlap calculations on phenanthroline and its mono-complexes, 1190.
of copper(II) and nickel(II) with *o*-benzoquinone monooximes, mass spectra of, 2645.
of *SSS'S'*-ethanediylidenetetra[(thio)acetic acid) and related ligands with cobalt(II), nickel(II), and copper(II), 797.
of d^{10} ions with amides and amidines. Part I, dissociation constants of ligands and stability constants of mercury(II) complexes, 1184. Part II, stability constants of silver(I) and cadmium(II) complexes with hydroxy-amidines, 1439.
of iridium and rhodium, structure and reactivity of. Part I, crystal and molecular structure of bis-[1,2-bis-(diphenylphosphino)ethane]rhodium(I) perchlorate, 2539.
of manganese, iron, cobalt, nickel, copper, and zinc of the type $(NEt_4)_2MCl_4$. Thermal properties of transition-metal compounds. Part II, 1166.
of molybdenum(VI) and molybdenum(V) with dithiocarbamate, dithiocarbonate, and phosphorothiolothionate, 1702.
of molybdenum-(V) and -(VI) with L-cysteine and related compounds and their reactions with hydrogen sulphide, 2421.
of optically active and racemic 1,2-diamines, absence of stereoselectivity in 2691.
of 2-picolylamine and 8-aminoquinoline. Chromium(II) chemistry, Part VII, 1840.
-π of platinum(II) with unsaturated hydrocarbons. Part II, crystal and molecular structure of *trans*-dichloro-(π-di-t-butylacetylene)-*p*-toluidineplatinum(II), 1873.
of pyridines and methylpyrazine with some zinc(II), cadmium(II), and mercury(II) salts, 2161.
of 2- and 4-(2-pyridyl)imidazole, calorimetric studies with. Heterocyclic chelating agents. Part IV, 689.
rhodium(III), structural investigations on. Part II, crystal structure of *mer*-trichlorobis-(*o*-dimethylaminophenyldimethylarsine)rhodium(III), 14.
of ruthenium, a deprotonated ethylenediamine, 2598.
of scandium(III) perchlorate with uni- and bi-dentate oxygen donor ligands. Co-ordination chemistry of scandium. Part III, 141.
of tertiary phosphines and tertiary arsines with molybdenum(IV), 2652.
of thiazoles. Part III, complexes of thiazole with cobalt(II), nickel(II), copper(II), zinc(II), and palladium(II) salts, 3015.
of tin(II) compounds with some oxygen- and some sulphur-containing donor molecules, spectra of. Mössbauer effect in tin(II) compounds. Part VII, 145.
of transition metals with oxygen donor ligands. Part II, complexes of 2,6-dimethyl-4-pyrone with metal nitrates, 2008.
with Schiff bases and the factors influencing their redox properties. Part I, nickel and copper complexes of some diketone bis-thiosemicarbazones, 2829.
organo-silicon- and -tin-(carbonyl)osmium complexes. Chemistry of the metal carbonyls. Part LIX, 3147.
oxomolybdenum(IV) and oxovanadium(IV) complexes with a tridentate Schiff base, 2964.
palladium, of azapropellanes. Propellanes. Part X, 1784.
-(II)–halogen with chelating ligands containing nitrogen and σ carbon as donor atoms, far-infrared study of, 531.
phosphine, of iridium. Part I, preparation and properties of some cationic complexes, 2909.
phosphite and phosphonate. Part I, synthesis and structures of dialkyl and diphenyl phosphonate complexes of palladium and platinum, 2080. Part II, nuclear and magnetic resonance spectra of triphenyl phosphite and dialkyl and diphenyl phosphonate complexes of rhodium, palladium, and platinum: an order of *trans*-influence for ligands in platinum complexes, 2087. Part III, *trans*-influence in mercury(II) complexes: ^{199}Hg–^{31}P coupling constants in (diethylphosphonato)mercury(II) complexes and an *X*-ray crystal structure analysis of chloro(diethyl phosphonato)mercury(II), 2094.
platinum hydride: effect of *cis*-ligands on *J*(Pt–H), 1938.
polyamine, structure and stability of: crystal and molecular structures of bis[di-(3-aminopropyl)amine]-nickel(II) perchlorate and bis[di-(2-aminoethyl)-amine]nickel(II) chloride monohydrate, 2398.
polyanions and their. Part VII, mechanism of Methylene Blue–polyanion interactions, 1155.
polynuclear carbonyl, containing iron with cobalt or rhodium, 654.
protonation of, 711.
polynuclear nitrido-, of osmium, ruthenium, and iridium, 1117.
pyrazole, of cobalt(II), 2694.
quinquevalent protactinium and quadrivalent actinide-tropolonates, 3373.
six-co-ordinate, of thiomorpholin-3-one with cobalt(II) and Group VIB metal carbonyls, 1901.

Complexes (*contd.*)
six- and eight-co-ordinate, of titanium tetrachloride, 2199.
superoxide-bridged binuclear, of rhodium(III), 2523.
tellurium, Mössbauer spectra of, 213.
tertiary phosphine and tertiary arsine, of molybdenum(II), molybdenum(IV), tungsten(II), and tungsten(IV), 595.
tertiary phosphine gold phenyl, a fluorine-19 nuclear magnetic resonance study of inductive and mesomeric effects in, 1216.
tertiary phosphine, of chromium(III), 541.
thiourea, of tin(II) compounds, 173.
transition-metal carbonyl, vibrational and electronic spectra of. Part VIII, infrared spectra of some methyl-π-cyclopentadienyl complexes, 1040.
transition-metal, containing phosphorus ligands. Part I, triaryl phosphite complexes of cobalt and nickel, 96. Part II, triaryl phosphite derivatives of ruthenium and osmium, 639. Part III, convenient syntheses of some triphenylphosphine complexes of the platinum metals, 2947.
transition-metal dithiolene. Part XII, rhodium and iridium complexes, 1621. Part XIII, nitric oxide adducts of iron bis(diaryl-1,2-dithiolenes), 1627. Part XIV, five-co-ordinate phosphine and phosphite adducts of cobalt and iron bis(diaryl-1,2-dithiolenes), 1631. Part XV, π-cyclopentadienyl nitrosyl and related molybdenum complexes, 3308. Part XVI, π-cyclopentadienyl manganese nitrosyl 1,1-dithiolene complexes, 3315. Part XVII, cleavage of the ring from π-cyclopentadienyl–metal complexes by 1,2-dithiolato- and dithiocarbamato-ligands, 3318.
transition-metal hydride. Mass spectra of inorganic molecules. Part VI, 1684.
transition-metal, molecular orbital calculations on. Part I, hexafluorometallate(II) ions, 2668.
d^9-transition-metal, nuclear quadrupole resonance spectra of chlorine in, 1029.
transition-metal, thermochemical and spectroscopic properties of. Part II, cobalt complexes of the type CoL_2X_2 (L = *o*-, *m*-, or *p*-fluoroaniline, and X = chlorine, bromine, or iodine), 795.
trigonally distorted octahedral iron(II), magnetic properties of, 1941.
with ligands containing Group VB and VIB atoms. Part II, complexes of palladium(II) and platinum(II) halides with thiomorpholine and thiomorpholin-3-one, 2137.
zinc nitrite, with amine ligands, 1933.
Absolute configurations and circular dichroism spectra of a series of cobalt(III) complexes containing a stereoselective quadridentate ligand, 264.
Acid-catalysed hydrolysis of nitrotrichloroplatinate(II) and tetranitro-platinate(II) and -palladate(II) anions, 2708.
of some *trans*-dinitrocobalt(III) complexes of cyclic quadridentate ligands, 1305.
Additional information on the complex hydridochlorobis(triphenylphosphine)platinum(II) in the solid state and in solution, 1694.
Adducts of bidentate *N*-ligands with arsenic trichloride and tribromide, 1643.
Alkali-metal dialkylberyllium hydrides and their thermal decomposition, 156.
(Alkoxycarbonyl)iridium compounds with *N*-donor bases and with triphenylphosphine, 1836.
Allogons: isomerism in the crystal and molecular structure of the green form of dibromobis(benzyldiphenylphosphine)nickel(II): $Ni[P(CH_2Ph)Ph_2]_2Br_2$[square],-$2Ni[P(CH_2Ph)Ph_2]_2Br_2$[tetrahedral], 1688.
Anionic halogenocarbonyls of rhodium, iridium, and platinum, 2788.
Anionic ruthenium(III) and rhodium(III) complexes of tertiary monophosphines and arsines, 889.
Aquation of *cis*-dichlorobis(ethylenediamine)cobalt(III) in mixed aqueous solvents, 2703.
Azomethine derivatives. Part X, 1,1,3,3-tetramethylguanidine adducts of trimethylaluminium, triethylaluminium, and aluminium trichloride: dimethyl-, diethyl-, and dichloro-bis(dimethylamino)methyleneaminoaluminium, 380.
Base hydrolysis of the oxalatobis(ethylenediamine)cobalt(III) ion, 3100.
Behaviour of acid halides in disulphuric acid, 2267.
Benzenethiolato-derivatives of iridium(I) and iridium(III), 2719.
Bis-π-cyclopentadienylmolybdenum amino-acid derivatives and related compounds, 2315.
Blue solutions of ruthenium(II) chloride: a cluster anion, 1791.
σ-Bonded organotransition-metal ions. Part IX, strong hyperconjugative and inductive electron donation by some alkyl-manganese, -molybdenum, -tungsten, and -iron carbonyl groups in substituted pyridinium ions, 507. Part X, kinetics and mechanism of the unimolecular hydrolysis of some pyridiomethyl metal carbonyl compounds in aqueous acid, 511. Part XI, kinetics and mechanism of the reactions of pyridiomethylpentacyanocobaltate(III) ions with thallium(III), mercury(II), indium(III), and gallium(III) chloride in aqueous acid, 517. Part XII, bimolecular displacement of cobalt(III) from organopentacyanocobaltate(III) ions and of chromium(III) from penta-aquo-organochromium(III) ions by nitrosating species, 523.
Carbon compounds of the transition metals. Part XX, crystal and molecular structure of μ-cycloundecaallyl-heptacarbonyldi-iron, 38.
Charge transfer in mixed-valence solids. Part VI, spectra and semiconductivity of mixed crystals of hexachloroplumbates(II,IV) and hexachloroindates(III), 2679.
Change-transfer spectra of some complexes of ruthenium, rhenium, osmium, iridium, and platinum halides with tertiary phosphines and tertiary arsines, 587.
Chemistry of metal carbonyls. Part LVIII, reactivity of the tricarbonylcyclopentadienyltungstate anion, $[(\pi\text{-}C_5H_5)W(CO)_3]^-$, towards fluorocarbons, 680.
of polynuclear compounds. Part XXII, protonation of triosmium dodecacarbonyl and some related compounds, 2967.
Colour isomerism and structure of copper co-ordination compounds. Part XX, crystal structure of di-μ-*NN'*-*m*-phenylene-tetrakis(salicylideneiminato)dicopper(II), 2494.
Conformational influences in copper co-ordination compounds. Part I, crystal structure of the methylammonium perchlorate adducts of *NN'*-ethylenebis(acetylacetoneiminato)copper(II), 396. Part III, crystal structure of the *p*-nitrophenol adduct of *NN'*-ethylenebis(salicylideneiminato)copper(II), 400.

Complexes (*contd.*)
Part IV, crystal structure of the chloroform adduct of *NN'*-ethylenebis(salicylideneiminato)copper(II), 406.
Co-ordination of *NNN'N'*-tetramethylethylenediamine and 1,4-dimethylpiperazine with certain transition metals: identity of the supposed iridium derivatives, 999.
C–O stretching vibrations and force constants of phosphine- and arsine-substituted cobalt carbonyl complexes $[LCo(CO)_3]_2$ and $[LCo(CO)_3]_2Hg$ complexes, 3352.
Crystal and molecular structure of bis-(*NN*-dimethyldithiocarbamato)nitrosyliron at −80°, 1275.
of chloro-1,2-bis(diphenylphosphino)ethanemonocarbonyl-π-cyclopentadienylmolybdenum(II), 3019.
of chloro-π-cyclopentadienylbis-8-quinolinolatotitanium(IV), 2545.
of *trans*-di-μ-carbonyl-bis-(π-2,3-*cis*-dimethylbutadienecarbonylcobalt), 2745.
of di-μ-chloro-[dichlorobis(trimethylarsine)]platinum(II): quantitative assessment of the *trans*-influence of the trimethylarsine ligand, 168.
of dichloro(oxo)-2,2′-bipyridylethoxyniobium(V) and tetraphenylarsonium oxopentathiocyanatoniobate(V), 2379.
of dinitrato-(*NNN'N*-tetramethyl-*o*-phenylenediamine)nickel(II), 3349.
of the five-co-ordinate complex dibromo-[6,6′-dimethyldi-(2-pyridylmethyl)amine-*NNN*]-nickel(II), 1826.
of a five covalent copper(II) complex, 123.
of D-histidino-L-histidinocobalt(II) dihydrate, 384.
of $(+)_{405}$-[L-glutamatobis(ethylenediamine)cobalt(III)] perchlorate: the product of a kinetically stereoselective reaction, 2579.
of the low-spin five-co-ordinate complex iodo[tris-(2-diphenylphosphinoethyl)amino-*NP*]-nickel(II) iodide 1804.
of monochlorobis(diethyldithiocarbamato)iron(III), 1668.
of mono-α-picoline copper(II) chloroacetate, 2803.
of tetracyanoethylenebis(triphenylphosphine)platinum(0), 1313.
of the tetrahedrally co-ordinated complex dichloro-[oxydiethylenebis(diphenylphosphine)]nickel(II), 866.
of tetraphenylarsonium tetranitratomanganate(II) and *X*-ray study of other $M(NO_3)_4^{2-}$ ions (M = Ni, Cu, or Zn), 226.
of thiosulphatopenta-aminecobalt(III) chloride monohydrate, 2384.
of tricarbonyl-[2,4-diethyl-1,5-bis(diphenyl)-3-phenyl-1,3,5-triphospha-2,4-diazapentane-*PPP*]-molybdenum, $[Mo(CO)_3(Ph_2P{\cdot}NEt{\cdot}PPh{\cdot}NEt{\cdot}PPh_2)]$, 3345.
of tri-μ-chloropentacarbonyl(trichlorostanyl)diruthenium, 245.
Crystal structure and molecular geometry of tetraphenylphosphonium π-cyclopentadienylbis-(1,2-dicyanoethylene-1,2-dithiolato)molybdenum, $[Ph_4P^+][(\pi\text{-}C_5H_5)Mo\{S_2C_2(CN)_2\}_2^-]$, 2046.
of a trifluoromethyl complex of nickel: π-cyclopentadienyl-σ-trifluoromethyl(triphenylphosphine)nickel, 161.
and molecular stereochemistry of a five-co-ordinate π-allyl complex of nickel: π-methallyl[bis-1,2-(diphenylphosphino)ethane]nickel bromide, 206.
and Mössbauer spectrum of dimethyltin dichloride, 2862.
and stereochemistry of the solvated complex dichlorodipyridine-[*o*-(di-*o*-tolylphosphino)benzyl]rhodium(III) –0·61 chloroform: the *trans*-influence of ligands in octahedral complexes, 1601.
of acetylacetonato-(π-pentamethylbicyclo-[2,2,0]hexa-2,5-dienylmethyl)palladium(II), 3124.
of the 1 :1 adduct of bis(pyridine-2-carboxylato)copper(II) with potassium thiocyanate, 2377.
of bis(octamethylcyclotetraphosphonitrilium) tetrachlorocobaltate(II), $[(NPMe_2)_4H]_2CoCl_4$, 460.
of bis(pentafluorobenzenethiolato)bis(tributylphosphine)platinum(II), 2781.
of 1,4-diselenocyanatobenzene: the co-ordination of selenium(II), 2044.
of a cobalt(III) macrocyclic Schiff-base complex, 663.
of a complex of mercury(II) chloride and histidine hydrochloride, 2632.
of *cis*-dichloro-*cis*-bis(dimethylsulphoxide)-*trans*-dimethyltin(IV), 1257.
of dichloro-di-μ-(pentamethylbicyclo[2,2,0]hexa-2,5-dienylmethyl)diplatinum(II), 535.
of di-μ-pentafluorobenzenethiolatobis(pentafluorobenzenethiolato)bis(triphenylphosphine)dipalladium- (II), $[Pd^{II}(Ph_3P)(SC_6F_5)_2]_2$, 3197.
of the green isomer of trichloro-1,5-diamino-3-azapentanechromium(III), 803.
of hydroxobis(pentafluorophenyl)thallium(III), 1287.
of octacarbonylbis-μ-[bis(dimethylarsino)tetrafluorocyclobutene-*AsAs*]-triangulo-triruthenium, 3246.
of oxalatobis(ethylenediamine)chromium(III) bis(oxalato)ethylenediaminechromate(III) dihydrate, $[Cr(NH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2)_2C_2O_4][CrNH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2(C_2O_4)_2].2H_2O$, 1862.
of pyridinium nonabromodiantimonate(III) dibromide, 1359.
of pyridinium tetrachloroantimonate(III), 1356.
of trichloro(octamethylcyclotetraphosphonitrilium)copper(II), $[(NPMe_2)_4H]CuCl_3$, 455.
of trimethylthallium, 28.
Cyclopentadienyl- and phenylethynyl-dimethylthallium, 2157.
Decomposition of dioxalatodiaquocobaltate(III) and trioxalatocobaltate(III) in aqueous solution, 2836.
Dihalogenodi-[1,2-bis(dimethylphosphino)ethane]rhodium(III) and related carbonyl- and hydrido-complexes, 1411.
Donor properties of acridine *N*-oxide, 2394.
Effect of ionic activity and association on the kinetics of ionic reactions. Part II, kinetics and equilibria of chloride substitution in aquopenta-amminecobalt(III) ions, 2486. Part III, kinetics and equilibria of sulphate substitution in aquopenta-amminecobalt(III) ions, 2490.
Electrochemical reduction of *trans*-$[Rh(en)_2Cl_2]^+$ and subsequent reactions with oxygen, 3126.
Electronic and electron spin resonance spectra of diamminocopper(II) trithiocyanatoargentate(I) and iodobis-(2,2′-bipyridyl)copper(II) iodide, 807.
Electronic properties and crystal structure of $Na_4Cu(NH_3)_4[Cu(S_2O_3)_2]_2.L$ (L = H_2O or NH_3), 884.
Electron spin resonance spectra of some perchlorate, thiocyanate, or iodide complexes of manganese(triphenylphosphine or triphenylarsine oxides) of the type $Mn(Ph_3XO)_4Y_2$, 1352.

Complexes (*contd.*)
study of aqueous vanadyl tartrate solutions, **922**.
study of the complex ions $[Fe(NO_2)(CN)_5]^{3-}$ and $[Fe(CN)_5NO]^{3-}$, **339**.
study of exchange and dipole–dipole coupling in copper(II) chelates of cyclopentanetetracarboxylic acid and related systems, **968**.
study of exchange coupling in the copper(II) chelate of 2,5-diethoxalylcyclopentanone, **2600**.
study of the formation of mixed-ligand chelates of copper(II) with amino-acids and certain 3,4-dihydroxyphenols, **723**.
study of the reaction of sulphide dithionite with some iron(II) and iron(I) complexes: valency and stereochemistry of iron in reduced non-hæm iron proteins, **2038**.
NN'-Ethylenebis-(*o*-aminobenzylideneiminato)cobalt(II) and its derivatives. Part I, physical properties and shape, **3105**.
-nickel(II) and its derivatives, **2531**.
Factors governing the spin-multiplicity of five-co-ordinate complexes of cobalt(II) and nickel(II), **248**.
Far-infrared and Raman spectra of the tetra-alkylammonium salts of mixed tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), $[R_4N][MX_3Y]$, **2590**.
of tetrahalogeno-complexes of arsenic(III), antimony(III) and bismuth(III), **326**.
Far-infrared spectra of four-co-ordinate planar gold(III) complexes, **2408**.
Five- and six-co-ordinate tertiary phosphine complexes of bis(diphenylphosphinodithioato)palladium(II), **1504**.
Fluoride crystal structures. Part X, trifluoroselenium(IV) μ-fluorobis[pentafluoroniobate(V)], **1491**. Part XI, trifluoroselenium(IV) hexafluoroniobate(V) and hexafluorotantalate(V), **1891**.
Formation constants of bis- and tris-complexes of optically active bidentate ligands, **2649**.
Four-, five-, and six-co-ordinate cobalt(II) and nickel(II) complexes with tetradentate 'tripod-like' nitrogen–oxygen and nitrogen–sulphur ligands, **575**.
Further studies on hydridocarbonyltris(triphenylphosphine)rhodium(I): intermediate species in hydroformylation: rhodium and iridium analogues, **1392**.
Heterogeneous catalysis in solution. Part VI, effect of solids on the aquation of two halogenopentaamminecobalt(III) ions, **68**. Part VII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by mercuric sulphide and silver bromide, **73**. Part VIII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by metallic platinum, **78**.
Homolysis *versus* heterolysis in the decomposition of chromium(III) complexes in acidic aqueous solution, **1927**.
Hydridocarbonyltris(triphenylphosphine)rhodium(I). Part I, inactivation of catalytic reactions, **937**. Part II, isomerisation of n-pentenes and hex-1-ene, **941**.
Identification of inner- and outer-sphere paths in the reaction of chromium(II) with hexachloroiridate(IV), and the kinetics of the decomposition of the binuclear intermediate, **232**.
of *syn*- and *anti*-isomers of a *cis*-co-ordinated dithioether ligand by proton magnetic resonance spectroscopy, **3266**.
Improved synthesis of mononuclear platinum(0) compounds which contain tertiary phosphines and carbon monoxide, **1542**.
Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part V, crystal structure of bis-μ-diphenylphosphido-bis(dicarbonylnickel), **1867**.
of temperature and concentration upon nickel(II) chloride interactions in dimethyl sulphoxide, **827**.
Infrared spectra of $[(\pi\text{-}C_5H_5)Fe(CO)_2]_2$ and related compounds in hydroxylic solvents, **2133**.
(700—200 cm.$^{-1}$) of some π-cyclopentadienyl–metal carbonyls and their substituted derivatives, **1382**.
study of co-ordinated BH_3 and BH_2 groups as proton acceptors in hydrogen bonding, **410**.
Interaction between organomercurials and halide complexes of platinum, palladium, and nickel: carbon monoxide insertion into the platinum–carbon bond, **840**.
Interpretation of tungsten-183–phosphorus-31 nuclear spin coupling constants, **1226**.
Investigation of substituted tri-(2-pyridyl)amine complexes of nickel(II) and iron(II) by use of electronic and iron-57 Mössbauer spectroscopy, **2673**.
Ionisation of metal-bound water in sperm whale ferrimyoglobin and in some corrinoids, **2389**.
Kinetics of aquation and of peroxodisulphate oxidation in aqueous acetonitrile, **2351**.
of copper(II)–ethylenediamine complex formation, **684**.
of the oxidation of the azidopenta-aquochromium(III) ion by nitrous acid in aqueous acidic perchlorate and chloride media, and analysis of the chromium(III) product distribution in the presence of scavenger anions, **2819**.
of the oxidation of the hexacyanodinickelate(I) anion by water, **2165**.
of peroxodisulphate oxidation of dicyanobis-(2,2'-bipyridyl)iron(II) and of related compounds, **2114**.
of the reactions of iodide with different forms of the μ-amido-μ-peroxo-bis{bis(ethylenediamine)cobalt(III)} complex, **1261**.
of reaction of peroxodisulphate with the 5-nitro-, 3-sulphonato- and 5-sulphonato-substituted derivatives of the tris-(1,10-phenanthroline)iron(II) cation in aqueous solution, **2111**.
Kinetic studies of some reactions of bis(ethylenediamine)-palladium(II) ions in acid aqueous solution, **90**.
on the reaction of nitrous acid with the μ-superoxobis-[penta-amminecobalt(III)] complex, **3209**.
on 4*d* and 5*d* transition-metal complexes. Part VI, kinetic study of the azidopenta-amminerhodium(III) ion in acidic aqueous solutions, **445**.
Ligand displacement reactions. Part V, mechanisms of displacement of bidentate olefins from olefin(tetramethyl-1,4-benzoquinone)nickel(0) complexes by trimethyl phosphite, **2922**.
Low-temperature charge-transfer spectra of hexahalogeno-iridates(IV) and -osmates(IV), **100**.
Mechanism of the addition of fluoro-olefins to iridium(I) and platinum(0) complexes, **1847**.
Medium effects, added salts, and ion pairs in the acid-catalysed hydrolysis of the *trans*-azidochlorobis-(ethylenediamine)cobalt(III) ion, **811**.

Complexes (*contd.*)
ortho-Metalation reactions. Part I, reactions of azobenzene with some metal carbonyl complexes of sub-groups VI, VII, and VIII, 3204.
Metal carbonyl chemistry. Part VIII, reaction of hydridopentacarbonylmanganese(I) with perfluorocyclopentadiene, 49. Part IX, improved syntheses and some reactions of tetracarbonylcyclo-octafluorotetramethyleneiron, 1964. Part X, mono(fluoroolefin) complexes from pentacarbonyliron, 1969. Part XII, reactions of metal carbonyl anions with some perfluoroaromatic compounds, 1974. Part XIII, kinetic studies on the reactions of phenyl- and benzoyl-manganese carbonyl complexes with the ligand 4-ethyl-2,6,7-trioxa-1-phosphabicyclo[2,2,2]-octane, 1979.
Metal carbonyl derivatives, reactions of. Part III, mechanism of halogenation of tetracarbonylbis-π-cyclopentadienyldi-iron and its derivatives, 2341.
Metal derivatives of hexafluoroisopropyl alcohol and related compounds, 3153.
4-Methylpent-4-en-2-one (isomesityl oxide) complex of platinum(II), 353.
Methyltitanium trichloride: synthesis, properties, infrared spectra, and variable temperature nuclear magnetic resonance spectra of adducts of methyltitanium trichloride with symmetric bidentate ligands, 2026.
Mode of ionisation in molten phosphorus oxyhalide–gallium halide complexes, 848.
Molecular structure of dinuclear complexes of platinum(II). Part II, α- and β-forms of dichloro-di-μ-thiocyanato-bis(tri-n-propylphosphine)platinum(II), 2770.
Mössbauer effect and chemistry. Part IV, stereochemistry of organotin complexes and results for organotin dithiocarbamates, 935.
in bis-μ-[oxy(phenyl)carbene-*C*,*O*:*C*′,*O*′]-bis(tricarbonyliron)(Fe–Fe) and related compounds, 2143.
Mössbauer spectrum of dichlorodimethylbis(pyridine *N*-oxide)tin(IV) in an externally applied magnetic field, 3235.
Mössbauer study of structure and bonding in iron(II) low-spin compounds, 956.
Nature of ' chloroferric phthalocyanine ', 1546.
Nitratopentacarbonylrhenium(I), 3333.
Novel cationic palladium(II) and platinum(II) diolefin derivatives, 363.
Nuclear magnetic resonance spectra of some platinum and palladium π-allyl complexes and their reactions with sulphur dioxide, 9.
Olefin rotation in platinum(II) olefin complexes. Part II, 1653.
Optically active co-ordination compounds. Part XVIII, conformations of labile complexes in solution, 59. Part XIX, relative configurations of trisbipyridyl and trisphenanthroline complexes by chemical inter-conversion, 707. Part XX, reactions of 1,10-phenanthroline co-ordinated to cobalt(III), 1447.
Optical rotatory power of co-ordination compounds. Part XIV, crystal spectrum and circular dichroism of α-$Ni(H_2O)_6SO_4$, 667.
Organometallic and ' simple ' Schiff-base chelates of tin(IV), 3060.
Oxidative addition and other reactions of rhodium, iridium, and platinum complexes with carbon disulphide, ethyl dithiochloroformate, and acids, 1771.
reactions of cationic five-co-ordinate iridium(I) complexes of the type $[Ir(CO)_x(PMe_2Ph_{5-x}]$, 3356.
to nitrosyltris(triphenylphosphine)iridium(−1), five-co-ordinate methyl–nitrosyl and hydrido–nitrosyl derivatives of iridium(I), 3054.
Pentamethylcyclopentadienyl-rhodium and -iridium halides. Part II, reactions with mono-, di-, and triolefins, 2875. Part III, reactions with cyclohexadienes, 2884.
Phosphorus–fluorine compounds. Part XVIII, some nuclear magnetic resonance observations on tetrakis(fluorophosphine) and mixed fluorophosphine–carbonyl complexes of nickel(0), 565.
Polarised single-crystal electronic spectrum of dichlorobis(triphenylphosphine)nickel(II), 571.
Preparation and investigation of a mixed valence complex of potassium. Manganese and cyanide containing manganese-(II) and -(III), 1379.
and properties of exotetrachlorovanadates(V), 1103.
and properties of some co-ordination compounds formed between aluminium alkyls and their derivatives and ligands from Groups V and VI, 2675.
and vibrational spectra of square-planar palladium(II) complexes of the type *trans*-$PdX_2(SR_2)_2$, 659.
crystal structure, and spectroscopic properties of vanadium(III) tris-(*OO*-diethyl phosphorodithioate), $V[PS_2(OEt)_2]_3$, 2929.
of actinide bromides and bromo-complexes by use of liquid boron tribromide or liquid bromine, 476.
of compounds containing platinum–silicon bonds from silicon hydrides and platinum(0) complexes, 881.
of *N*-salicylideneamino-acid and -ester complexes of oxo-vanadium-(IV) and -(V), 3369.
reactions and infrared spectra of some derivatives of bis(tricarbonylnitrosyliron)mercury, 2258.
Preparative use of blue solutions of ruthenium(II): ruthenium-(II) and -(III) complexes with amines, nitriles, and phosphines, etc., 2765.
Pseudo-triatomic model for the analysis of metal–ligand force constants, 1363.
Radiolysis of aqueous solutions of ruthenium(III) hexaammine chloropenta-ammine, 1246.
Rate of electron transfer between cobalt complex ions in aqueous polyelectrolyte solutions, 1168.
Rate of reduction by solid silver of the chloro- and bromopenta-amminecobalt(III) ions in aqueous acid solution, 82.
Reactions between methyl-, acetyl-, and phenyl-pentacarbonylmanganese and acetylenes, 308.
mechanisms in molten salts. Part I, ligand replacement in chromium(III) complexes dissolved in hydrogen sulphate melt and in 100% sulphuric acid, 2066.
of acrylonitrile with halides of titanium, zirconium, vandium, niobium, tantalum, and copper, 2232.
of co-ordinated ligands. Part V, reactions of triphenylmethyl tetrafluoroborate and fluoroboric acid with a variety of enyl metal complexes, 1738.
of the dicarbonyl substituted cyclopentadienyl nitrosyl manganese complex cation $[(\pi\text{-}C_5H_4)Mn(NO)(CO)_2]^+$ with some nitrogen and phosphorus ligands, 850.
of hexafluorobut-2-yne with carbonyl complexes of iron, ruthenium, and osmium, 2981.

Complexes (*contd.*)
of 8-hydroxyquinoline with covalent halides. Part IV, pentachlorides and pentabromides of niobium and tantalum, 703.
of low-valent metal complexes with fluorocarbons. Part IX, iridium and platinum complexes of bis(trifluoromethyl)thioketen and 1,1-bis(trifluoromethyl) ethene-2,2-dithiolate, 944. Part XII, fluoro-olefin reactions of zerovalent nickel complexes, 1647.
of phorphorus trichloride and arsenic trichloride with transition-metal ion Schiff-base complexes, 1085.
of vanadium(II) with the μ-amido[aquotetra-amminecobalt(III)], [chlorotetra-amminecobalt(III)], and chloropenta-amminecobalt(III) complexes: comparison of kinetic data, 856.
of zirconium isopropoxide with β-diketones and β-ketoesters, 904.
Reactivity differences between hæmoglobins. Part XVIII, reaction of sperm whale metmyoglobin and some methæmoglobins with methylamine, 1368.
Redox properties of cobalt chelates with delocalised electronic structure, 2870.
Reinvestigation of the enthalpies of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 3327.
Relationship between election spin resonance *g*-values and covalent bonding in tetragonal copper(II) compounds, 3108.
Relative affinities of tertiary phosphines, tertiary arsines, or phosphites(L) for ruthenium in complexes of type $[RuHCl(CO)(PR_2Ph)_2L]$ (R = alkyl), 1556.
Single-crystal electronic and electron spin resonance spectra of 2,2′-bipyridylbis(hexafluoroacetylacetonato)copper(II), 2794.
of bis(aquo)monoacetylacetonatocopper(II) picrate, 1725.
bis(diethylenetriamine)copper(II) nitrate, 1090.
of bis-(3-methylpentane-2,4-dionato)copper(II), 1420.
of calcium copper(II) acetate hexahydrate, 1877.
of dichlorobis-(2-methylpyridine)copper(II), 2799.
of the rhombically compressed complex bis(methoxyacetato)diaquocopper(II), 2640.
Single-crystal polarised spectrum and paramagnetic anisotropy of five-co-ordinate, square pyramidal cobalt(II) complexes, 3283.
nickel(II) complexes, 3269.
Solid-state studies. Part III, Raman- and infrared-active carbonyl stretching vibrations of 1,3- and 1,4-dimethylbenzenetricarbonylchromium, 471.
Spectral and magnetic properties of some anhydrous divalent metal thiocyanates and their methanol and ethanol complexes, 442.
Spectral properties and crystal structure of the complex iodo-[*NN*-bis-(2-diphenylphosphinoethyl)-2-methoxyethylamino]nickel(II) iodide, 1298.
Spectroscopic evidence for the conversion of octahedral nickel(II) into tetrahedral nickel(II), 2516.
Spectroscopic studies on pyridine *N*-oxide complexes of iron(III), 2105.
Stereochemistry of flexible-chelate–metal complexes. Part II, crystal structure of dichloro(tetrahydrogenethylenediaminetetra-acetato)palladium(II) pentahydrate, 1008.
of hexachloroantimony(III) compounds, 2971.
Stopped-flow kinetics of the base hydrolysis of the *cis*-$[Co(L)_2(NH_2Bu^n)Cl]^{2+}$ ion (L = ethylenediamine), 3337.
Structural and spectroscopic study of carbonatodiaquobisimidazolecobalt(II), a bidentate carbonato-complex of cobalt(II), 2558.
Structural aspects of the synthetic oxygen-carrier *NN*′-ethylenebis(salicylideneiminato)cobalt(II). Part I, structure of the addition compound with oxygen containing dimethylformamide, 1069. Part II, crystal and molecular structure of the monopyridine complex, 2411.
Structural variety in mixed cobalt(III)–cobalt(II) chloro-compounds with 1,10-phenanthroline and 2,2′-bipyridyl, 2478.
Structure and formation of dichloro(benzylacetophenone)bis(dimethylsulphoxide)iridium(III), 2206.
of a *cis*-complex derived from tetracarbonylbis-π-cyclopentadienyldi-iron: crystal and molecular structure of di-μ-carbonyl-μ-(1,2-di-π-cyclopentadienyl-*NNN*′*N*′-tetramethylethylenediamine)-bis(carbonyliron), 1722.
of the complex of palladium(II) chloride with 1,2-bis(isopropylseleno)ethane, 113.
of dicarbonylcyclopentadienylruthenium dimer $[\{Ru(\pi\text{-}C_5H_5)(CO)_2\}_2]$ and some related complexes in solution, 2128.
trans-dichlorobis-[*o*-phenylene(bisdimethylarsine)]-cobalt(III) perchlorate, 2728.
of the ethylenediaminetetra-acetate complexes of some bivalent cations in aqueous solution, 1579.
of some derivatives of dicarbonylcyclopentadienyliron dimer $[\{Fe(\pi\text{-}C_5H_5)(CO)_2\}_2]$ obtained from the reaction of pentacarbonyliron with fulvenes, 2119.
of thorium(IV) tetrakis-(*NN*-diethyldithiocarbamate), 423.
of tribenzyloxyaluminium and tri-(4-chlorobenzyloxy)-aluminium, 1389.
Studies of cyanide–xanthate mixed ligand complexes of mercury(II) in aqueous solution, 2302.
in eight-co-ordination. Part I, crystal-field energies in the D_{2d} point-group, 1711. Part II, election spin resonance of, and crystal field in, calcium copper acetate hexahydrate, 1716.
of the co-ordination behaviour of various 2-pyridyl ketones. Part IV, some compounds of 2-benzoylpyridine with salts of manganese(II), cobalt(II), and nickel(II), 2624.
Substitution reactions of dihydridotetracarbonyliron, 634.
of the hydridopentamminerhodium(III) ion, 356.
Suggested correlation between the electronic absorption spectra and stereochemistry in $[CuN_5]^{2+}$ and $[CuN_6]^{2+}$ chromophores, 3095.
Sulphur dioxide insertion reactions of σ-bonded alkylcobalt(III) compounds, 2153.
Tautomerism in dienedicarbonylcobalt dimer complexes, $[\{Co(\pi\text{-diene})(CO)_2\}_2]$, 2123.
Thermal decomposition and spectra of some anhydrous and some hydrated metal chloride dioxan adducts, 1442.
Thermochemistry of some acetonitrile and benzonitrile complexes of transition-metal halides, 2903.
of some complexes of titanium tetrachloride with organic ligands, 3229.

Complexes (*contd.*)
of phosphoryl(v) chloride complexes of titanium tetrachloride, 3331.
of thiourea complexes of the type $[M^{II}(tu)_4Cl_2]$ (M^{II} = manganese, iron, cobalt, nickel, zinc, cadmium, and mercury), 1020.
Thermodynamic considerations in co-ordination. Part IV, calorimetric studies on histamine [4(5)-(2-aminoethyl)imidazole] and isohistamine [2-(2-aminoethyl)-imidazole], 2062. Part VII, solubility of the histidine–H^+ system and stability constants, free energies, enthalpies, and entropies of protonation of histidine and tryptophan and of formation of their manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes, 1550. Part VIII, calorimetric and potentiometric study of complex formation between some lanthanide(III) ions and histidine, 3138.
Three-dimensional refinement of the molecular structure of dimethylglyoximatocopper(II), 218.
Transition-metal nitrosyl compounds. Part IV, nitrosyl halide derivatives of rhodium(I) and iridium(I), 1662.
Tri- and tetra-nuclear cluster compounds of platinum(0), which contain tertiary phosphines and carbon monoxide, 1538.
Unambiguous assignment for the totally symmetrical phosphorus–indium–phosphorus stretching mode in the five-co-ordinate, trigonal bipyramidal complex indium trichloride–bis(trimethylphosphine) by use of oriented single-crystal Raman polarisation data, 1307.
Vibrational and electronic spectra of transition-metal carbonyl complexes. Part VII, infrared spectra of some cyclopentadienyl-metal carbonyl complexes, 480.
Vibrational spectra and structures of the 1 : 1 complexes of niobium and tantalum pentachlorides and tantalum pentabromide with aceto-, perdeuterioaceto-, and propio-nitriles in the solid and solution states and a vibrational analysis of the species $MX_5,NC{\cdot}CY_3$ (Y = H or D), 2236.
of the chloro- and bromo-π-allylpalladium dimers and of the π-2-methylallyl analogues, 1808.
of some gold(I), palladium(II), and platinum(II) complexes with trialkylphosphines and trialkylarsines, 545.
Conductivities in selenic, sulphuric, and phosphoric acid, correlation of. Solutions in selenic acid. Part VI, 118.
Configurations, absolute, and circular dichroism spectra of a series of cobalt(III) complexes containing a stereoselective quadridentate ligand, 264.
Copper(II) bis-(3-methylpentane-2,4-dionato)-, single-crystal electronic and electron spin resonance spectra of, 1420.
-catalysed oxidation of hydrazine by peroxydisulphate in acid solution, 2183.
-(I) complexes. Part I, halogeno-complexes, 238.
complexes, interpretation of rhombic *g* tensors in, 4.
-(II), complexes of 8-amino-2-methylquinoline with, 3226.
of 2,2′-azopyridine, semicarbazide, thiosemicarbazide, and 2,3-dimethylquinoxaline, magnetic properties of, 19.
of 2-(2-pyridyl)imidazole, 88.
co-ordination compounds, colour isomerism and structure of. Part XX, crystal structure of di-μ-*NN′*-*m*-phenylene-tetrakis(salicylideneiminato)dicopper(II), 2494.
co-ordination compounds, conformational influences in. Part II, crystal structure of the methylammonium perchlorate adduct of *NN′*-ethylenebis(acetylacetoneiminato)copper(II), 396. Part III, crystal structure of the *p*-nitrophenol adduct of *NN′*-ethylenebis(salicylideneiminato)copper(II), 400. Part IV, crystal structure of the chloroform adduct of *NN′*-ethylenebis(salicylideneiminato)copper(II), 406.
-(II), dichlorobis-(2-methylpyridine)-, single-crystal electronic and electron spin resonance spectra of, 2799.
-(II) oxide–manganese(III) oxide system, constitution and oxidising properties of materials in, 1728.
Crystal and molecular structure of a five-covalent copper(II) complex, 123.
of mono-α-picolinecopper(II) chloroacetate, 2803.
Crystal structure of the 1 : 1 adduct of bis(pyridine-2-carboxylato)copper(II) with potassium thiocyanate, 2377.
of trichloro(octamethylcyclotetraphosphonitrilium)-copper(II), $[(NPMe_2)_4H]CuCl_3$, 455.
Electronic and electron spin resonance spectra of diamminocopper(II) trithiocyanatoargentate(I) and iodobis-(2,2′-bipyridyl)copper(II) iodide, 806.
Electronic properties and crystal structure of $Na_4Cu(NH_3)_4[Cu(S_2O_3)_2]_3,L$ (L = H_2O or NH_3), 884.
Electron spin resonance study of exchange and dipole–dipole coupling in copper(II) chelates of cyclopentanetetracarboxylic acid and related systems, 968.
spectral study of exchange coupling in the copper(II) chelate of 2,5-diethoxalylcyclopentanone, 2600.
study of the formation of mixed-ligand chelates of copper(II) with amino-acids and certain 3,4-dihydroxyphenols, 723.
Kinetics of copper(II)–ethylenediamine complex formation, 684.
Ligand-field splittings in non-cubic complexes. Part III, tetragonal copper(II)–oxygen systems, 176. Part IV, tetrachlorocuprate ion in distorted tetrahedral symmetry, 2900.
Metal complexes of azopyridines. Part III, complexes of nickel(II) and copper(II) with 2,2′-azopyridine, 305.
Metal β-diketone complexes. Part VI, some β-diketone complexes of copper(I), silver(I), and gold(I), 367.
Relationship between electron spin resonance *g*-values and covalent bonding in tetragonal copper(II) compounds, 3108.
Single-crystal electronic and electron spin resonance spectra of 2,2′-bipyridylbis(hexafluoroacetylacetonato)copper(II), 2794.
of bis(aquo)monoacetylacetonatocopper(II) picrate, 1725.
of bis(diethylenetriamine)copper(II) nitrate, 1090.
of the rhombically compressed complex bis(methoxyacetato)diaquocopper(II), 2640.
of calcium copper(II) acetate hexahydrate, 1877.
Suggested correlation between the electronic absorption spectra and stereochemistry in $[CuN_5]^{3+}$ and $[CuN_6]^{3+}$ chromophores, 3095.
Three-dimensional refinement of the molecular structure of dimethylglyoximatocopper(II), 218.

Covalency in metal ion–sulphate interaction, 451.
Cryoscopic measurements in antimony trichloride. Antimony halides as solvents. Part VI, 1377.
measurements. Hydrogen fluoride solvent system. Part II, 2311.
method, Beckmann for sulphuric acid solutions: use of dilute oleum as a cryoscopic solvent, 2177.
Crystallography. Crystal and molecular structure of bis-[1,2-bis(diphenylphosphino)ethane]rhodium(I) perchlorate. Structure and reactivity in complexes of iridium and rhodium. Part I, 2539.
of bis[di-(3-aminopropyl)amine]nickel(II) perchlorate and bis[di-(2-aminoethyl)amine]nickel(II) chloride monohydrate, 2398.
of bis-(*NN*-dimethyldithiocarbamato)nitrosyliron (at −80°), 1275.
of 5-t-butyl-2-methyl-2-oxo-1,3,2-dioxaphosphorinan ($C_8H_{17}PO_3$), 1786.
of chloro-1,2-bis(diphenylphosphino)ethanemonocarbonyl-π-cyclopentadienylmolybdenum(II), 3019.
of chloro-π-cyclopentadienylbis-8-quinolinolatotitanium(IV), 2545.
of μ-cycloundeca-allylheptacarbonyldi-iron. Carbon compounds of the transition metals. Part XX, 38.
of *trans*-di-μ-carbonyl-bis-(π-2,3-*cis*-dimethylbutadiene carbonylcobalt), 2745.
of di-μ-carbonyl-μ-(1,2-di-π-cyclopentadienyl-*NNN'N'*-tetramethylethylenediamine)-bis(carbonyliron); structure of a *cis*-complex derived from tetracarbonylbis-π-cyclopentadienyldi-iron, 1722.
of dichloro(oxo)-2,2′-bipyridylethoxyniobium(v) and tetraphenylarsonium oxopentathiocyanatoniobate-(v), 2379.
of di-μ-chloro-[dichlorobis(trimethylarsine)]platinum-(II): quantitative assessment of the *trans*-influence of the trimethylarsine ligand, 168.
of 2,6-dimethyl-4-phenylphosphorin, 567.
of 1,1-dimethyl-2,4,6-triphenylphosphorin, a phosphorus analogue of pyridine, 1832.
of dinitrato-(*NNN'N'*-tetramethyl-*o*-phenylenediamine)nickel(II), 3349.
of diphenylfluoro-*N*-methylphosphine imide, $Ph_2FP{:}NMe$, 1452.
of *NN'*-ethylenebis(salicylideneiminato)diaquochromium(III) chloride. Preparation, magnetic, and electronic spectral properties of some chromium(III)–*NN'*-ethylenebis(salicylideneiminato) complexes, 3296.
of the five-co-ordinate complex dibromo-[6,6′-dimethyldi-(2-pyridylmethyl)amine-*NNN*]-nickel(II), 1826.
of a five-covalent copper(II) complex, 123.
of $(+)_{405}$-[L-glutamatobis(ethylenediamine)cobalt(III)] perchlorate: the product of a kinetically stereoselective reaction, 2579.
of 2,2,4,4,6,6-hexamethyl-1,3,5-tris(trimethylsilyl)-cyclotrisilazane, $C_{15}H_{45}N_3Si_6$, a compound containing a six-membered ring in the ' boat ' form, 2724.
of D-histidino-L-histidinocobalt(II) dihydrate, 384.
of the low-spin five-co-ordinate complex iodo[tris-(2-diphenylphosphinoethyl)amino-*NP*]-nickel(II) iodide, 1804.
of 2-methyl-3-*N*-methylanilinomethyl-1,4-naphthoquinone, 2775.
of molybdenum(v) oxide trichloride, 22.
of monochlorobis(diethyldithiocarbamato)iron(III), 1668.
of the monoclinic modification of *NN*-dimethyldithiocarbamatotrimethylstannane, 493.
of the monophenylsulphanuric fluoride trimer (3,5-difluoro-1,3,5-trioxo-1-phenylcyclotriazathiane), 2627.
of mono-α-picolinecopper(II) chloroacetate, 2803.
of the monopyridine complex. Structural aspects of the synthetic oxygen-carrier *NN'*-ethylenebis(salicylideneiminato)cobalt(II). Part II, 2411.
of the orthorhombic modification of *NN*-dimethyldithiocarbamatotrimethylstannane, 490.
of silver(II) bis(pyridine-2,6-dicarboxylate) monohydrate, 1405.
of tetracyanoethylenebis(triphenylphosphine)platinum-(0), 1313.
of the tetrahedrally co-ordinated complex dichloro-[oxydiethylenebis(diphenylphosphine)]nickel(II), 866.
of tetraphenylarsonium tetranitratomanganate(II) and *X*-ray study of other $M(NO_3)_4^{2-}$ ions (M = Ni, Cu, or Zn), 226.
of thiosulphatopenta-aminecobalt(III) chloride monohydrate, 2384.
of *trans*-3-*p*-tolylthiocinnamic acid, 1843.
of tricarbonyl-[2,4-diethyl-1,5-bis(diphenyl)-3-phenyl-1,3,5-triphospha-2,4-diazapentane-*PPP*]-molybdenum, $[Mo(CO)_3(Ph_2P{\cdot}NEt{\cdot}PPh{\cdot}NEt{\cdot}PPh_2)]$, 3345.
of tri-μ-chloropentacarbonyl(trichlorostannyl)diruthenium, 245.
of triphenylphosphine oxide, 2778.
tungsten(VI) sulphide tetrachloride and tungsten(VI) sulphide tetrabromide, 2815.
of (vitamin-A aldehyde)tricarbonyliron, 1229.
of zinc(II) and cobalt(II) diethyldithiophosphinates, 714.
Crystal structures, fluoride. Part X, trifluoroselenium-(IV) μ-fluorobis[pentafluoroniobate(v)], 1491. Part XI, trifluoroselenium(IV) hexafluoroniobate(v) and hexafluorotantalate(v), 1891. Part XII, trimeric technetium oxide tetrafluoride, 2521. Part XIII, difluorochlorine(III) hexafluoroantimonate(v), 2697. Part XIV, antimony trifluoride: a re-determination, 2751.
Crystallographic studies of the boron–nitrogen bond in aminoboranes. Part II, crystal structure of (dimethylamino)dimethylborane at −95 °C, 992.
of the boron–nitrogen bond in aminoboranes. Part III, crystal and molecular structure of tri-(1,3,2-benzodioxaborol-2-yl)amine, 2213.
Crystal spectrum and circular dichroism of α-$Ni(H_2O)_6SO_4$. Optical rotatory power of co-ordination compounds. Part XIV, 667.
Crystal structure and electronic properties of $Na_4Cu(NH_3)_4[Cu(S_2O_3)_2]_2$, L = ($H_2O$ or NH_3), 884.
and molecular geometry of tetraphenylphosphonium π-cyclopentadienylbis-(1,2-dicyanoethylene-1,2-dithiolato)molybdenum, $[Ph_4P^+][(\pi\text{-}C_5H_5)Mo\{S_2C_2(CN)_2\}_2^-]$, 2046.
and molecular geometry of a trifluoromethyl complex of nickel: π-cyclopentadienyl-σ-trifluoromethyl(triphenylphosphine)nickel, 161.
and molecular stereochemistry of a five-co-ordinate π-allyl complex of nickel: π-methallyl[bis-1,2-(diphenylphosphino)ethane]nickel bromide, 206.

Crystallography (*contd.*)
and Mössbauer spectrum of dimethyltin dichloride, 2862.
and spectral properties of the complex iodo-[*NN*-bis-(2-diphenylphosphinoethyl)-2-methoxyethylamino]-nickel(II) iodide, 1298.
and stereochemistry of the solvated complex dichloro-dipyridine-[*o*-(di-*o*-tolylphosphino)benzyl]rhodium-(III)–0·61 chloroform: the *trans*-influence of ligands in octahedral complexes, 1601.
of acetato-*C*-*rac*-(5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate. Cyclic tetra-amines and their metal-ion complexes. Part IV, 1956.
of acetylacetonato-[π-pentamethylbicyclo[2,2,0]hexa-2,5-dienylmethyl)palladium(II), 3124.
of the acid salts of some dibasic acids. Part II, potassium hydrogen malonate: two *X*-ray studies, 1919. Part III, potassium hydrogen malonate: a neutron diffraction study, 1923.
of the 1 : 1 adduct of bis(pyridine-2-carboxylato)copper-(II) with potassium thiocyanate, 2377.
of ammonium fluorosulphate, 1814.
of ammonium tetrametaphosphate, $(NH_4)_4P_4O_{12}$, 435.
of anhydrous nitrates and their complexes. Part V, potassium tetranitratoaurate(III), 3092.
of 4-biphenylylferrocene, 907.
of bis-μ-diphenylphosphidobis(dicarbonylnickel). Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part V, 1867.
of bis(octamethylcyclotetraphosphonitrilium) tetrachlorocobaltate(II), $[(NPMe_2)_4H]_2CoCl_4$, 460.
of bis(pentafluorobenzenethiolato)bis(tributylphosphine)platinum(II), 2781.
of (carbon disulphide)bis(triphenylphosphine)platinum(0). Bonding of carbon disulphide to transition metals, 1767.
of a cobalt(II) macrocyclic Schiff-base complex, 663.
of a complex of mercury(II) chloride and histidine hydrochloride, 2632.
of cyanoacetamide, 184.
of cyclohexakis[bis-(μ-1-hydroxyethane-2-thiolato)-nickel(II)]. Nickel and palladium complexes of 1-hydroxyethane-2-thiol and analogues. Part I, 875.
of dicarbonylcyclopentadienyl(trichlorostannyl)iron. Metal–metal bonding in co-ordination complexes. Part VI, 1696. Part VII, crystal structure of dicarbonylcyclopentadienyl(tribromostannyl)iron, 2247. Part VIII, crystal structure of dicarbonyl-π-cyclopentadienyl[dichloro(phenyl)stannyl]iron, 2261. Part IX, crystal structure of *trans*-di-μ-carbonyl-dicarbonyldi-π-cyclopentadienyldi-iron (Fe–Fe), a redetermination, 3064. Part X, preparation, spectroscopic properties, and crystal structure of the *cis*-isomer of di-μ-carbonyldicarbonyldi-π-cyclopentadienyldi-iron (Fe–Fe), 3068.
of *cis*-dichloro-*cis*-bis(dimethylsulphoxide)-*trans*-dimethyltin(IV), 1257.
of dichloro-di-μ-(pentamethylbicyclo[2,2,0]hexa-2,5-dienylmethyl)diplatinum(II), 535.
of dichloro(tetrahydrogenethylenediaminetetra-acetato)palladium(II) pentahydrate. Stereochemistry of flexible-chelate–metal complexes. Part II, 1008.
of di-μ-pentafluorobenzenethiolatobis(pentafluorobenzenethiolato)bis(triphenylphosphine)dipalladium(II), $[Pd^{II}(Ph_3P)(SC_6F_5)_2]_2$, 3197.
of di-μ-*NN*′-*m*-phenylene-tetrakis(salicylideneiminato)-dicopper(II). Colour isomerism and structure of copper co-ordination compounds. Part XX, 2494.
of 1,4-diselenocyanatobenzene: the co-ordination of selenium(II), 2044.
of the green isomer of trichloro-1,5-diamino-3-azapentanechromium(III), 803.
of the high-spin complex of nickel(II) perchlorate with *NN*-bis-(2-diethylaminoethyl)-2-hydroxyethylamine: five-co-ordination in nickel(II) complexes, 618.
of hydroxobis(pentafluorophenyl)thallium(III), 1287.
of malonamide, 179.
of the methylammonium perchlorate adduct of *NN*′-ethylenebis(acetylacetoneiminato)copper(II). Conformational influences in copper co-ordination compounds. Part II, 396. Part III, crystal structure of the *p*-nitrophenol adduct of *NN*′-ethylenebis-(salicylideneiminato)copper(II), 400. Part IV, crystal structure of the chloroform adduct of *NN*′-ethylenebis(salicylideneiminato)copper(II), 406.
of octacarbonylbis-μ-[bis(dimethylarsino)tetrafluorocyclobutene-*AsAs*]-*triangulo*-triruthenium, 3246.
of DL-ornithine hydrobromide, 25.
of oxalatobis(ethylenediamine)chromium(III) bis(oxalato)ethylenediaminechromate(III) dihydrate, $[Cr(NH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2)_2C_2O_4][CrNH_2{\cdot}CH_2{\cdot}CH_2{\cdot}NH_2(C_2O_4)_2],2H_2O$, 1862.
of potassium nitrilotrisulphonate dihydrate, 1637.
of pyridinium nonabromodiantimonate(III) dibromide, 1359.
of pyridinium tetrachloroantimonate(III), 1356.
of shanorellin chloride (6-chloromethyl-2-hydroxy-3,5-dimethyl-1,4-benzoquinone), 622.
of tetra-arsenic trisulphide, 1800.
of tetraphenyltin, 911.
of *mer*-trichlorobis-(*o*-dimethylaminophenyldimethylarsine)rhodium(III). Structural investigations on rhodium(III) complexes. Part II, 14.
of trichloro(octamethylcyclotetraphosphonitrilium)-copper(II), $[(NPMe_2)_4H]CuCl_3$, 455.
of trimethylthallium, 28.
of triphenylgallium and triphenylindium, 3362.
preparation, and spectroscopic properties of vanadium-(III) tris-(*OO*-diethyl phosphorodithioate), $V[PS_2(OEt)_2]_3$, 2929.
synthesis, and properties of salt-filled cancrinites. Chemistry of soil minerals. Part VII, 1523. Part VIII, synthesis and properties of fluorhectorites, 1531.
Allogons: isomerism in the crystal and molecular structure of the green form of dibromobis(benzyldiphenylphosphine)nickel(II): $Ni[P(CH_2Ph)Ph_2]_2Br_2$-[square],$2Ni[P(CH_2Ph)Ph_2]_2Br_2$[tetrahedral], 1688.
NN-Diethyldithiocarbamate complexes of tervalent lanthanide and actinide elements and the crystal structure of tetraethylammonium neptunium(III) tetrakis-(*NN*-diethyldithiocarbamate), 786.
Dislocations in *p*-terphenyl, 2939.
Electron diffraction investigation of gaseous chlorine dioxide, 46.
of gaseous perchloric acid and calculation of its skeletal force field and amplitudes of vibration, 1613.

Crystallography (*contd.*)
of gaseous perchloryl fluoride and calculation of its force field and amplitudes of vibration, 872.
Electron spin resonance spectrum of the copper(II) ion incorporated into barium chloride dihydrate, 2099.
Growth of crystals from the gas phase. Part I, diffusional limitations and interfacial stability in crystal growth by dissociative sublimation, 2657.
Hydrothermal chemistry of silicates. Part XIV, zeolite crystallisation in presence of mixed bases, 1470. Part XV, synthesis and nature of some salt-bearing aluminosilicates, 2735.
Magnetic susceptibility of Tm^{3+} and Yb^{3+} in cubic $NaYF_4$, 415.
Metal–carbonyl and metal–nitrosyl complexes. Part VIII, molecular structure of isocyanatocyclopentadienyldinitrosylchromium, 605. Part IX, molecular structures of *cis*- and *trans*-di-μ-dimethylamido-bis(cyclopentadienylnitrosylchromium), 611.
Molecular structure of dinuclear complexes of platinum(II). Part II, α- and β-forms of dichloro-di-μ-thiocyanato-bis(tri-n-propylphosphine)platinum(II), 2770.
of trigermylamine: an electron diffraction study, 2935.
Numerical solution of spin eigenvalues and eigenvectors for the analysis of the allowed and forbidden electron spin resonance transitions in mixed crystals of ammonium chloride–manganese(II) chloride dihydrate, 2291.
Observations on dislocations in manganese(II) formate dihydrate, sucrose, and other crystals of the monoclinic system, 2938.
Phosphite and phosphonate complexes. Part III, *trans*-influence in mercury(II) complexes: ^{199}Hg–^{31}P coupling constants in (diethyl phosphonato)mercury(II) complexes and an *X*-ray crystal structure analysis of chloro(diethyl phosphonato)mercury(II), 2094.
Protactinium(V) fluorides, 3378.
X-Ray analysis of the structure of (±)-1-acetyl-3-methylaspidospermidine 9-methiodide, 1779.
Single-crystal Raman spectra of arsenolite (As_4O_6) and senarmonite (Sb_4O_6). The gas-phase Raman spectra of P_4O_6, P_4O_{10}, and As_4O_6, 449.
Stereochemistry of molecules containing the C=C=N group. Part IV, *X*-ray determination of the molecular structure of *N*-*p*-tolyl-2,2-diphenylvinylideneamine and *N*-*p*-bromophenyl-2,2-diphenylvinylideneamine, 2053.
Structural aspects of the synthetic oxygen-carrier *NN'*-ethylenebis(salicylideneiminato)cobalt(II): structure of the addition compound with oxygen containing dimethylformamide, 1069.
Structure and formation of dichloro(benzylacetophenone)-bis(dimethylsulphoxide)iridium(III), 2206.
and polymeric nature of zinc(II) and cobalt(II) phosphinothionates, 3386.
of dibenzothiophen, 1561.
of thorium(IV) tetrakis-(*NN*-diethyldithiocarbamate), 423.
Three-dimensional refinement of the molecular structure of dimethylglyoximatocopper(II), 218.
Cyanide anion, electronic structure of, 825.
Cyanoacetamide, crystal structure of, 184.
Cyclic compounds boron: ring strain in the *B*-phenyl and *B*-butyl dioxaboron heterocycles, 3339.
Cyclic inorganic compounds. Part IX, fluorination of bisdimethylaminotetrachlorotriphosphonitrile, 987.
σ-Cyclopentadienyl compounds of iron, ruthenium, and copper, evidence for a 1,2-shift mechanism for the rearrangement of, 1318.
Photolysis of 2-methylcyclopentanone, 3010.
of *trans*-2,3-dimethylcyclopentanone, 627.
Thermal unimolecular decomposition of t-butylcyclobutane, 2566.

D

Decomposition of ethoxy radicals, 1188.
Diazirines, thermal decomposition of. Part IV, 3-chloro-3-ethyldiazirine, 3-chloro-3-n-propyldiazirine, 3-chloro-3-isopropyldiazirine, and 3-chloro-3-t-butyldiazirine, 1916.
Dielectric relaxation in the tin(IV) chloride–benzene system, effect of water on, 351.
study of amines: electric dipole moments, solute–solvent interactions, and molecular configuration, 3367.
Dipole moment, apparent, of *NN*-dimethyl-4-nitroaniline in solution, 1593.
electric, and relaxation time of some ester molecules in benzene. Part I, 3144.
Dielectric study of dilute solutions of poly-γ-benzyl-L-glutamate, 1596.
Molecular polarisability: conformation of bispyridine-zinc(II) chloride as a solute, 2224.
Dissociation of dinitrogen tetroxide in the gas phase, 625.
in the liquid phase, 2191.
Dyestuffs. Optical absorption bandshapes of Acridine Orange, Thionine, and Methylene Blue in monomeric and dimeric states, 1340.

E

Electric discharge reactions of silane and germane with some volatile Group VI species, 3134.
-field effects in nuclear magnetic resonance spectroscopy. Part III, ^{13}C–^{1}H spin–spin coupling constants, 1852. Part IV, substituted β-diketone complexes, 1855.
Electrochemistry of indium. Part I, anodic oxidation of indium in sodium hydroxide solutions, 2415. Part II, electrolytic polarisation at n-type indium oxide electrode, 2419.
Electrochemical reduction of *trans*-$[Rh(en)_2Cl_2]^+$ and subsequent reactions with oxygen, 3126.
Half cell potential of the Pd,Pd^{2+} couple in 3·94-molal perchloric acid and the entropy of Pd^{2+}(aq), 2514.
Solution chemistry in substituted sulphuric acids. Part I, conductimetric investigations of the ionisation of some solutes in methanesulphonic acid, 2712.
Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XI, further measurements on the cell H_2|HI|AgI–Ag in methanol–water mixtures, 361. Part XII, solubility product of silver chloride in 20·22 and 33·4% (w/w) methanol–water mixtures at 25°; and revision of earlier data, 837. Part XIII, free energies of transfer of barium chloride from water to 10, 20, and 40% (w/w) methanol–water mixtures, and of strontium chloride to the 20% mixture, at 25 °C: the behaviour of amalgam electrodes of the alkaline earth metals, 3121.

Electron transfer reactions of vanadium(IV) with some oxyanion oxidants in aqueous perchloric acid. Part I, reaction with chromium(VI) and manganese(VII), 1196. Part II, reaction with chlorine(V), 1200.

Electronic structure of the cyanide anion, 825.

Energy, electronic excitation, nearest-neighbour model for transfer of, 1016.

Esters. Electric dipole moments and relaxation time of some of ester molecules in benzene. Part I, 3144.

Ethane. Pyrolyses in the presence of nitric oxide. Part I, 2329. Part II, n-butane, 2333. Part III, acetaldehyde oxime and nitrosoethane, 2337.

***SSS'S'*-Ethanediylidenetetra[(thio)acetic acid]** and related ligands, complexes of, with cobalt(II), nickel(II), and copper(II), 797.

Ether, dithio-. Identification of *syn*- and *anti*-isomers of a *cis*-co-ordinated dithioether ligand by proton magnetic resonance spectroscopy, 3266.

Exchange reactions of zirconium tetrakistetrahydroborate, 2915.

Extraction of hydrochloric acid and sulphuric acid by solutions of tributyl phosphate in carbon tetrachloride, benzene, and chloroform, 1271.

F

Fluoride crystal structures. Part X, trifluoroselenium(IV) μ-fluorobis[pentafluoroniobate(V)], 1491. Part XI, trifluoroselenium(IV) hexafluoroniobate(V) and hexafluorotantalate(V), 1891. Part XII, trimeric technetium oxide tetrafluoride, 2521. Part XIII, difluorochlorine(III) hexafluoroantimonate(V), 2697. Part XIV, antimony trifluoride: a re-determination, 2751.

Fluorine–phosphorus compounds. Part XVII, fluorophosphine complexes of zerovalent platinum, 321. Part XVIII, some nuclear magnetic resonance observations on tetrakis(fluorophosphine) and mixed fluorophosphine–carbonyl complexes of nickel(0), 565. Part XIX, syntheses of, and nuclear magnetic resonance spectral studies on hexaco-ordinate fluorophosphate anions containing phosphorus–hydrogen bonds, 2075.

chemistry. Part XXII, alkylthio- and arylthio-substituted fluorophosphoranes, 1049. Part XXIII, t-butyl-fluorophosphines and -fluorophosphoranes and their derivatives, 2359. Part XXIV, preparation and nuclear magnetic resonance investigation of the fluorophosphate anions, $[RPF_5]^-$ and $[R^1R^2PF_4]^-$, and of the dialkyl (or diaryl)dialkylaminodifluorophosphoranes, $R^1R^2PF_2NR^3_2$, 2364.

Fluorosulphate, ammonium, crystal structure of, 1814.

Force constants, metal–ligand, a pseudo-triatomic model for the analysis of, 1363.

Fragmentation and rearrangement processes in the mass spectra of perhalogeno-aromatic compounds. Part III, phenyl and pentafluorophenyl derivatives of Group V, 1881.

Free radicals. Applications of the Linnett electronic theory to organic chemistry. Part III, Linnett structures for 1,3-dipoles and for the diradical intermediates in 1,3-dipolar cycloadditions, 1570.

Chemical production and trapping of methyl radicals at silica surfaces, 2170.

Decomposition of ethoxy radicals, 1188.

Disproportionation of trifluoromethyl and isopropyl radicals, 1207.

Electron spin resonance study of some silyl radicals, 348.

of the complex ions $[Fe(NO_2)(CN)_5]^{4-}$ and $[Fe(CN)_5NO]^{3-}$, 339.

Enhancement and reversal of carbon-13 resonances in nuclear–electron double resonance, 1180.

Flash photolysis of the nitrate ion in aqueous solution: excitation at 200 nm, 1982.

Infrared emission from the reaction of atomic oxygen with acetylene, 646.

Radical reactions. Kinetics of disproportionation–combination reactions between the n-propoxyl radical and nitric oxide and of the pyrolysis of the O–O bond in di-n-propyl peroxide in the gas phase, 331.

of hydrogen abstraction by difluoroamino-radicals, from acetaldehyde, n- and iso-valeraldehyde, and their acyl radical decompositions, 3189.

of hydrogen abstraction by difluoroamino-radicals, from propionaldehyde, and n- and iso-butyraldehyde and their acyl radical decompositions, 2371.

Mercury ($^3P_1$)-photosensitised decomposition of keten and some reactions of triplet methylene, 2115.

Oxides and oxyions of the non-metals. Part XII, electron spin resonance spectroscopic study of the chlorate anion centre in irradiated barium sulphate, 1235. Part XIII, electron spin resonance studies of the PO_4^{2-} radical and related species in γ-irradiated phosphates, 1239.

Photolysis of *trans*-2,3-dimethylcyclopentanone, 627.

Pressure-dependence of methyl radical combination reaction. Part II, effect of temperature, 1001.

Study of electron spin resonance hyperfine splittings in alkyl radicals by use of a semiempirical molecular orbital method, 1294.

Theory for the intermolecular nucleus-electron scalar interaction and its application to dynamic polarisation results of phosphorus-21 nuclei, 1173.

Unstable intermediates. Part LXVIII, electron spin resonance studies of the radicals O_3PF^- and O_3PF_2, 1323. Part LXIX, trapped electrons: an electron spin resonance study of radiation damage in hydrogen cyanide and methyl cyanide, 1326. Part LXX, electron spin resonance study of silver radicals trapped in frozen aqueous sulphuric acid, 1329. Part LXXI, electron spin resonance spectra of γ-irradiated trimethyl phosphate, 1334. Part LXXII, electron spin resonance spectral evidence for the existence of the $(AgH)^+$ and $(Ag_2H)^{2+}$ radical-cations, 1336. Part LXXIII, e.s.r. studies of peroxyl radicals formed from vanadium(V), 1889. Part LXXIV, electron spin resonance study of the optical and radiation damage of poly-(2,6-dimethylphenylene oxide), 1995. Part LXXV, electron spin resonance studies of the effect of environment upon the hyperfine parameters for PO_3^{2-} and NO_3^{2-}, 1998. Part LXXVI, electron spin resonance study of radiation damage in persulphate crystals: interconversion of $S_2O_8^-$ and SO_5^- radicals induced by light and heat, 2000. Part LXXIX, electron spin resonance studies of the effect of environment upon the hyperfine parameters for CO_2^- and NO_2, 3075. Part LXXX, electron spin resonance investigation of the $[Ag–Cd]^{3+}$ and Cd_2^{3+} diatomic cations, 3080. Part LXXXI, electron spin resonance spectra of γ-irradiated methylsilanes: methylsilyl radicals, 3084.

Frémy's salt (potassium nitrosodisulphonate), preparation of, by electrochemical oxidation of potassium hydroxylamine disulphonate, 1418.

G

Gallium–chlorine system, Raman spectra and structures in, 2812.
halide–molten phosphorus oxyhalide complexes, mode of ionisation in, 848.
triphenyl- and triphenylindium, crystal structures of, 3362.
Gaseous reactions. Study of the reaction of cadmium vapour with oxygen by the high dilute flame method, 1468.
Gels, silica, sorption of furans on, 84.
Germanium tetrachloride, phosphorus trichloride, and sulphur monochloride. Synthesis by use of molecular carbon. Part II, 31.
Alkylpolygermanes, 426.
Electric discharge reactions of silane and germane with some volatile Group VI species, 3134.
Germyl–iridium complexes, 1675.
Halogeno-derivatives of methylgermane, 3359.
Molecular structures of digermyl ether and digermyl sulphide in the gas phase studied by electron diffraction, 315.
of trigermylamine: an electron diffraction study, 2935.
Nuclear magnetic resonance spectra of phenylsilane, phenylgermane, and their anions: comments on the relative acidities of phenylgermane and germane, 1401.
Preparation and properties of some primary silyl- and germyl-arsines, 3131.
Proton magnetic resonance and Raman spectra of some methylpolygermanes, 432.
Raman spectra of the germyl ion and liquid ammonia, 1859.
Vibrational and mass spectra of trimethylsilylgermane, 1,1,1-trimethyldigermane and related species, 3250.
Gold–iridium compound $Cl_2(CO)(PPh_3)_2Ir{\cdot}Au(PPh_3)$, 506.
^{197}Au Mössbauer spectroscopy on some aurous and auric complexes, 1484.
Far-infrared spectra of four-co-ordinate planar gold(III) complexes, 2408.
Fluorine-19 nuclear magnetic resonance study of inductive and mesomeric effects in tertiary phosphine gold phenyl complexes, 1216.
Metal β-diketone complexes. Part VI, some β-diketone complexes of copper(I), silver(I), and gold(I), 367.
Vibrational spectra of some gold(I), palladium(II), and platinum(II) complexes with trialkylphosphines and trialkylarsines, 545.
Group III alkoxides, mass spectra of, 2347.
VIIA decacarbonyls, mass spectra, ionisation potentials, and bond energies of, 2102.

H

Hæmoglobins, reactivity differences between. Part XVI, correlation between the amino-acid composition of methæmoglobins and their reactivity towards azide ion, 749. Part XVII, variability of the Bohr effect between species and the effect of 2,3-diphosphoglyceric acid on the Bohr effect, 756. Part XVIII, reaction of sperm whale metmyoglobin and some methæmoglobins with methylamine, 1368.
Halides, acid, in disulphuric acid, behaviour of, 2267.
of germanium, tin, lead, and tellurium, gas-phase Raman spectra and resonance fluorescence spectra of, 2429.
di-, of zinc and mercury, of '$GaCl_2$' and of $GaCl_2Br$ and $GaBr_2Cl$, gas-phase Raman spectra of, 2433.
Group VIA tervalent and complex, electronic spectra of: effects of intermetallic bonding and lattice interactions, 2447.
Halogen exchange reactions of diboron tetrahalides, 1303.
Heterocyclic chelating agents. Part IV, calorimetric studies with complexes of 2- and 4-(2-pyridyl)imidazole, 689.
compounds, quasi-aromatic, molecular spectra of. Part I, the thiuret cation, 1386.
Complexes of thiazoles. Part III, complexes of thiazole with cobalt(II), nickel(II), copper(II), zinc(II), and palladium(II) salts, 3015.
Crystal and molecular structure of the monophenylsulphanuric fluoride trimer (3,5-difluoro-1,3,5-trioxo-1-phenylcyclotriazathiane), 2627.
Donor properties of acridine *N*-oxide, 2394.
Histidine. Thermodynamic considerations in co-ordination. Part VII, solubility of the histidine–H^+ system and stability constants, free energies, enthalpies, and entropies of protonation of histidine and tryptophan and of formation of their manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes, 1550.
Hydrazine, copper-catalysed oxidation by peroxydisulphate in acid solution, 2183.
Hydrogenation of alkadienes. Part IV, reaction of buta-1,3-diene with deuterium catalysed by rhodium, palladium, and platinum, 2435. Part V, hydrogenation of *trans*- and of *cis*-penta-1,3-diene catalysed by cobalt, nickel, copper, palladium, and platinum, 2442.
Hydrogen bonding in some adducts of oxygen bases with acids. Part V, infrared spectra of some adducts with proton transfer, 418.
in some adducts of oxygen bases with acids. Part VI, infrared and dielectric studies of adducts with isothiocyanic acid, 2851.
molecular orbital studies of, 1251.
Hydrogen fluoride solvent system. Part II, cryoscopic measurements, 2311.
Hydrolysis, acid-catalysed, of some *trans*-dinitrocobalt(III) complexes of cyclic quadridentate ligands, 1305.
base, of the oxalatobis(ethylenediamine)cobalt(III) ion, 3100.
Hydrothermal chemistry of silicates. Part XIV, zeolite crystallisation in presence of mixed bases, 1470. Part XV, synthesis and nature of some salt-bearing aluminosilicates, 2735.
Hydroxylamine, mechanism, of its oxidation by ferricyanide, 2060.

I

Indium, electrochemistry of. Part I, anodic oxidation of indium in sodium hydroxide solutions, 2415. Part II, electrolytic polarisation at n-type indium oxide electrode, 2419.

Indium (*contd.*)
Unambiguous assignment for the totally symmetrical phosphorus–indium–phosphorus stretching mode in the five-co-ordinate, trigonal bipyramidal complex indium trichloride–bis(trimethylphosphine) by use of oriented single-crystal Raman polarisation data, 1307.
Infrared emission from the reaction of atomic oxygen with acetylene, 646.
Iodine pentoxide, mass spectrum of, and a novel reaction with copper, 2349.
Kinetic study of the reaction between octacyanomolybdates(v) and iodide ions, 134.
Ion association effects on rates of alkaline hydrolysis of acetylsalicylate and acetylmandelate ions, 464.
-exchange characteristics and synthesis of titanium antimonates, 1488.
properties and synthesis of stannic arsenates: separation of Fe^{3+} from Ni^{2+}, Co^{2+}, Mn^{2+}, Ca^{2+}, and Al^{3+}: separation of Al^{3+} from Mg^{2+} and In^{3+}, 1986.
resin. Synthesis and properties of stannic arsenate, 272.
resins. Separation of Ga^{3+} from Fe^{3+}, Al^{3+}, and In^{3+} with a new stable synthetic titanium tungstate: effect of drying on its stability and ion-exchange properties, 2620.
Ionic activity coefficients in solutions of constant or varying ionic strength. Effect of ionic activity and association on the kinetics of ionic reactions. Part I, 2480. Part II, kinetics and equilibria of chloride substitution in aquopenta-amminecobalt(III) ions, 2486. Part III, kinetics and equilibria of sulphate substitution in aquopentaamminecobalt(III) ions, 2490.
Ionisation of metal-bound water in sperm whale ferrimyoglobin and in some corrinoids, 2389.
potentials and ligand effects and bond energies of some $L^1L^2Fe_2(CO)_6$ complexes, 3171.
first, of some simple boron compounds by electron impact and by a new empirical molecular orbital method. Bonding studies of compounds of boron and the Group IV elements. Part III, 2320.
Iridium, (alkoxycarbonyl)-, compounds with *N*-donor bases and with triphenylphosphine, 1836.
-(I) and iridium(III), benzenethiolato-derivatives of, 2719.
and platinum complexes of bis(trifluoromethyl)thioketen and 1,1-bis(trifluoromethyl)ethene-2,2-dithiolate. Reactions of low-valent metal complexes with fluorocarbons, 944.
cationic complexes of Part II, kinetic studies on the reductive elimination of hydrogen from $[IrH_3(CO)_2L_2]BPh_4$ (L = tertiary phosphine or tertiary arsine), 3000.
–germyl complexes, 1675.
–gold compound $Cl_2(CO)(PPh_3)_2Ir{\cdot}Au(PPh_3)$, on the supposed, 506.
hydridoalkoxycarbonyl complexes of, 1.
osmium, and ruthenium, polynuclear nitrido-complexes of, 1117.
phosphine complexes of. Part I, preparation and properties of some cationic complexes, 2909.
Co-ordination of *NNN'N'*-tetramethylethylenediamine and 1,4-dimethylpiperazine with certain transition metals: identity of the supposed iridium derivatives, 999.
Five-co-ordinate cationic complexes of the type $[Ir(CO)_xL_{5-x}]^+$ where X = 1—3 and L is dimethylphenylphosphine or -arsine, 2705.
Kinetics of the one-equivalent reactions of vanadium(II), vanadium(III), and iron(II) with hexachloroiridate(IV), 1036.
Low-temperature charge-transfer spectra of hexahalogeno-iridates(IV) and -osmates(IV), 100.
Oxidative addition reactions of cationic five-co-ordinate iridium(I) complexes of the type $[Ir(CO)_x(PMe_2Ph)_{5-x}]$, 3356.
to nitrosyltris(triphenylphosphine)iridium(−I): five-co-ordinate methyl–nitrosyl and hydrido–nitrosyl derivatives of iridium(I), 3054.
Structure and formation of dichloro(benzylacetophenone)-bis(dimethylsulphoxide)iridium(III), 2206.
Iron and titanium, adsorption of non-polar gases on, 2003.
-(II) complexes, trigonally distorted octahedral, magnetic properties of, 1941.
-(III)–cysteine complexes, kinetics of the reaction of molecular oxygen with, 1006.
monophenolate complexes, kinetic investigation of formation and dissociation of, 1151.
–nitrilotriacetate and –bis-picolinate complexes, comparison of the dimerisation kinetics of, 2847.
oxide and chromium(III) oxide: single-crystal Raman spectra of nearly opaque materials, 980.
Carbon compounds of the transition metals. Part XX, crystal and molecular structure of μ-cycloundeca-allylheptacarbonyldi-iron, 38.
Cationic hydride complexes of iron, ruthenium, and osmium, including a triad of molecular nitrogen complexes.
Chemical consequences of the nuclear reactions $^{58}Fe(n,\gamma)^{59}Fe$ and $^{57}Co(EC)^{57}Fe$ in soluble Prussian Blue, 3255.
Composition and heat of combination of a double oxide of iron and sodium, 1913.
Crystal and molecular structure of bis-(*NN*-dimethyldithiocarbamato)nitrosyliron at −80°, 1275.
of monochlorobis(diethyldithiocarbamato)iron(III), 1668.
of (vitamin-A aldehyde)tricarbonyliron, 1229.
Crystal structure of 4-biphenylylferrocene, 907.
Electron spin resonance spectra of ferricinium salts, 3202.
of the reaction of sulphide dithionite with some iron(I) and iron(II) complexes: valency and stereochemistry of iron in reduced non-hæm iron proteins, 2038.
Formation of iron-57 bivalent cation ($^{57}Fe^{2+}$) in Mössbauer sources of potassium trisoxalatoferrate(III), 1456.
Infrared spectra of $[(\pi\text{-}C_5H_5)Fe(CO)_2]_2$ and related compounds in hydroxylic solvents, 2133.
Ionisation of metal-bound water in sperm whale ferrimyoglobin and in some corrinoids, 2389.
Kinetics of peroxodisulphate oxidation of dicyanobis-(2,2′-bipyridyl)iron(II) and of related compounds, 2114.
Kinetics of reaction of peroxodisulphate with the 5-nitro-, 3-sulphonato-, and 5-sulphonato-substituted derivatives of the tris-(1,10-phenanthroline)iron(II) cation in aqueous solution, 2111.
Ligand effects on the ionisation potentials and bond energies of some $L^1L^2Fe_2(CO)_6$ complexes, 3171.
Metal carbonyl chemistry. Part IX, improved syntheses and some reactions of tetracarbonylcyclo-octafluorotetramethyleneiron, 1964. Part X, mono-(fluoro-olefin) complexes from pentacarbonyliron, 1969. Part XII, reactions of metal carbonyl anions

Iron (*contd.*)
with some perfluoroaromatic compounds, **1974**. Part XIII, kinetic studies on the reactions of phenyl- and benzoyl-manganese carbonyl complexes with the ligand 4-ethyl-2,6,7-trioxa-1-phosphabicyclo[2,2,2]octane, **1979**.
Metal–metal bonding in co-ordination complexes. Part VI, crystal structure of dicarbonylcyclopentadienyl(trichlorostannyl)iron, **1696**. Part VII, crystal structure of dicarbonylcyclopentadienyl(tribromostannyl)iron, **2247**. Part VIII, crystal structure of dicarbonyl-π-cyclopentadienyl[dichloro(phenyl)stannyl]iron, **2261**. Part IX, crystal structure of *trans*-di-μ-carbonyldi-π-cyclopentadienyldi-iron (Fe–Fe), a redetermination, **3064**. Part X, preparation, spectroscopic properties, and crystal structure of the *cis*-isomer of di-μ-carbonyl-dicarbonyldi-π-cyclopentadienyldi-iron (Fe–Fe), **3068**.
Mössbauer effect and susceptibility studies of a dimeric Schiff-base iron(III) adduct, **2298**.
Mössbauer effect in bis-μ-[oxy(phenyl)carbene-*C*,*O*:*C*′,*O*′]-bis(tricarbonyliron)(Fe–Fe) and related compounds, **2143**.
Mössbauer study of structure and bonding in iron(II) low-spin compounds, **956**.
Nature of ' chloroferric phthalocyanine ', **1546**.
New polynuclear carbonyl complexes containing iron with cobalt or rhodium, **654**.
Reactions of metal carbonyl derivatives. Part III, mechanism of halogenation of tetracarbonylbis-π-cyclopentadienyldi-iron and its derivatives, **2341**.
Spectroscopic studies on pyridine *N*-oxide complexes of iron(III), **2105**.
Structure of a *cis*-complex derived from tetracarbonylbis-π-cyclopentadienyldi-iron: crystal and molecular structure of di-μ-carbonyl-μ-(1,2-di-π-cyclopentadienyl-*NNN*′*N*′-tetramethylethylenediamine)-bis(carbonyliron), **1722**.
of some derivatives of dicarbonylcyclopentadienyliron dimer $[\{Fe(\pi\text{-}C_5H_5)(CO)_2\}_2]$ obtained from the reaction of pentacarbonyliron with fulvenes, **2119**.
Substitution reactions of dihydridotetracarbonyliron, **634**.
Synthesis of thorium molybdate and its use for the quantitative separation of iron(III) from zinc(II), cobalt(II), and copper(II), **1204**.
Transition-metal dithiolene complexes. Part XII, nitric oxide adducts of iron bis(diaryl-1,2-dithiolenes), **1627**. Part XIV, five-co-ordinate and phosphite adducts of cobalt and iron bis(diaryl-1,2-dithiolenes), **1631**.
Isomers. Detection of geometrical isomers by fractional sublimation in a mass spectrometer, **822**.

K

Keten. Mercury ($^3P_1$)-photosensitised decomposition of keten and some reactions of triplet mesitylene, **2115**.
Ketones, C_6, C_7, and C_9, low-temperature heat capacity and entropy of. Thermodynamic properties of organic oxygen compounds. Part XXIII, **833**.
Kinetic and equilibrium studies on the reaction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with sulphate in aqueous perchloric acid solution. Reactions of μ-hydroxo-dicobalt complexes. Part V, **3214**.
investigation of formation and dissociation of iron(III) monophenolate complexes, **1151**.
studies on the reaction of nitrous acid with the μ-superoxobis[penta-amminecobalt(III)] complex, **3209**.
trans-effect of OH^-, OH_2, and NH_3 in complexes of the form *trans*-$RhA_2L(OH_2)^{n+}$, where A = ethylenediamine (en), **393**.
Kinetics and mechanisms of redox reactions in aqueous solutions. Part III, reaction between chromium(VI) and thiosulphate, **2866**.
of the formation and decay of peroxynitrous acid in perchloric acid solutions, **3179**.
of the heterogeneous reactions of γ-, χ-, and α-aluminas with aqueous sodium hydroxide solutions, **1266**.
of the reduction of thallium(III) by hypophosphite, **256**.
of the unimolecular hydrolysis of some pyridiomethyl metal carbonyl compounds in aqueous acid. σ-Bonded organotransition-metal ions. Part X, **511**. Part XI, kinetics and mechanism of the reactions of pyridiomethylpentacyanocobaltate(III) ions with thallium(III), mercury(II), indium(III), and gallium(III) chloride in aqueous acid, **517**. Part XII, bimolecular displacement of cobalt(III) from organo-pentacyanocobaltate(III) ions and of chromium(III) from pentaaquo-organochromium(III) ions by nitrosating species, **523**.
Elucidation of the reaction of phosphorus pentachloride and ammonium chloride by phosphorus-31 nuclear magnetic resonance spectroscopy, **3025**.
Kinetics and stoicheiometry of the reaction between cerium(IV) and hydrazine in acid solution, **2918**.
dimerisation, of the iron(III)–nitriloacetate and –bispicolinate complexes, comparison of, **2847**.
of aquation and of peroxodisulphate oxidation in aqueous acetonitrile, **2351**.
of copper(II)–ethylenediamine complex formation, **684**.
of dehydration of β-$CaSO_4$,$\frac{1}{2}H_2O$. Studies in the system calcium sulphate–water. Part II, **528**. Part III, **1476**.
of disproportionation–combination reactions between the n-propyl radical and nitric oxide, and of the pyrolysis of the O–O bond in di-n-propyl peroxide in the gas phase, **331**.
of hydrogen abstraction by difluoroamino-radicals, from acetaldehyde, n- and iso-valeraldehyde, and their acyl radical decompositions, **3189**.
from propionaldehyde, and n- and iso-butyraldehyde, and their acyl radical compositions, **2371**.
of peroxodisulphate oxidation of dicyanobis-(2,2′-bipyridyl)iron(II) and of related compounds, **2114**.
of reaction of peroxodisulphate with the 5-nitro-, 3-sulphonato-, and 5-sulphonato-substituted derivatives of the tris-(1,10-phenanthroline)iron(II) cation in aqueous solution, **2111**.
of the reduction of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with vanadium(II) and chromium(II) in aqueous perchlorate solution. Reactions of μ-hydroxo-dicobalt complexes. Part IV, **1991**.
of some reactions of bis(ethylenediamine)palladium(II) ions in acid aqueous solution, **90**.
of the equilibration of the μ-amido-μ-hydroxo-bis[tetra-amminecobalt(III)] complex with dilute nitric acid. Reactions of μ-hydroxo-dicobalt complexes. Part I, **1059**. Part II, kinetics of the μ-amido-μ-hydroxo-

Kinetics (*contd.*)
bis[tetra-amminecobalt(III)] complex with thiocyanate in aqueous perchloric acid and the characterisation of the bisthiocyanate product, 1064.
of the one-equivalent reactions of vanadium(II), vanadium(III), and iron(II) with hexachloroiridate(IV), 1036.
of oxidation of antimony(III) by cerium(IV) in media containing perchloric acid, 260.
of the azidopenta-aquochromium(III) ion by nitrous acid in aqueous acidic perchlorate and chloride media, and analysis of the chromium(III) product distribution in the presence of scavanger anions, 2819.
of the hexacyanodinickelate(I) anion by water, 2165.
of hydrogen peroxide by aquocerium(IV) ions in aqueous perchlorate media, 1013.
of quinol by aquomanganese(III) ions in aqueous perchlorate media, 676.
of quinol by aquovanadium(V) ions in perchlorate media, 1372.
of the reaction between octacyanomolybdate(V) and iodide ions, 134.
of iodide with different forms of the μ-amido-μ-peroxo-bis{bis(ethylenediamine)cobalt(III)} complex, 1261.
of molecular oxygen with iron(III)–cysteine complexes, 1006.
of the reductive elimination of hydrogen from $[IrH_2(CO)_2L_2]BH_4$ (L = tertiary phosphine or tertiary amine), 3000.
on 4*d* and 5*d* transition-metal complexes. Part VI, kinetic study of the azidopenta-amminerhodium(III) ion in acidic aqueous solutions, 445.
stopped-flow, of the base hydrolysis of the *cis*-$[Co(L)_2(NH_2Bu^n)Cl]^{2+}$ ion (L = ethylenediamine), 3337.
Acid-catalysed hydrolysis of nitrotrichloroplatinate(II) and tetranitro-platinate(II) and -palladate(II) anions, 2708.
of some *trans*-dinitrocobalt(III) complexes of cyclic quadridentate ligands, 1305.
Base hydrolysis of the oxalatobis(ethylenediamine)-cobalt(III) ion, 3100.
Chemistry of soil minerals. Part VI, salt entrainment by sodalite and cancrinite during their synthesis, 1516.
Copper-catalysed oxidation of hydrazine by peroxydisulphate in acid solution, 2183.
Decomposition of dioxalatodiaquocobaltate(III) and trioxalatocobaltate(III) in aqueous solution, 2836.
ethoxy radicals, 1188.
Effect of ionic activity and association on the kinetics of ionic reactions. Part I, estimation of ionic activity coefficients in solutions of constant or varying ionic strength, 2480. Part II, kinetics and equilibria of chloride substitution in aquopenta-amminecobalt(III) ions, 2486. Part III, kinetics and equilibria of sulphate substitution in aquopenta-amminecobalt(III) ions, 2490.
Heterogeneous catalysis in solution. Part VI, effect of solids on the aquation of two halogenopenta-amminecobalt(III) ions, 68. Part VII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by mercuric sulphide and silver bromide, 73. Part VIII, catalysis of the aquation of the bromopenta-amminecobalt(III) ion by metallic platinum, 78.
decomposition of perchloric acid on chromium oxide catalysts, 601.
Homogeneous hydroformylation of alkenes with hydridocarbonyltris(triphenylphosphine)rhodium(I) as catalyst, 2753.
Homolysis *versus* heterolysis in the decomposition of chromium(III) complexes in acidic aqueous solution, 1927.
Identification of inner- and outer-sphere paths in the reaction of chromium(II) with hexachloroiridate(IV), and the kinetics of the decomposition of the binuclear intermediate, 232.
of one- and two-equivalent paths in the reaction of vanadium(II) with mercury(II), 3221.
Ion association effects on rates of alkaline hydrolysis of acetylsalicylate and acetylmandelate ions, 464.
Ligand displacement reactions. Part V, mechanism of displacement of bidentate olefins from olefin(tetramethyl-1,4-benzoquinone)nickel(0) complexes by trimethyl phosphite, 2922.
Mechanism of the oxidation of hydroxylamine by ferricyanide, 2060.
Medium effects, added salts, and ion pairs in the acid-catalysed hydrolysis of the *trans*-azidochlorobis-(ethylenediamine)cobalt(III) ion, 811.
Metal-ion oxidations in solution. Part VII, oxidation of bromide by cobalt(III), 643. Part VIII, characterisation of the intermediate formed in the cobalt(III)-ion oxidation of chloride, 2461.
Peroxonitrites. Part II, copper(II)-catalysed reaction between hydroxylamine and peroxonitrite in alkali, 925.
Pyrolysis of 4-chlorobut-1-ene, 2058.
Rate of electron transfer between cobalt complex ions in aqueous polyelectrolyte solutions, 1168.
Rate of reduction by solid silver of the chloro- and bromo-penta-amminecobalt(III) ions in aqueous acid solution, 82.
Reactions of carboxylate anions with dioxalatodiaquocobaltate(III) in aqueous solution, 2842.
of vanadium(II) with the μ-amido[aquotetra-amminecobalt(III)], [chlorotetra-amminecobalt(III)], and chloropenta-amminecobalt(III) complexes: a comparison of kinetic data, 856.
Shock tube pyrolyses. Part I, thermal decomposition of isopropyl chloride, ethylfluoride, and n-propyl fluoride, 2498.
Specific solvents effects on rates of alkaline hydrolysis of acetylmandelate ion, 1576.
Substitution at saturated carbon. Part IV, bimolecular electrophilic substitution of tetraethyltin by mercuric chloride in methanol–water mixtures: kinetics, mechanism, and activation parameters, 188. Part V, bimolecular electrophilic substitution of several tetra-alkyltins by mercuric chloride in methanol–water mixtures: kinetics, mechanism, and activation parameters, 193. Part VI, heats of solution of tetraethyltin and mercuric chloride in methanol–water mixtures and the enthalpy of transfer from methanol to aqueous methanol of the tetraethyltin–mercuric chloride transition state, 199. Part VII, thermodynamics of solution of mercuric chloride in methanol–water mixtures, 203.
Thallous–thallic exchange in solutions of the chloroacetic acids, 323.

Kinetics (*contd.*)
Thermal decomposition of the diazirines. Part IV, 3-chloro-3-ethyldiazirine, 3-chloro-3-n-propyldiazirine, 3-chloro-3-isopropyldiazirine, and 3-chloro-3-t-butyldiazirine, 1916.
of oxalates. Part XI, dehydration of calcium oxalate monohydrate, 2809.
Thermal isomerisation and dehydrogenation of *cis*-3a,7a-dihydroindene, 2529.
Thermal unimolecular decomposition of t-butylcyclobutane, 2566.

L

Lanthanide complexes, single-crystal magnetic properties of. Part I, tri-iodohexakis(antipyrine)ytterbium, 3030. Part II, tri-iodohexakis(antipyrine)cerium, 3040.
Thermodynamic considerations in co-ordination. Part VIII, calorimetric and potentiometric study of complex formation between some lanthanide(III) ions and histidine, 3138.
Lead. Precipitation of sparingly soluble alkaline-earth and lead salts: effects of chelating additives on nucleation and growth rates, 725.
Linnett structures for 1,3-dipoles and for the diradical intermediates in 1,3-dipolar cycloadditions. Applications of the Linnett electronic theory to organic chemistry. Part III, 1570.

M

Magnesia, adsorption of carbon dioxide by, studied by use of infrared and isotherm measurements, 2784.
Magnesium and manganese complexes of citric and isocitric acids, 241.
Magnetic properties, single crystal, of lanthanide complexes. Part I, tri-iodohexakis(antipyrine)ytterbium, 3030. Part II, tri-iodohexakis(antipyrine)cerium, 3040.
of some copper(II) complexes of 2,2′-azopyridine, semicarbazide, thiosemicarbazide, and 2,3-dimethylquinoxaline, 19.
of trigonally distorted octahedral iron(II) complexes, 1941.
susceptibility measurements on perylene radical-cations. Antimony halides as solvents. Part VII, 2806.
susceptibility of Tm^{3+} and Yb^{3+} in cubic $NaYF_4$, 415.
Malonamide, crystal structure of, 179.
Manganese. Reactions of the dicarbonyl substituted cyclopentadienyl nitrosyl manganese complex cation $[(\pi\text{-}C_5H_4)Mn(NO)(CO)_2]^+$ with some nitrogen and phosphorus donor ligands, 850.
methylpentacarbonyl-, $CH_3Mn(CO)_5$, evidence for a high barrier to internal rotation in. Vibrational spectroscopic studies of internal rotation of symmetrical groups. Part I, 1129.
Electron spin resonance studies of some complexes of manganese(II) with chelating ligands, 1133.
of some perchlorate, thiocyanate, or iodide complexes of manganese(triphenylphosphine or triphenylarsine oxides) of the type $Mn(Ph_3XO)_4Y_2$, 1352.
-(II) formate dihydrate, sucrose, and other crystals of the monoclinic system, observations on dislocations in, 2938.
and cyanide containing manganese-(II) and -(III). Preparation and investigation of a mixed valence complex of potassium, 1379.
Metal carbonyl chemistry. Part VIII, reaction of hydridopentacarbonylmanganese(I) with perfluorocyclopentadiene, 49.
and magnesium complexes of citric and isocitric acids, 241.
Reactions between methyl-, acetyl-, and phenyl-pentacarbonylmanganese and acetylenes, 308.
-(III) oxide–copper(II) oxide system, constitution and oxidising properties of materials in, 1728.
Mercury. Complexes of d^{10} ions with amides and amidines. Part I, dissociation constants of ligands and stability complexes of mercury(II) complexes, 1184.
Crystal structure of a complex of mercury(II) chloride and histidine hydrochloride, 2632.
Dimeric tetrahedral complexes of mercury(II) chloride and bromide with some pyridine *N*-oxides, 378.
Identification of one- and two-equivalent paths in the reaction of vanadium(II) with mercury(II), 3221.
Phosphite and phosphonate complexes. Part III, *trans*-influence in mercury(II) complexes: ^{199}Hg–^{31}P coupling constants in (diethyl phosphonato)mercury(II) complexes and an *X*-ray crystal structure analysis of chloro(diethyl phosphonato)mercury(II), 2094.
Preparation, reactions, and infrared spectra of some derivatives of bis(tricarbonylnitrosyliron)mercury, 2258.
Studies of cyanide–xanthate mixed ligand complexes of mercury(II) in aqueous solution, 2302.
***ortho*-Metalation** reactions. Part I, reactions of azobenzene with some metal carbonyl complexes of sub-groups VI, VII, and VIII, 3204.
Methylene Blue–polyanion interactions. Polyanions and their complexes. Part VII, 1155.
Micellar solutions, non-ionic, proton spin–lattice relaxation times in, 2251.
Minerals, rock-forming, Raman studies on. Part II, minerals containing MO_3, MO_4, and MO_6 groups, 286.
soil, chemistry of. Part VI, salt entrainment by sodalite and cancrinite during their synthesis, 1516. Part VII, synthesis, properties, and crystal structures of salt-filled cancrinites, 1523. Part VIII, synthesis and properties of fluorhectorites, 1531.
Molecular orbital calculations on polypeptides and proteins. Part I, extended Hückel theory calculations on *trans*-dipeptides, 2464.
on transition-metal complexes. Part I, hexafluorometallate(II) ions, 2668.
linear combination of atomic orbitals calculation and electronic spectra of phenylboronic acid and triphenylboroxine, 1416.
studies of the hydrogen bond, 1251.
theory, semi-empirical, evaluation of one-centre coulomb integrals in, 2469.
Bonding studies of compounds of boron and the Group IV elements. Part III, first ionisation potentials of some simple boron compounds by electron impact and by a new empirical molecular orbital method, 2320.
Calculation of ionisation potential of some alternant hydrocarbon molecules and radicals by extended Hückel theory, 997.

Molecular orbital (*contd.*)
Electronic structure of dimeric aminoborane, $(NH_2BH_2)_2$, 2748.
Interatomic exchange and π-bonding involving outer *d*-orbitals, 2357.
Interpretation of rhombic *g* tensors in copper complexes, 4.
Ligand-field splittings in non-cubic complexes. Part III, tetragonal copper(II)–oxygen systems, 176. Part IV, tetrachlorocuprate ion in distorted tetrahedral symmetry, 2900.
d Orbitals in excited configurations of chlorine, 1431.
d Orbitals in positive, neutral, and negative phosphorus atoms, 1566.
Overlap considerations relevant to the geometry of copper(II) complexes, 1498.
Perfect-pairing valence states of some later second-row elements, 2992.
Phosphonitrilic derivatives. Part XVIII, ionisation potentials, orbital symmetry, and π-electron interactions, 151.
Relationship between electron spin resonance *g*-values and covalent bonding in tetragonal copper(II) compounds, 3108.
Spectra of complexes of conjugated ligands. Part IV, zero differential overlap calculations on phenanthroline and its mono-complexes, 1190.
Structure of tetrasulphur tetranitride, 3174.
Studies in eight-co-ordination. Part I, crystal-field energies in the D_{2d} point-group, 1711. Part II, electron spin resonance of, and crystal field in, calcium copper acetate hexahydrate, 1716.
Theoretical study of the electronic structure of phosphine oxide and trimethylphosphine oxide and the donor–acceptor properties of phosphine and trimethylphosphine, 2475.
Molecular structures of digermyl ether and digermyl sulphide in the gas phase, studied by electron diffraction, 315.
of tetrasilylhydrazine, electron diffraction determination of, 318.
of trigermylamine: an electron diffraction study, 2935.
Molecular vibration calculations. Programme for normal co-ordinate calculations: vibrational analysis of diborane and halides M_2X_6 (M = Al, Ga, or In), 697.
Molybdenum-(V) and -(VI), complexes with L-cysteine and related compounds and their reactions with hydrogen sulphide, 2421.
–bismuth oxide catalysts, spectroscopic investigation of, 3183.
-(II), chloro-1,2-bis(diphenylphosphino)ethanemonocarbonyl-π-cyclopentadienyl-, crystal and molecular structure of, 3019.
-(IV), complexes with tertiary phosphines and tertiary arsines, 2652.
-(V) oxide trichloride, crystal and molecular structure of, 22.
-(IV), oxo-, and oxovanadium(IV) complexes with a tridentate Schiff base, 2964.
Complexes of molybdenum(VI) and molybdenum(V) with dithiocarbamate, dithiocarbonate, and phosphorothiolothionate, 1702.
Crystal and molecular structure of tricarbonyl-[2,4-diethyl-1,5-bis(diphenyl)-3-phenyl-1,3,5-triphospha-2,4-diazapentane-*PPP*]-molybdenum, $[Mo(CO)_3(Ph_2P{\cdot}NEt{\cdot}PPh{\cdot}NEt{\cdot}PPh_2)]$, 3345.
Crystal structure and molecular geometry of tetraphenylphosphonium π-cyclopentadienylbis-(1,2-dicyanoethylene-1,2-dithiolato)molybdenum, $[Ph_4P^+][(\pi\text{-}C_5H_5)Mo\{S_2C_2(CN)_2\}_2^-]$, 2046.
Organonitrogen groups in metal carbonyl complexes. Part I, diphenylmethyleneamino-derivatives of π-cyclopentadienyl-molybdenum and -tungsten carbonyl complexes, 2279.
Some bis-π-cyclopentadienyl molybdenum amino-acid derivatives and related compounds, 2315.
Tertiary phosphine and tertiary arsine complexes of molybdenum(II), molybdenum(IV), tungsten(II), and tungsten(IV), 595.
Mordenite and clinoptilolite, influence of decationation and dealumination on sorption by, 2506.
Mössbauer effect and susceptibility studies of a dimeric Schiff-base iron(III) adduct, 2298.
in bis-μ-[oxy(phenyl)carbene-*C*,*O*:*C*′,*O*′]-bis(tricarbonyliron)(Fe–Fe) and related compounds, 2143.

N

Nickel and palladium complexes of 1-hydroxyethane-2-thiol and analogues. Part I, crystal structure of cyclohexakis[bis-(μ-1-hydroxyethane-2-thiolato)-nickel(II)], 875.
-(II) and zinc(II) complexes of 2-alkoxyphenols, 2472.
-(II) chloride interactions in dimethyl sulphoxide, influence of temperature and concentration upon, 827.
-(II), cobalt(II), and copper(II) complexes with *N*-methyl-*p*-nitrosoaniline and *p*-nitrosoaniline, 1822.
-(II) complexes, five-co-ordination. Crystal structure of dibromobis-(2-diphenylphosphinoethyl)aminenickel-(II), 1511.
in: crystal structure of the high-spin complex of nickel(II) perchlorate with *NN*-bis-(2-diethylaminoethyl)-2-hydroxyethylamine, 618.
of *meso*-stilbenediamine or triethylenetetramine in mixed aqueous media. Metal complexes as indicators for solvent structure. Part I, 1309. Metal complexes as indicators for solvent structure. Part II, 2172. Part III, nickel(II) complexes of *meso*-stilbenediamine in mixtures of water with some glycol ethers and with poly(ethylene oxide), 2175.
zerovalent, fluoro-olefin reactions of. Reactions of low-valent metal complexes with fluorocarbons. Part XII, 1647.
-(II), *NN*′-ethylenebis-(*o*-aminobenzylideneiminato)-, and its derivatives, 2531.
trifluoromethyl complex of, crystal structure and molecular geometry: π-cyclopentadienyl-σ-trifluoromethyl(triphenylphosphine)nickel, 161.
Allogons: isomerism in the crystal and molecular structure of the green form of dibromobis(benzyldiphenylphosphine)nickel(II): $Ni[P(CH_2Ph)Ph_2]_2Br_2$[square],$2Ni[P(CH_2Ph)Ph_2]_2Br_2$[tetrahedral], 1688.
Complexes of 2-aminobenzothiazole with cobalt(II) and nickel(II), 672.
Complexes of 8-amino-2-methylquinoline with nickel(II), 275.
Crystal structure and molecular stereochemistry of a five-co-ordinate π-allyl complex of nickel: π-methallyl[bis-1,2-(diphenylphosphino)ethane]nickel bromide, 207.

Nickel (*contd.*)
Crystal and molecular structure of dinitrato-(*NNN'N'*-tetramethyl-*o*-phenylenediamine)nickel(II), 3349.
of the five-co-ordinate complex dibromo-[6,6'-dimethyldi-(2-pyridylmethyl)amine-*NNN*]-nickel(II), 1826.
of the low-spin five-co-ordinate complex iodo[tris-(2-diphenylphosphinoethyl)amino-*NP*]-nickel(II) iodide, 1804.
of the tetrahedrally co-ordinated complex dichloro-[oxydiethylenebis(diphenylphosphine)]nickel(II), 866.
Factors governing the spin-multiplicity of five-co-ordinate complexes of cobalt(II) and nickel(II), 248.
Four-, five-, and six-co-ordinate cobalt(II) and nickel(II) complexes with tetradentate 'tripod-like' nitrogen–oxygen and nitrogen–sulphur ligands, 575.
Kinetics of the oxidation of the hexacyanodinickelate(I) anion by water, 2165.
Metal complexes of azopyridines. Part III, complexes of nickel(II) and copper(II) with 2,2'-azopyridine, 305.
Phosphorus–fluorine compounds. Part XVIII, some nuclear magnetic resonance observations on tetrakis(fluorophosphine) and mixed fluorophosphine carbonyl complexes of nickel(0), 565.
Polarised single-crystal electronic spectrum of dichlorobis(triphenylphosphine)nickel(II), 571.
Single-crystal polarised spectrum and paramagnetic anisotropy of five-co-ordinate square pyramidal nickel(II) complexes, 3269.
Spectral properties and crystal structure of the complex iodo-[*NN*-bis-(2-diphenylphosphinoethyl)-2-methoxyethylamino]nickel(II) iodide, 1298.
Spectroscopic evidence for the conversion of octahedral nickel(II) into tetrahedral nickel(II), 2516.
Structure and stability of polyamine complexes: crystal and molecular structures of bis[di-3-aminopropyl)-amine]nickel(II) perchlorate and bis[di-(2-aminoethyl)amine]nickel(II) chloride monohydrate, 2398.
Niobium. Reactions of 8-hydroxyquinoline with covalent halides. Part IV, pentachlorides and pentabromides of niobium and tantalum, 703.
pentafluoride, reactions with organic donor molecules. Nuclear magnetic resonance studies on fluorine-containing compounds. Part II, 1224.
oxides, reactions with liquid potassium, 1465.
and tantalum, co-ordinated complexes of. Part VIII, complexes of niobium(IV), niobium(V), and tantalum(V) with mixed oxo, halogeno, alkoxy, and 2,2'-bipyridyl ligands, 3382.
Crystal and molecular structures of dichloro(oxo)-2,2'-bipyridylethoxyniobium(V) and tetraphenylarsonium oxopentathiocyanatoniobate(V), 2379.
Nitrogen dioxide, absorption by aqueous solutions, 3023.
nuclear magnetic resonance. Part I, the nitroso (nitrosyl) group, 296. Part II, nitro (nitryl) and nitrate groups, 1763. Part III, diamagnetic correction and the absolute scale of nitrogen chemical shift, 2196.
–phosphorus compounds. Part XXIX, compound formation between chloroisopropylaminocyclotriphosphazatrienes, 616. Part XXX, reaction of phenylmagnesium bromide and diphenylmagnesium with octachlorocyclotetraphosphazatetraene, 1750. Part XXXI, reactions of hexachlorocyclophosphazatriene with aniline, 2023.
Dinitrogen tetroxide. Part VII, absorption of nitric oxide by dinitrogen tetroxide and the preparation of pure dinitrogen trioxide, 2193.
Dissociation of dinitrogen tetroxide in the gas phase, 625.
liquid phase, 2191.
Nitrate ion in aqueous solution, flash photolysis of: excitation at 200 nm, 1982.
Raman spectra of the germyl ion and liquid ammonia, 1859.
Reactions of metal–nitrogen compounds with unsaturated substrates. Part I, reactions of aminostannanes, stannazanes, and stannylamines with carbon dioxide, carbon disulphide, and carbonyl sulphide, 590.
Stoicheiometry and kinetics of the reaction between cerium(IV) and hydrazine in acid solution, 2918.
Structure of tetrasulphur tetranitride, 3174.
Thermodynamics of proton transfer processes involving ammonium and some substituted ammonium ions in ethylene glycol, 2034.
Nuclear reactions $^{58}Fe(n,\gamma)^{59}Fe$ and $^{57}Co(EC)^{57}Fe$ in soluble Prussian Blue, chemical consequences of, 3255.
spin coupling constants, tungsten-183–phosphorus-31, interpretation of, 1226.
transformation in the alkali chlorides, chemical effects of. Part II, analytical problems with sulphur-35, 1105.

O

Olefin, fluoro-, reactions of zerovalent nickel complexes. Reactions of low-valent metal complexes with fluorocarbons. Part XII, 1647.
rotation in platinum(II) olefin complexes. Part II, 1653.
Optically active co-ordination compounds. Part XVIII, conformations of labile complexes in solution, 59. Part XIX, relative configurations of trisbipyridyl and trisphenanthroline complexes by chemical interconversion, 707. Part XX, reactions of 1,10-phenanthroline co-ordinated to cobalt(III), 1447.
Optical rotatory power of co-ordination compounds. Part XIV, crystal spectrum and circular dichroism of α-Ni-$(H_2O)_6SO_4$, 667.
Organometallic compounds, binuclear. Part I, amine elimination reaction for synthesis of compounds containing bonds between elements of Group IV and transition metals, 2594. Part II, reactions of triorganotin hydrides with iridium(I) and rhodium(I) complexes, 3303.
diazoalkanes. Part I, synthesis and characterisation of simple Group IVB organometallic diazomethanes, and the tin–carbon cleavage reactions of bis(trimethylstannyl)diazomethane, 2954.
Azomethine derivatives. Part XI, monomeric and dimeric arylmethyleneamino- and diarylmethyleneamino-boron compounds, 2010. Part XII, alkylideneamino-beryllium and bis(alkylideneamino)-derivatives of beryllium, 2016. Part XIII, azomethine stretching frequencies of some di- and tri-substituted methyleneamines, their hydrochlorides, and their boron trifluoride adducts, 2019.
Conversion of arylsilanes, arylchlorosilanes, and siloxanes into chlorosilanes, 1641.
Crystal and molecular structure of 2,6-dimethyl-4-phenylphosphorin, 567.

Organometallic compounds (*contd.*)
of diphenylfluoro-*N*-methylphosphine imide, $Ph_2FP{:}NMe$, 1452.
of triphenylphosphine oxide, 2778.
Crystallographic studies of the boron–nitrogen bond in aminoboranes. Part III, crystal and molecular structure of tri-(1,3,2-benzodioxaborol-2-yl)amine, 2213.
Derivatives of Δ^2-tetrazaboroline. Part VII, unsymmetrically *N*-substituted Δ^2-tetrazaborolines, 1077.
Electron impact studies on beryllium dialkyls, 741.
Halogeno-derivatives of methylgermane, 3359.
Low-temperature charge-transfer spectra of hexahalogeno-iridates(IV) and -osmates(IV), 100.
Molecular orbital LCAO calculation and electronic spectra of phenylboronic acid and triphenylboroxine, 1416.
Molecular structure of trigermylamine: an electron diffraction study, 2935.
Nuclear magnetic resonance spectra of phenylsilane, phenylgermane, and their anions: comments on the relative acidities of phenylgermane and germane, 1401.
Polyfluoroalkyl compounds of silicon. Part IX, silanes containing the bis(trifluoromethyl)amino-group, 2285.
Preparation and properties of some primary silyl- and germyl-arsines, 3131.
of some trifluorosilyl esters of perfluorocarboxylic acids, 1222.
of trimethylsilylated cyclosiloxazanes: a new anionic rearrangement of *N*-lithiocyclosiloxazanes, 1587.
Preparation of bis-(*N*-alkyl-*N*-diphenylphosphinoamino)-phenylphosphines and their reactions with sulphur and methyl iodide, 2715.
Reactions between phosphorus pentafluoride and methylamine, ethylamine, and t-butylamine, 1138.
Reactions of metal–nitrogen compounds with unsaturated substrates. Part I, reactions of aminostannanes, stannazanes, and stannylamines with carbon dioxide, carbon disulphide, and carbonyl sulphide, 590.
Rotational isomerism in ethylhalogenoarsines, 1218.
Substitution at saturated carbon Part IV, bimolecular electrophilic substitution of tetraethyltin by mercuric chloride in methanol–water mixtures: kinetics, mechanism, and activation parameters, 188. Part V, bimolecular electrophilic substitution of several tetra-alkyltins by mercuric chloride in methanol–water mixtures: kinetics, mechanism, and activation parameters, 193. Part VI, heats of solution of tetraethyltin and mercuric chloride in methanol–water mixtures and the enthalpy of transfer from methanol to aqueous methanol of the tetraethyltin–mercuric chloride transition state, 199. Part VII, thermodynamics of solution of mercuric chloride in methanol–water mixtures, 203.
Synthesis and properties of some silylphosphinoalkylamines, 1795.
Synthesis of dichlorophosphinyl and dichlorophosphinothioyl derivatives of methylamine, 2732.
Tertiary butyl derivatives of tin, 2987.
Theoretical study of the electronic structure of phosphine oxide and trimethylphosphine oxide and the donor–acceptor properties of phosphine and trimethylphosphine, 2475.
Vibrational and mass spectra of trimethylsilylgermane, 1,1,1-trimethyldigermane and related species, 3250.
DL-Ornithine hydrobromide, crystal structure of, 25.
Osmium, cationic hydrido-carbonyl complexes of. Chemistry of polynuclear compounds. Part XXI, 2517.
-(II) dinitrogen complexes of, 2243.
multihydrido-complexes of, and related complexes, 334.
ruthenium, and iridium, polynuclear nitrido-complexes of, 1117.
Chemistry of the metal carbonyls. Part LIX, organosilicon- and -tin-(carbonyl)osmium complexes, 3147.
Chemistry of polynuclear compounds. Part XXII, protonation of triosmium dodecacarbonyl and some related compounds, 2967.
Polynuclear compounds. Part XVIII, reactions of dodecacarbonyltriosmium and some related derivatives, 897.
Oxalates, thermal decomposition of. Part XI, dehydration of calcium oxalate monohydrate, 2809.
Oxidation of antimony(III) by cerium(IV) in media containing perchloric acid, kinetics of, 260.
of hydrogen peroxide by aquocerium(IV) ions in aqueous perchlorate media, kinetics of, 1013.
of hydroxylamine by ferricyanide, mechanism of, 2060.
metal-ion, in solution. Part VII, oxidation of bromide by cobalt(III), 643. Part VIII, characterisation of the intermediate formed in the cobalt(III)-ion oxidation of chloride, 2461.
of quinol by aquovanadium(V) ions in perchlorate media, kinetics of, 1372.
thermodynamics and kinetics of, for Pr_2O_3 and Tb_2O_3 to non-stoicheiometric oxides, 64.
Kinetics of the oxidation of quinol by aquomanganese(III) ions in aqueous perchlorate media, 676.
Oxidative addition and other reactions of rhodium, iridium, and platinum complexes with carbon disulphide, ethyl dithiochloroformate, and acids, 1771.
Oxides and oxy-ions of the non-metals. Part XI, electron spin resonance study of the BrO_3 radical in γ-irradiated potassium bromate, 918. Part XII, electron spin resonance spectroscopic study of the chlorate anion centre in irradiated barium sulphate, 1235. Part XIII, electron spin resonance studies of the PO_4^{2-} radical and related species in γ-irradiated phosphates, 1239. Part XIV, structure and reactivity of the oxyanions of transition metals, Part XIX, electron spin resonance study of the radicals AsO_4^{2-} and VO_4^{2-} formed by γ-irradiation of arsenate and vanadate in calcium tungstate, 2367.
Oxyanions of transition metals, structure and reactivity of. Part XVIII, study of γ-irradiated potassium chromate by electron spin resonance spectroscopy, 782.

P

Palladium complexes of azapropellanes. Propellanes. Part X, 1784.
-(II)–halogen complexes with chelating ligands containing nitrogen and σ carbon as donor atoms, far-infrared study of, 531.
Complexes with ligands containing Group VB and VIB atoms. Part II, complexes of palladium(II) and platinum(II) halides with thiomorpholine and thiomorpholin-3-one, 2137.

Palladium (*contd.*)
Crystal structure of acetylacetonato-(π-pentamethylbicyclo[2,2,0]hexa-2,5-dienylmethyl)palladium(II), 3124.
Crystal structure of di-μ-pentafluorobenzenethiolatobis-(pentafluorobenzenethiolato)bis(triphenylphosphine)dipalladium(II), $[Pd^{II}(Ph_3P)(SC_6F_5)_2]_2$, 3197.
Five- and six-co-ordinate tertiary phosphine complexes of bis(diphenylphosphinodithioato)palladium(II), 1504.
Half cell potential of the Pd,Pd^{2+} couple in 3·94-molal perchloric acid and the entropy of $Pd^{2+}(aq)$, 2514.
Kinetic studies of some reactions of bis(ethylenediamine)-palladium(II) ions in acid aqueous solution, 90.
Novel cationic palladium(II) and platinum(II) diolefin derivatives, 363.
Nuclear magnetic resonance spectra of some platinum and palladium π-allyl complexes and their reactions with sulphur dioxide, 9.
Phosphite and phosphonate complexes. Part I, synthesis and structures of dialkyl and diphenyl phosphonate complexes of palladium and platinum, 2080. Part II, nuclear magnetic resonance spectra of triphenyl phosphite and dialkyl and diphenyl phosphonate-complexes of rhodium, palladium, and platinum: an order of *trans*-influence for ligands in platinum(II) complexes, 2087.
Preparation and vibrational spectra of square-planar palladium(II) complexes of the type *trans*-$PdX_2(SR_2)_2$, 659.
Structure of the complex of palladium(II) chloride with 1,2-bis(isopropylseleno)ethane, 113.
Vibrational spectra of the chloro- and bromo-π-allylpalladium dimers and of the π-2-methylallyl analogues, 1808.
of some gold(I), palladium(I), and platinum(II) complexes with trialkylphosphines and trialkylarsines, 545.
Perchloryl fluoride. Electron diffraction of gaseous perchloryl fluoride and calculation of its force field and amplitudes of vibration, 872.
Peroxonitrites. Part II, copper(II)-catalysed reaction between hydroxylamine and peroxonitrite in alkali, 925.
Phase relations. Phase transitions in silver halides: silver iodide and its solid solutions with silver bromide, 3087.
Raman spectra and structures in the gallium–chlorine system, 2812.
Solid-state studies. Part III Raman- and infrared-active carbonyl stretching vibrations of 1,3- and 1,4-dimethylbenzenetricarbonylchromium, 471.
Studies in the system calcium sulphate–water. Part III, kinetics of dehydration of α-calcium sulphate hemihydrate, 1476.
System calcium sulphate–water. Part II, kinetics of dehydration of β-$CaSO_4,\frac{1}{2}H_2O$, 528.
Phosphorus and boron chemistry. Part I, simple, high-yield syntheses of pure chlorodiorganoboranes, 2455.
–fluorine chemistry. Part XXII, alkylthio- and arylthio-substituted fluorophosphoranes, 1049. Part XXIII, t-butyl-fluorophosphines and -fluorophosphoranes and their derivatives, 2359. Part XXIV, preparation and nuclear magnetic resonance investigation of the fluorophosphate anions, $[RPF_5]^-$ and $[R^1R^2PF_4]^-$, and of the dialkyl(or diaryl)dialkylaminodifluorophosphoranes, $R^1R^2PF_2NR^3_2$, 2364.
compounds. Part XVII, fluorophosphine complexes of zerovalent platinum, 321. Part XVIII, some nuclear magnetic resonance observations on tetrakis(fluorophosphine) and mixed fluorophosphine–carbonyl complexes of nickel(0), 565. Part XIX, syntheses of, and nuclear magnetic resonance spectral studies on, hexaco-ordinate fluorophosphate anions containing phosphorus–hydrogen bonds, 2075.
ligands, transition-metal complexes containing. Part I, triaryl phosphite complexes of cobalt and nickel, 96. Part III, convenient syntheses of some triphenylphosphine complexes of the platinum metals, 2947.
–nitrogen compounds. Part XXIX, compound formation between chloroisopropylaminocyclotriphosphazatrienes, 616. Part XXX, reaction of phenylmagnesium bromide and diphenylmagnesium with octachlorocyclotetraphosphazatetraene 1750. Part XXXI, reactions of hexachlorocyclophosphazatriene with aniline, 2023.
pentafluoride, reactions with methylamine, ethylamine, and t-butylamine, 1138.
trichloride and arsenic trichloride, reaction with transition-metal ion Schiff-base complexes, 1085.
sulphur monochloride, germanium tetrachloride. Synthesis by use of molecular carbon. Part II, 31.
trifluoride, reactions with primary amines, 1935.
Behaviour of some inorganic phosphates in strongly acidic solvents studied by phosphorus-31 nuclear magnetic resonance spectroscopy, 1146.
Crystal and molecular structure of 5-t-butyl-2-methyl-2-oxo-1,3,2-dioxaphosphorinan ($C_8H_{17}PO_3$), 1786.
of 2,6-dimethyl-4-phenylphosphorin, 567.
of 1,1-dimethyl-2,4,6-triphenylphosphorin, a phosphorus analogue of pyridine, 1832.
of triphenylphosphine oxide, 2778.
Mode of ionisation in molten phosphorus oxyhalide–gallium halide complexes, 848.
d Orbitals in positive, neutral, and negative phosphorus atoms, 1566.
Phosphine–borane derivatives. Part II, specifically deuteriated analogues of phosphine–borane, 2959. Part III, proton magnetic resonance spectroscopic study of methyl- and silyl-phosphine with $[^1H_6]$- and $[^2H_6]$-diborane, 2962.
complexes of iridium. Part I, preparation and properties of some cationic complexes, 2909.
oxide–actinide tetrahalide complexes, preparation, crystallographic, and infrared properties of, 497.
oxide and trimethylphosphine oxide, theoretical study of the electronic structure of, and the donor–acceptor properties of phosphine and trimethylphosphine, 2475.
Phosphonitrilic derivatives. Part XVIII, ionisation potentials, orbital symmetry and π-electron interactions, 151. Part XIX, dimethylaminofluorophosphonitriles and their reactions with hydrogen halides as a route to monosubstituted and non-geminal derivatives of the phosphonitrilic fluorides, 2324.
Preparation and properties of dithiopyrophosphoryl tetrafluoride $[F_2P(:S)\cdot O\cdot P(:S)F_2]$ and some thiophosphoryl difluoride derivatives, 2221.
of bis-(*N*-alkyl-*N*-diphenylphosphinoamino)phenylphosphines and their reactions with sulphur and methyl iodide, 2715.

Phosphorous (*contd.*)
Reactions of phosphorus and sulphur fluorides with di-alkylamino- and alkylthio-derivatives, 914.
Reinvestigation of the crystal structure of ammonium tetrametaphosphate, $(NH_4)_4P_4O_{12}$, 435.
Synthesis and properties of some silylphosphinoalkylamines, 1795.
of dichlorophosphinyl and dichlorophosphinothioyl derivatives of methylamine, 2732.
Theory for the intermolecular nucleus-electron scalar interaction and its application to dynamic polarisation results of phosphorus-31 nuclei, 1173.
Thermochemistry of phosphoryl(v) chloride complexes of titanium tetrachloride, 3331.
Vibrational spectra of the triphosphonitrilic fluoride chlorides, 109.
Photolysis, flash, of the nitrite ion in aqueous solution: excitation at 200 nm, 1982.
of *trans*-2,3-dimethylcyclopentanone, 627.
of 2-methylcyclopentanone, 3010.
Disproportionation of trifluoromethyl and isopropyl radicals, 1207.
Mercury ($^3P_1$)-photosensitised decomposition of keten and some reactions of triplet mesitylene, 2115.
Photochemistry of two phytyl quinones: α-tocopherylquinone and vitamin K_1, 2273.
Phytyl quinones, photochemistry of: α-tocopherylquinone and vitamin K_1, 2273.
Platinum(II), bis(pentafluorobenzenethiolato)bis(tributylphosphine)–, crystal structure of, 2781.
π-complexes of, with unsaturated hydrocarbons. Part II, crystal and molecular structure of *trans*-dichloro-(π-di-t-butylacetylene)-*p*-toluidineplatinum(II), 1873.
hydride complexes: effect of *cis*-ligands on *J*(Pt–H), 1938.
-(II), molecular structure of dinuclear complexes of. Part II, α- and β-forms of dichloro-di-μ-thiocyanato-bis(tri-n-propylphosphine)platinum(II), 2770.
-(II) olefin complexes, olefin rotation in. Part II, 1653.
–silicon bonds, preparation and properties of compounds containing, 1343.
-(II), some novel μ-sulphido- and tetrasulphido- complexes of, 1243.
zerovalent, fluorophosphine complexes of. Phosphorus–fluorine compounds. Part XVII, 321.
Additional information on the complex hydridochlorobis-(triphenylphosphine)platinum(II) in the solid state and in solution, 1694.
Bonding of carbon disulphide to transition metals: crystal structure of (carbon disulphide)bis(triphenylphosphine)platinum(0), 1767.
Complexes with ligands containing Group VB and VIB atoms. Part II, complexes of palladium(II) and platinum(II) halides with thiomorpholine and thiomorpholin-3-one, 2137.
Crystal and molecular structure of di-μ-chloro-[dichlorobis(trimethylarsine)]platinum(II): a quantitative assessment of the *trans*-influence of the trimethylarsine ligand, 168.
of tetracyanoethylenebis(triphenylphosphine)platinum-(0), 1313.
Crystal structure of dichloro-di-μ-(pentamethylbicyclo-[2,2,0]hexa-2,5-dienylmethyl)diplatinum(II), 535.
Improved synthesis of mononuclear platinum(0) compounds which contain tertiary phosphines and carbon monoxide, 1542.
Metal β-diketone complexes. Part VII, some reactions of the acid complexes $HPt(acac)_2X$ (X = Cl or Br), 1732.
4-Methylpent-4-en-2-one (isomesityl oxide) complex of platinum(II), 353.
Novel cationic palladium(II) and platinum(II) diolefin derivatives, 363.
Nuclear magnetic resonance spectra of some platinum and palladium π-allyl complexes and their reactions with sulphur dioxide, 9.
Phosphite and phosphonate complexes. Part I, synthesis and structures of dialkyl and diphenyl phosphonate complexes of palladium and platinum, 2080. Part II, nuclear magnetic resonance spectra of triphenyl phosphite and dialkyl and diphenyl phosphonate, complexes of rhodium, palladium, and platinum: an order of *trans*-influence for ligands in platinum(II) complexes, 2087.
Preparation and reactions of some ionic organoplatinum-(II) complexes, 1896.
of compounds containing platinum–silicon bonds from silicon hydrides and platinum(0) complexes, 881.
Reactions of low-valent metal complexes with fluorocarbons. Part X, reactions of tetrakis(methyldiphenylphosphine)platinum, 947. Part XI, chlorocarbonylbis(methyldiphenylphosphine)iridium and chlorodinitrogenbis(triphenylphosphine)iridium, 951.
Tri- and tetra-nuclear cluster compounds of platinum(0), which contain tertiary phosphines and carbon monoxide, 1538.
Vibrational spectra of some gold(I), palladium(II), and platinum(v) complexes with trialkylphosphines and trialkylarsines, 545.
Polarography. Redox properties of cobalt chelates with delocalised electronic structure, 2870.
Polycyclic compounds. Dislocations in *p*-terphenyl, 2939.
^1H nuclear magnetic resonance study of 1,10-phenanthroline in aqueous acid: isolation of bis(phenanthroline)–perchloric acid, 2827.
Molecular complexes. Part IX, crystal and molecular structure of 2-methyl-3-*N*-methylanilinomethyl-1,4-naphthoquinone, 2775.
Thermal isomerisation and dehydrogenation of *cis*-3a,7a-dihydroindene, 2529.
Vibrational spectrum of quinones. Part II, infrared spectrum of 1,4-naphthaquinone and 1,4-[$^2H_6$]naphthaquinone, 690.
Polymeric nature and structure of zinc(II) and cobalt(II) phosphinothionates, 3386.
Raman spectrum and vibrational analysis for poly-(tetrafluoroethylene), 2943.
Polynuclear compounds, chemistry of. Part XVIII, reactions of dodecacarbonyltriosmium and some related derivatives, 897. Part XIX, products from the reaction of dodecacarbonyltriruthenium with di-n-butyl ether, 901. Part XX, reactivity of hexadecacarbonylhexarhodium, 1100. Part XXI, cationic hydrido-carbonyl complexes of osmium, 2517. Part XXII, protonation of triosmium dodecacarbonyl and some related compounds, 2967.
Polypeptides. Dielectric study of dilute solutions of poly-γ-benzyl-L-glutamate, 1596.
Polyurethane foams, absorption by; new method of separation, 1082.

Potassium, liquid, reactions with oxides of niobium, 1465.
nitrilotrisulphonate dihydrate, crystal structure of, 1637.
nitrosodisulphonate, Frémy's salt, preparation of, by electrochemical oxidation of potassium hydroxylamine disulphonate, 1418.
tetranitratoaurate(III). Crystal structure of anhydrous nitrates and their complexes. Part V, 3092.
Preparation and investigation of a mixed valence complex of potassium. Manganese and cyanide containing manganese-(II) and -(III), 1379.
Precipitation of sparingly soluble alkaline-earth and lead salts: effects of chelating additives on nucleation and growth rates, 725.
Preparation and properties of diethylaluminium hydroborate, 342.
Propellanes. Part X, palladium complexes of azapropellanes, 1784.
Protactinium(V) fluorides, 3378.
quinquevalent, and quadrivalent actinide tropolonates, 3373.
Proteins and polypeptides. Part I, extended Hückel theory calculations on *trans*-peptides, 2464.
Pyrolyses in the presence of nitric oxide. Part I, ethane, 2329. Part II, n-butane, 2333. Part III, acetaldehyde oxime and nitrosoethane, 2337.
of 4-chlorobut-1-ene, 2058.
shock tube. Part I, thermal decomposition of isopropyl chloride, ethyl fluoride, and n-propyl fluoride, 2498.

Q

Quinol. Kinetics of the oxidation of quinol by aquomanganese(III) ions in aqueous perchlorate media, 676.
by aquovanadium(V) ions in perchlorate media, 1372.
Quinones, two phytyl, photochemistry of: α-tocopherylquinone and vitamin K_1, 2273.
Vibrational spectrum of quinones. Part II, infrared spectrum of 1,4-naphthaquinone and 1,4-[$^2H_6$]naphthaquinone, 690.

R

Radiolysis of aqueous solutions of ruthenium(III) hexaammine chloropenta-ammine, 1246.
Unstable intermediates. Part LXXVII, paramagnetic centres in γ-irradiated hydrogen chloride and cæsium hydrogen chloride, 2255.
Raman spectroscopic study of the structure of tellurium tetrachloride in the gas phase and in solution in acetonitrile and benzene, 329.
Relaxation times, proton spin–lattice, in some non-ionic micellar solutions, 2251.
Rhenium, alkylimido-(or alkylnitrene) complexes of, 2239.
-(V) chloride, reactions of, 1617.
-(I), nitratopentacarbonyl-, 3333.
Rhodium and iridium complexes. Transition-metal dithiolene complexes. Part XII, 1621.
-(III) complexes, structural investigations on. Part II, crystal structure of *mer*-trichlorobis-(*o*-dimethylaminophenyldimethylarsinerhodium(III), 14.
(π-cyclopentadienyl)bis(π-ethylene)rhodium-. Reactions of low-valent metal complexes with fluorocarbons. Part XIII, 3158. Part XV, acetylacetonatobis(methyldiphenyl- or triphenyl-phosphine)rhodium, 3166.
hexadecacarbonyl-, reactivity of. Chemistry of polynuclear compounds. Part XX, 1100.
-(III), superoxide-bridged binuclear complexes of, 2523.
Anionic ruthenium(III) and rhodium(III) complexes of tertiary monophosphines and arsines, 889.
Crystal structure and stereochemistry of the solvated complex dichlorodipyridine-[*o*-(di-*o*-tolylphosphino)-benzyl]rhodium(III)–0·61 chloroform: the *trans*-influence of ligands in octahedral complexes, 1601.
Dihalogenodi-[1,2-bis(dimethylphosphino)ethane]rhodium(III) and related carbonyl- and hydrido-complexes, 1411.
Electrochemical reduction of *trans*-$[Rh(en)_2Cl_2]^+$ and subsequent reactions with oxygen, 3126.
Further studies on hydridocarbonyltris(triphenylphosphine)rhodium(I): intermediate species in hydroformylation: rhodium and iridium analogues, 1392.
Hydridocarbonyltris(triphenylphosphine)rhodium(I). Part I, inactivation of catalytic reactions, 937. Part II, isomerisation of n-pentenes and hex-1-ene, 941.
Ion pairing and possible nucleophilic assistance in anation reactions of some aquorhodium(III) complexes, 1745.
Kinetic studies on 4*d* and 5*d* transition-metal complexes. Part VI, kinetic study of the azidopenta-amminerhodium(III) ion in acidic aqueous solutions, 445.
Reactions of *trans*-chlorodicarbonyl(cyano-olefin)rhodium complexes of the type *trans*-$[Rh(CO)_2LXCl]$ (L = ligand, X = cyano-olefin) with bidentate ligands, 474.
Substitution reactions of the hydridopentammine-rhodium(III) ion, 356.
Ruthenium, a deprotonated ethylenediamine complex of, 2598.
-(II) chloride, blue solutions of: a cluster anion, 1791.
-(III) hexa-ammine chloropenta-ammine, radiolysis of aqueous solutions of, 1246.
osmium, and iridium, polynuclear nitrido-complexes of, 1117.
-(0), preparation and properties of nitrosyl complexes of, 2149.
-(II), reactivity and structure of dinitrogen complexes of, 1479.
Anionic ruthenium(III) and rhodium(III) complexes of tertiary monophosphines and arsines, 889.
Chemistry of polynuclear compounds. Part XIX, products from the reaction of dodecacarbonyltriruthenium with di-n-butyl ether, 901.
Crystal and molecular structure of tri-μ-chloropentacarbonyl(trichlorostannyl)diruthenium, 245.
Crystal structure of octacarbonylbis-μ-[bis(dimethylarsino)tetrafluorocyclobutene-*AsAs*]-*triangulo*-triruthenium, 3246.
Preparative uses of blue solutions of ruthenium(II): ruthenium-(II) and -(III) complexes with amines, nitriles, phosphines, etc., 2765.
Relative affinities of tertiary phosphines, tertiary arsines, or phosphites (L) for ruthenium in complexes of type $[RuHCl(CO)(PR_2Ph)_2L]$ (R = alkyl), 1556.
Structures of dicarbonylcyclopentadienylruthenium dimer $[\{Ru(\pi\text{-}C_5H_5)(CO)_2\}_2]$ and some related complexes in solution, 2128.

S

Scandium, co-ordination chemistry of. Part III, complexes of scandium(III) perchlorate with uni- and bi-dentate oxygen donor ligands, 141.
Screening. Proton nuclear magnetic resonance studies of the variation of ' neighbours anisotropy ' screening with composition of mixtures, and some comments on its relationship to the thermodynamics of solutions, 1111.
Selenium(II), co-ordination of: crystal structure of 1,4-diselenocyanatobenzene, 2044.
Solutions in selenic acid. Part VI, correlation of conductivities in selenic, sulphuric, and phosphoric acids, 118.
β-Silicon carbide and uranium monocarbide, high-temperature reaction between, 35.
–platinum bonds, preparation and properties of compounds containing, 1343.
polyfluoroalkyl compounds of. Part IX, silanes containing the bis(trifluoromethyl)amino-group, 2285.
Tetrahalides, mass spectra of: metastable ions, 1162.
Chemical production and trapping of methyl radicals at silica surfaces, 2170.
Conversion of arylsilanes, arylchlorosilanes, and siloxanes into chlorosilanes, 1641.
Crystal and molecular structure of 2,2,4,4,6,6-hexamethyl-1,3,5-tris(trimethylsilyl)cyclotrisilazane, $C_{15}H_{45}N_3Si_6$, a compound containing a six-membered ring in the ' boat ' form, 2724.
Electric discharge reactions of silane and germane with some volatile Group VI species, 3134.
Electron diffraction determination of the molecular structure of tetrasilylhydrazine, 318.
Electron spin resonance study of some silyl radicals, 348.
Halogenodisilanes, 2587.
Hydrothermal chemistry of silicates. Part XV, synthesis and nature of some salt-bearing aluminosilicates, 2735.
Nuclear magnetic resonance spectra of phenylsilane, phenylgermane, and their anions: comments on the relative acidities of phenylgermane and germane, 1401.
Preparation and properties of some primary silyl- and germyl-arsines, 3131.
of some trifluorosilyl esters of perfluorocarboxylic, 1222.
of trimethylsilylated cyclosiloxazanes: a new anionic rearrangement of *N*-lithiocyclosiloxazanes, 1587.
Preparation of compounds containing platinum–silicon bonds from silicon hydrides and platinum(0) complexes, 881.
Preparative and spectroscopic studies of silylamines, 279.
Reactions of tungsten hexafluoride with alkylalkoxy- and alkylphenoxy-silanes, hexamethyldisiloxane, and dimethyl ether, 2574.
Reinvestigation of the enthalpies of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 3327.
Silicates, hydrothermal chemistry of. Part XIV, zeolite crystallisation in presence of mixed bases, 1470.
Synthesis and properties of some silylphosphinoalkylamines, 1795.
Trimethylsilyl derivatives for the study of silicate structures. Part I, direct method of trimethylsilylation, 2683.
Unstable intermediates. Part LXXXI, election spin resonance spectra of γ-irradiated methylsilanes: methylsilyl radicals, 3084.
Vibrational spectra of some trialkoxysilanes, 2664.
vibrational analysis, and shapes of some 1 : 1 and 1 : 2 addition compounds of Group IV tetrahalides with trimethylamine and trimethylphosphine, 370.
Silver(II), co-ordination complexes of. Part IV, crystal and molecular structure of silver(II) bis(pyridine-2,6-dicarboxylate) monohydrate, 1405.
halides, phase transitions in: silver iodide and its solid solutions with silver bromide, 3087.
Metal β-diketone complexes. Part VI, some β-diketone complexes of copper(I), silver(I), and gold(I), 367.
Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XI, further measurements on the cell $H_2|HI|AgI–Ag$ in methanol–water mixtures, 361.
Sodium. Composition and heat of combination of a double oxide of chromium and sodium, 1908.
Composition and heat of combination of a double oxide of iron and sodium, 1913.
Solids, tables for factor-group analysis of the vibrational spectra of, 2822.
Solubility of benzoic acid in aqueous solutions of some monododecyl polyoxyalkanols. Non-ionic surface-active agents. Part VII, 1459.
product of silver chloride in 20·22 and 33·4% (w/w) methanol–water mixtures at 25°: and revision of earlier data. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XII, 837.
Extraction of hydrochloric acid and sulphuric acid by solutions of tributyl phosphate in carbon tetrachloride, benzene, and chloroform, 1271.
Solvent extraction studies. Part VII, the ammonia–tri-n-butyl phosphate system, 3242.
Solution chemistry in substituted sulphuric acids. Part I, conductimetric investigations of the ionisation of some solutes in methanesulphonic acid, 2712.
Sorption of ammonium chloride vapour in zeolites. Part I, hydrogen chloride and ammonia, 765. Part II, mixture of hydrogen chloride and ammonia, 775.
of furans on silica gels, 84.
Spectra, charge-transfer, low-temperature, of hexahalogeno- iridates(IV) and -osmates, 100.
charge-transfer, of some complexes of ruthenium, rhenium, osmium, iridium, and platinum halides with tertiary phosphines and tertiary arsines, 587.
Crystal field environments provided by the sulphate ligand, 977.
electronic and e.s.r., of diamminocopper(II), trithiocyanatoargentate(I) and iodobis-(2,2′-bipyridyl)copper(II) iodide, 806.
absorption and stereochemistry in $[CuN_5]^{3+}$ and $[CuN_6]^{2+}$ chromophores, suggested correlation between, 3095.
of Group VIB tervalent halides and complex halides: effects of intermetallic bonding and lattice interactions, 2447.
electron spin resonance, and bulk paramagnetism studies of some diarylbis(diethylphenylphosphine)cobalt(II) complexes, 3003.
of aqueous vanadyl tartrate solutions, 922.
of the BrO_3 radical in γ-irradiated potassium bromate. Oxides and oxy-ions of the non-metals. Part XI, 918.

Spectra (*contd.*)
of the chlorate anion centre in irradiated barium sulphate. Oxides and oxyanions of the non-metals. Part XII, 1235. Part XIII, electron spin resonance studies of the PO_4^{2-} radical and related species in γ-irradiated phosphates, 1239.
of the complex ions $[Fe(NO_2)(CN)_5]^{5-}$ and $[Fe(CN)_5NO]^{3-}$, 339.
of the copper(II) ion incorporated into barium chloride dihydrate, 2099.
of the effect of environment upon the hyperfine parameters for CO_2^- and NO_2. Unstable intermediates. Part LXXIX, 3075. Part LXXX, electron spin resonance investigation of the $[Ag–Cd]^{3+}$ and Cd_2^{3+} diatomic cations, 3080. Part LXXXI, electron spin resonance spectra of γ-irradiated methylsilanes: methylsilyl radicals, 3084.
of exchange and dipole–dipole coupling in copper(II) chelates of cyclopentanetetracarboxylic acid and related systems, 968.
of ferricinium salts, 3202.
of the formation of mixed-ligand chelates of copper(II) with amino-acids and certain 3,4-dihydroxyphenols, 723.
hyperfine splittings in alkyl radicals by use of a semi-empirical molecular orbital method, 1294.
of exchange coupling in the copper(II) chelate of 2,5-diethoxalylcyclopentanone, 2600.
of γ-irradiated trimethyl phosphate. Unstable intermediates. Part LXXI, 1334. Part LXXII, electron spin resonance spectral evidence for the existence of the $(AgH)^+$ and $(Ag_2H)^{2+}$ radical cations, 1336. Part LXIII, spectra, e.s.r., of peroxyl radicals formed from vanadium(v), 1889. Part LXXIV, electron spin resonance study of the optical and radiation damage of poly-(2,6-dimethylphenylene oxide), 1955. Part LXXV, electron spin resonance studies of the effect of environment upon the hyperfine parameters for PO_3^{2-} and NO_3^{2-}, 1998. Part LXXVI, electron spin resonance study of radiation damage in persulphate crystals: interconversion of $S_2O_8^-$ and SO_5^- radicals induced by light and heat, 2000.
study of the radicals AsO_4^{2-} and VO_4^{2-} formed by γ-irradiation of arsenate and vanadate in calcium tungstate. Oxides and oxyions of the non-metals. Part XIV, structure and reactivity of the oxyanions of transition metals. Part XIX, 2367.
of the radicals O_3PF^- and O_2PF_2. Unstable intermediates. Part LXVIII, 1323. Part LXIX, trapped electrons: an electron spin resonance study of radiation damage in hydrogen cyanide and methyl cyanide, 1326. Part LXX, electron spin resonance study of silver radicals trapped in frozen aqueous sulphuric acid, 1329.
of the reaction of sulphide and dithionite with some iron(I) and iron(II) complexes: valency and stereochemistry of iron in reduced non-hæm iron products, 2038.
of reduction by solvated electrons in liquid ammonia. Part III, aromatic carboxylic acids, 2227.
of some complexes of manganese(II) with chelating ligands, 1133.
of some perchlorate, thiocyanate, or iodide complexes of manganese(triphenylphosphine or triphenylarsine oxides) of the type $Mn(Ph_3XO)_4Y_2$, 1352.
of some silyl radicals, 348.
of vanadium(II). Part I, V^{2+} in single crystals of lithium fluoride and sodium fluoride, 300. Part II, V^{2+} in single crystals of AgCl, 303. Part III, covalency factors derived from a correlation of the cubic crystal-field splittings from optical and electron spin resonance measurements of V^{2+} in lithium chloride, sodium chloride, potassium chloride, silver chloride, silver bromide, and cadmium chloride, 2700.
far-infrared and Raman, of the tetra-alkylammonium salts of mixed tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), $[R_4N][MX_3Y]$, 2590.
of tetrahalogeno-complexes of arsenic(III), antimony(III), and bismuth(III), 326.
far-infrared, of four-co-ordinate planar gold(III) complexes, 2408.
of palladium(II)–halogen complexes with chelating ligands containing nitrogen and σ carbon as donor atoms, 531.
gas-phase Raman, and resonance fluorescence, of some halides of germanium, tin, lead, and tellurium, 2429.
of P_4, P_2, As_4, and As_2: the resonance fluorescence spectrum of $^{80}Se_2$: resonance fluorescence–Raman effects in the gas-phase spectra of sulphur and iodine: effect of pressure on the depolarisation ratios for iodine, 2071.
of some dihalides of zinc and mercury, of '$GaCl_2$' and of $GaCl_2Br$ and $GaBr_2Cl$, 2433.
infrared, of co-ordinated BH_3 and BH_4 groups as proton acceptors in hydrogen bonding, 410.
of the products of thermal decomposition of oxysulphur salts, 137.
of $[(\pi\text{-}C_5H_5)Fe(CO)_2]_2$ and related compounds in hydroxylic solvents, 2133.
of some adducts with proton transfer. Hydrogen bonding in some adducts of oxygen bases with acids. Part V, 418.
(700—200 $cm.^{-1}$) of some π-cyclopentadienyl–metal carbonyls and their substituted derivatives, 1382.
mass, ionisation potentials, and bond energies of the Group VIIA decacarbonyls, 2102.
of the complexes of copper(II) and nickel(II) with *o*-benzoquinone mono-oximes, 2645.
of inorganic molecules. Part VI, transition-metal hydride complexes, 1684.
of iodine pentoxide and a novel reaction with copper, 2349.
of perhalogeno-aromatic compounds, fragmentation and rearrangement processes in. Part III, phenyl and pentafluorophenyl derivatives of Group V, 1881.
of the silicon tetrahalides: metastable ions, 1162.
of some Group III alkoxides, 2347.
Detection of geometrical isomers by fractional sublimation in a mass spectrometer, 822.
molecular, of quasi-aromatic heterocyclic compounds. Part I, the thiuret cation, 1386.
Mössbauer and other data on the oxides and oxyanions of tellurium, 1665.
and vibrational, and synthesis of tin(IV) fluorosulphate and dichlorotin(IV) fluorosulphate, 2188.
^{197}Au, spectroscopy on some aurous and auric complexes, 1484.

Spectra (*contd.*)
determination of the sign of the quadrupole coupling constant, e^2qQ, in tin compounds by, 2503.
effect and chemistry. Part IV, stereochemistry of organotin complexes and results for organotin dithiocarbamates, 935.
in tin(II) compounds. Part VII, spectra of the complexes of tin(II) compounds with some oxygen- and some sulphur-containing donor molecules, 145.
of dichlorodimethylbis(pyridine *N*-oxide)tin(IV) in an externally applied magnetic field, 3235.
of some tellurium complexes, 212.
quadrupole splittings in tetra-organotin compounds, 928.
study of structure and bonding in iron(II) low-spin compounds, 956.
nuclear magnetic resonance, analysis of the type $[AMX_n]_2$, assuming $J_X = 0$, 3050.
and synthetic studies on hexaco-ordinate fluorophosphate anions containing phosphorus–hydrogen bonds. Phosphorus–fluorine compounds. Part XIX, 2075.
fluorine-19, of inductive and mesomeric effects in tertiary phosphine gold phenyl complexes, 1216.
fluorine-19 of silicon(IV), germanium(IV), and titanium(IV) fluoro-complexes. Spectroscopic studies of inorganic fluoro-complexes, Part III, 2569.
fluorine-19, of some titanium tetrafluoride diadducts, 2296.
fluorine-19. Partial second-order effects in $[A_mB_nX]$ systems: reinterpretation of the fluorine-19 nuclear magnetic resonance spectrum of cæsium *trans*-bis(trifluoromethyl)tetrafluorophosphate, $Cs^+[(CF_3)_2PF_4]^-$, 1074.
Molecular complexes. Part VI, procedure for investigating molecular interactions in solution by nuclear magnetic resonance spectroscopy, 931.
nitrogen-14 and -15. Part III, diamagnetic correction and the absolute scale of nitrogen chemical shift, 2196.
Nitrogen nuclear magnetic resonance. Part I, the nitroso (nitrosyl) group, 296.
notation for spin systems in, 1682.
of fluorine-containing compounds. Part I, antimony pentafluoride and its reactions with antimony trifluoride, arsenic trifluoride, and niobium pentafluoride, 1054.
of the keto–enol equilibria in triketone ligands. Metal–triketone complexes. Part I, 2605. Part II, copper complexes exhibiting antiferromagnetism, 2608.
of phenylsilane, phenylgermane, and their anions: comments on the relative acidities of phenylgermane and germane, 1401.
of some platinum and palladium π-allyl complexes and their reactions with sulphur dioxide, 9.
on fluorine-containing compounds. Part II, reactions of niobium pentafluoride with organic donor molecules, 1224.
phosphorus-31, elucidation of the reaction of phosphorus pentachloride and ammonium chloride by, 3025.
study of some inorganic phosphates in strongly acidic solvents, 1146.
proton, of 1,10-phenanthroline in aqueous acid: isolation of bis(phenanthroline)–perchloric acid, 2827.
proton, of free and hydrogen-bonded thiocyanic, cyanic, and hydrazoic acids, 583.
proton, of the variation of 'neighbour anisotropy' screening with composition of mixtures, and some comments on its relationship to the thermodynamics of solutions, 1111.
proton and boron-11, of the triborohydride in $(B_3H_8^-)$, low-temperature and paramagnetic effects on, 1160.
nuclear quadrupole resonance, of chlorine in some d^9-transition-metal complexes, 1029.
of complexes of conjugated ligands. Part IV, zero differential overlap calculations on phenanthroline and its mono-complexes, 1190.
optical absorption, bandshapes of Acridine Orange, Thionine, and Methylene Blue in monomeric and dimeric states, 1340.
polarised single-crystal electronic, of dichlorobis(triphenylphosphine)nickel(II), 571.
proton magnetic resonance, of methyl- and silyl-phosphine with $[^1H_6]$- and $[^2H_6]$-diborane. Phosphine–borane derivatives, 2962.
Identification of *syn*- and *anti*-isomers of a *cis*-co-ordinated dithioether ligand by proton magnetic resonance spectroscopy, 3266.
Raman, and structures in the gallium–chlorine system, 2812.
and vibrational assignment for poly(tetrafluoroethylene), 2943.
and vibrational assignments of hexacyano-complexes, 858.
of the germyl ion and liquid ammonia, 1859.
studies on rock-forming minerals. Part II, minerals containing MO_3, MO_4, and MO_6 groups, 286.
single-crystal and electron spin-resonance, of bis(diethylenetriamine)copper(II) nitrate, 1090.
of 2,2′-bipyridylbis(hexafluoroacetylacetonato)copper(II), 2794.
of bis(aquo)monoacetylacetonatocopper(II) picrate, 1725.
of bis-(3-methylpentane-2,4-dionato)copper(II), 1420.
of calcium copper(II) acetate hexahydrate, 1877.
of dichlorobis-(2-methylpyridine)copper(II), 2799.
of the rhombically compressed complex bis(methoxyacetato)diaquocopper(II), 2640.
single-crystal polarised, and paramagnetic anisotropy of five-co-ordinate, square pyramidal cobalt(II) complexes, 3283.
nickel(II) complexes, 3269.
single-crystal Raman, of arsenolite (As_4O_6) and senarmonite (Sb_4O_6). The gas-phase Raman spectra of P_4O_6, P_4O_{10}, and As_4O_6, 449.
of nearly opaque materials: Iron(III) oxide and chromium(III) oxide, 980.
vibrational and electronic, of transition-metal carbonyl complexes. Part VII, infrared spectra of some cyclopentadienyl-metal carbonyl complexes, 480.
of transition-metal carbonyl complexes. Part VIII, infrared spectra of some methyl-π-cyclopentadienyl complexes, 1040.
and mass, of trimethylsilylgermane, 1,1,1-trimethyldigermane and related species, 3250.
and Mössbauer, and preparations of tin(II) species of the types SnX_3^- and SnX_2Y^- (X, Y = Cl, Br, or I), 2687.
and preparation of square-planar palladium(II) complexes of the type *trans*-$PdX_2(SR_2)_2$, 659.

Spectra (*contd.*)
and structures of the 1 : 1 complexes of niobium and tantalum pentachlorides and tantalum pentabromide with aceto-, perdeuterioaceto-, and propionitriles in the solid and solution states and a vibrational analysis of the species $MX_5,NC{\cdot}CY_3$ (Y = H or D), 2236.
of acetylacetone and its anion, 1558.
of π-benzenetricarbonylchromium and related compounds, 814.
of the chloro- and bromo-π-allylpalladium dimers and of the π-2-methylallyl analogues, 1808.
of quinones. Part II, infrared spectrum of 1,4-naphthaquinone and 1,4-[$^2H_6$]naphthaquinone, 690.
of solids, tables for factor-group analysis of, 2822.
of some gold(I), palladium(II), and platinum(II) complexes with trialkylphoshines and trialkylarsines, 545.
of some oxide halides of the transition elements with particular reference to gas-phase and single-crystal Raman spectroscopy, 1210.
of some trialkyloxysilanes, 2664.
of the triphosphonitrilic fluoride chlorides, 109.
vibrational analysis, and shapes of some 1 : 1 and 1 : 2 addition compounds of Group IV tetrahalides with trimethylamine and trimethylphosphine, 370.
Spectrophotometric study of aqueous solutions of thallium(I) chloride in the presence of added chloride ions, 651.
Spectroscopic studies on pyridine *N*-oxide complexes of iron(III), 2105.
vibrational, of internal rotation of symmetrical groups. Part I, evidence for a high barrier to internal rotation in methylpentacarbonylmanganese, $CH_3Mn(CO)_5$, 1129.
high-temperature gas-phase Raman: evidence for the existence and molecular structure of the interpnictides As_2P, As_3P_2, and AsP_2 in mixtures of phosphorus and arsenic vapours and SbP_3 in mixtures of phosphorus and antimony vapours, 2307.
nitrogen n.m.r. Part II, nitro(nitryl) and nitrate groups, 1763.
n.m.r., electric-field effects in. Part III, ^{13}C–^1H spin–spin coupling constants, 1852. Part IV, substituted β-diketone complexes, 1855.
Stability constants of silver(I) and cadmium(II) complexes with hydroxy-amidines. Complexes of d^{10} ions with amides and amidines. Part II, 1439.
Stereochemistry of flexible-chelate–metal chelate. Part II, crystal structure of dichloro(tetrahydrogenethylenediaminetetra-acetato)palladium(II) pentahydrate, 1008.
of hexachloroantimony(III) compounds, 2971.
of molecules containing the C=C=N group. Part IV, *X*-ray determination of the molecular structure of *N*-*p*-tolyl-2,2-diphenylvinylideneamine and *N*-*p*-bromophenyl-2,2-diphenylvinylideneamine, 2053.
Substitution at saturated carbon. Part IV, bimolecular electrophilic substitution of tetraethyltin by mercuric chloride in methanol–water mixtures: kinetics, mechanism, and activation paramaters, 188. Part V, bimolecular electrophilic substitution of several tetra-alkyltins by mercuric chloride in methanol–water mixtures: kinetics, mechanism and activation parameters, 193. Part VI, heats of solution of tetraethyltin and mercuric chloride in methanol–water mixtures and the enthalpy of transfer from methanol to aqueous methanol of tetraethyltin–mercuric chloride transition state, 199. Part VII, thermodynamics of solution of mercuric chloride in methanol–water mixtures, 203.
reactions of dihydridotetracarbonyliron, 634.
Sulphur dioxide insertion reactions of σ-bonded alkylcobalt(III) compounds, 2153.
monochloride, germanium tetrachloride, and phosphorus trichloride. Synthesis by use of molecular carbon. Part II, 31.
Covalency in metal ion–sulphate interaction, 451.
Reactions of phosphorus and sulphur fluorides with dialkylamino- and alkylthio-derivatives, 914.
Structure of tetrasulphur tetranitride, 2174.
Sulphanuric compounds, trimeric, synthesis of: methylsulphanuric dichloride, bis(dichlorophenyl)sulphanuric chloride, di-(n-octylamino)- and bis(diethylamino)-sulphanuric fluoride, 1659.
Sulphate ligand, crystal field environments provided by, 977.
Sulphuric acid solutions, improved Beckmann cryoscopic method for: use of dilute oleum as a cryoscopic solvent, 2177.
Thermal decomposition of oxysulphur salts and the infrared spectra of their products, 137.
Surface-active agents, non-ionic. Part VII, solubility of benzoic acid in aqueous solutions of some monododecyl polyoxyalkanols, 1459.
Surface reactions. Chemical production and trapping of methyl radicals at silica surfaces, 2170.

T

Tantalum and niobium, co-ordination complexes of. Part VIII, complexes of niobium(IV), niobium(V), and tantalum(V) with mixed oxo, halogeno, alkoxy, and 2,2′-bipyridyl ligands, 3382.
Reactions of 8-hydroxyquinoline with covalent halides. Part IV, pentachlorides and pentabromides of niobium and tantalum, 703.
Tautomerism in dienedicarbonylcobalt dimer complexes, $[\{Co(\pi\text{-diene})(CO)_2\}_2]$, 2123.
Technetium oxide tetrafluoride, trimeric fluoride crystal structures. Part XII, 2521.
Tellurium complexes, Mössbauer spectra of, 212.
oxides and oxyanions of, Mössbauer and other data on, 1665.
tetrachloride, study of the structure in the gas phase and in solution in acetonitrile and benzene by use of Raman spectroscopy, 329.
Thallium, cyclopentadienyldimethyl- and phenylethynyldimethyl-, 2157.
Crystal structure of hydroxobis(pentafluorophenylthallium(III), 1287.
of trimethylthallium, 28.
Kinetics and mechanism of the reduction of thallium(III) by hypophosphite, 256.
Spectrophotometric study of aqueous solutions of thallium(I) chloride in the presence of added chloride ions, 651.
Thallous–thallic exchange in solutions of the chloroacetic acids, 323.
Thermal decomposition and spectra of some anhydrous and some hydrated metal chloride dioxan adducts, 1442.

Thermal decomposition (*contd.*)
of alkali-metal dialkylberyllium hydrides, 156.
of the diazirines. Part IV, 3-chloro-3-ethyldiazirine, 3-chloro-3-n-propyldiazirine, 3-chloro-3-isopropyldiazirine, and 3-chloro-3-t-butyldiazirine, 1916.
of oxalates. Part XI, dehydration of calcium oxalate monohydrate, 2809.
of oxysulphur salts and the infrared spectra of their products, 137.
Thermal isomerisation and dehydrogenation of *cis*-3a,7a-dihydroindene, 2529.
of methyl-, trifluoromethyl-, methoxy-, and hydrogen-substituted fluorinated benzene isomers, 2109.
Thermochemistry of cobalt(II) chloride pyridine complexes, 1141.
of phosphoryl(V) chloride complexes of titanium tetrachloride, 3331.
of some acetonitrile and benzonitrile complexes of transition-metal halides, 2903.
of some complexes of titanium tetrachloride with organic ligands, 3229.
of thiourea complexes of the type $[M^{II}(tu)_4Cl_2]$ (M^{II} = manganese, iron, cobalt, nickel, zinc, cadmium, and mercury), 1020.
Composition and heat of combination of a double oxide of chromium and sodium, 1908.
Composition and heat of combination of a double oxide of iron and sodium, 1913.
Contribution to the variation with coverage of the isosteric heat of adsorption on a square lattice and in incompletely separated cells, 2859.
Cyclic boron compounds: ring strain in the β-phenyl and β-butyl dioxaboron heterocycles, 3339.
Heterocyclic chelating agents. Part IV, calorimetric studies with complexes of 2- and 4-(2-pyridyl)imidazole, 689.
High-temperature reaction between uranium monocarbide and β-silicon carbide, 35.
Substitution at saturated carbon. Part VI, heats of solution of tetraethyltin and mercuric chloride in methanol–water mixtures, and the enthalpy of transfer from methanol to aqueous methanol of the tetraethyltin–mercuric chloride transition state, 199. Part VII, thermodynamics of solution of mercuric chloride in methanol–water mixtures, 203.
Thermochemical and spectroscopic properties of transition-metal complexes. Part II, cobalt complexes of the type CoL_2X_2 (L = *o*-, *m*-, or *p*-fluoroaniline, and X = chlorine, bromine, or iodine), 795.
Thermodynamics and kinetics of oxidation of Pr_2O_3 and Tb_2O_3 to non-stoicheiometric oxides, 64.
considerations in co-ordination. Part IV, calorimetric studies on histamine [4(5)-(2-aminoethyl)imidazole] and isohistamine [2-(2-aminoethyl)imidazole], 2062. Part VII, solubility of the histidine–H^+ system and stability constants, free energies, enthalpies, and entropies of protonation of histidine and tryptophan and of formation of their manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes, 1550. Part VIII, calorimetric and potentiometric study of complex formation between some lanthanide(III) ions and histidine, 3138.
of actinide elements. Part II, heats of solution in aqueous hydrochloric acid of $PaCl_4$(c), $PaBr_4$(c), PaI_4(c), and UCl_4(c), 763.
of ion association. Part XX, interpretation of the enthalpy changes, 1125.
of proton ionisation in aqueous solution. Part XII, $\Delta H°$, $\Delta S°$, and $\Delta C_p°$ values for hydrocyanic acid dissociation at 10, 25, and 40°, 454.
of proton transfer processes involving ammonium and some substituted ammonium ions in ethylene glycol, 2034.
of solutions. Proton nuclear magnetic resonance studies of the variation of 'neighbour anisotropy' screening with composition of mixtures, and some comments on its relationships to the thermodynamics of solutions, 1111.
parameters for dissociation of t-butyl- and trimethylsilyl-substituted acids: re-evaluation of the results of the Chatt and Williams experiment. Acid–base equilibria of substituted benzoic acids. Part II, 1024.
properties of organic oxygen compounds. Part XXIII, low-temperature heat capacity and entropy of C_6, C_7, and C_8 ketones, 833.
Chemical combinatorics. Part I, chemical kinetics, graph theory, and combinatorial entropy, 729. Part II, third law of thermodynamics, 737.
Chemical equilibria. Part III, dehydrogenation of pentan-1-ol, pentan-2-ol, and 3-methylbutan-2-ol, 1284.
Desolvation of solid complexes of 1,7-diacetoxy-2,4,6-trinitro-2,4,6-triazaheptane with organic solvents, 3137.
Growth of crystals from the gas phase. Part I, diffusional limitations and interfacial stability in crystal growth by dissociative sublimation, 2657.
Half cell potential of the Pd, Pd^{2+} couple in 3·94-molal perchloric acid and the entropy of Pd^{2+}(aq), 2514.
Predictions of the enthalpies of protonation of amines: log *K*, ΔH, and ΔS values for the protonation of ethylenediamine and tri-, tetra-, penta-, and hexa-methylenediamine, 2202.
Reactivity differences between hæmoglobins. Part XVIII, reaction of sperm whale metmyoglobin and some methæmoglobins with methylamine, 1368.
Reinvestigation of the enthalpies of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 3327.
Sorption of ammonium chloride vapour in zeolites. Part I, hydrogen chloride and ammonia, 765. Part II, mixture of hydrogen chloride and ammonia, 775.
Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part XII, solubility product of silver chloride in 20·22 and 33·4% (w/w) methanol–water mixtures at 25°; and revision of earlier data, 837. Part XIII, free energies of transfer of barium chloride from water to 10, 20, and 40% (w/w) methanol–water mixtures; and of strontium chloride to the 20% mixture at 25 °C: the behaviour of amalgam electrodes of the alkaline earth metals, 3121.
Thiophen, dibenzo-, structure of, 1561.
Thiourea complexes of tin(II) compounds, 173.
of the type $[M^{II}(tu)_4Cl_2]$ (M^{II} = manganese, iron, cobalt, nickel, zinc, cadmium, and mercury), 1020.
Thiuret cation. Molecular spectra of quasi-aromatic heterocyclic compounds. Part I, 1386.
Thorium molybdate, its synthesis and use for the quantitative separation of iron(III) from zinc(II), cobalt(II), and copper(II), 1204.
-(IV) tetrakis-(*NN*-diethyldithiocarbamate) structure of, 423.

Tin(II) compounds, Mössbauer effect in. Part VII, spectra of the complexes of tin(II) compounds with some oxygen- and some sulphur-containing donor molecules, 145.
-(II) compounds, thiourea complexes of, 173.
-(IV) fluorosulphate and dichlorotin(IV) fluorosulphate, synthesis, Mössbauer and vibrational spectra of, 2188.
tertiary butyl derivatives of, 2987.
tetraphenyl-, crystal structure of, 911.
Crystal and molecular structure of the monoclinic modification of *NN*-dimethyldithiocarbamatotrimethylstannane, 493.
of the orthorhombic modification of *NN*-dimethyldithiocarbamatotrimethylstannane, 490.
Crystal structure of *cis*-dichloro-*cis*-bis(dimethylsulphoxide)-*trans*-dimethyltin(IV), 1257.
and Mössbauer spectrum of dimethyltin dichloride, 2862.
Determination of the sign of the quadrupole coupling constant, e^2qQ, in tin compounds by Mössbauer spectroscopy, 2503.
Effect of water on dielectric relaxation in the tin(IV) chloride–benzene system, 351.
Mössbauer effect and chemistry. Part IV, stereochemistry of organotin complexes and results for organotin dithiocarbamates, 935.
quadrupole splittings in tetra-organotin compounds, 928.
spectrum of dichlorodimethylbis(pyridine *N*-oxide)-tin(IV) in an externally applied magnetic field, 3235.
Organometallic and 'simple' Schiff-base chelates of tin(IV), 3060.
diazoalkanes. Part I, synthesis and characterisation of simple Group IVB organometallic diazomethanes, and the tin–carbon cleavage reactions of bis(trimethylstannyl)diazomethane, 2954.
Preparations, vibrational spectra, and Mössbauer spectra of tin(II) species of the types SnX_3^- and SnX_2Y^- (X, Y = Cl, Br, or I), 2687.
Synthesis and ion-exchange properties of stannic arsenates: separation of Fe^{3+} from Ni^{2+}, Co^{2+}, Mn^{2+}, Ca^{2+}, and Al^{3+}; separation of Al^{3+} from Mg^{2+} and In^{3+}, 1986.
Synthesis and properties of stannic arsenate, 272.
Titanium and iron, absorption of non-polar gases on, 2003.
antimonates, synthesis and ion-exchange characteristics of, 1488.
-(IV), chloro-π-cyclopentadienylbis-8-quinolinolato-, crystal and molecular structure of, 2545.
tetrachloride, complexes with organic ligands, thermochemistry of, 3229.
phosphoryl(V) chloride complexes of, thermochemistry, 3331.
six- and eight-co-ordinate complexes of, 2199.
tetrafluoride diadducts, fluorine-19 nuclear magnetic resonance spectral study of, 2296.
tungstate, new stable synthetic; use for separation of Ga^{3+} from Fe^{3+}, Al^{3+}, and In^{3+}: effect of drying on its stability and ion-exchange properties, 2620.
Chemistry of methyltitanium trichloride: synthesis, properties, infrared spectra, and variable temperature nuclear magnetic resonance spectra of adducts of methyltitanium trichloride with symmetric bidentate ligands, 2026.
Transition-metal carbonyl complexes, vibrational and electronic spectra of. Part VII, infrared spectra of some cyclopentadienyl-metal carbonyl complexes, 480.
complexes containing phosphorus ligands. Part I, triaryl phosphite complexes of cobalt and nickel, 96. Part II, triaryl phosphite derivatives of ruthenium and osmium, 639. Part III, convenient syntheses of some triphenylphosphine complexes of the platinum metals, 2947.
molecular orbital calculations. Part I, hexafluorometallate(II) ions, 2668.
thermochemical and spectroscopic properties of. Part II, cobalt complexes of the type CoL_2X_2 (L = *o*-, *m*-, or *p*-fluoroaniline, and X = chlorine, bromine, or iodine), 795.
with oxygen donor ligands. Part II, complexes of 2,6-dimethyl-4-pyrone with metal nitrates, 2008.
with Schiff bases and the factors influencing their redox properties. Part I, nickel and copper complexes of some diketone bis-thiosemicarbazones, 2829.
compounds, thermal properties of. Part II, complexes of manganese, iron, cobalt, nickel, copper, and zinc of the type $(NEt_4)_2MCl_4$, 1166.
dithiolene complexes. Part XV, π-Cyclopentadienyl nitrosyl and related molybdenum complexes, 3308. Part XVI, π-cyclopentadienyl manganese nitrosyl 1,1-dithiolene complexes, 3315. Part XVII, cleavage of the ring from π-cyclopentadienyl–metal complexes, by 1,2-dithiolato and dithiocarbamato-ligands, 3318.
halides, thermochemistry of some acetonitrile and benzonitrile complexes of, 2903.
hydride complexes. Mass spectra of inorganic molecules. Part VI, 1684.
nitrosyl compounds. Part IV, nitrosyl halide derivatives of rhodium(I) and iridium(I), 1662.
structure and reactivity of the oxyanions of. Part XVIII, study of γ-irradiated potassium chromate by electron spin resonance spectroscopy, 782.
vapours, chemistry of. Part I, reactions with trifluorophosphine and related compounds, 2526.
Anionic halogenocarbonyls of rhodium, iridium, and platinum, 2788.
Binuclear organometallic compounds. Part II, reactions of triorganotin hydrides with iridium(I) and rhodium(I) complexes, 3303.
σ-Bonded organotransition-metal ions. Part IX, strong hyperconjugative and inductive electron donation by some alkyl-manganese, -molybdenum, -tungsten, and -iron carbonyl groups in substituted pyridinium ions, 507. Part X, kinetics and mechanism of the unimolecular hydrolysis of some pyridiomethyl metal carbonyl compounds in aqueous acid, 511. Part XI, kinetics and mechanism of the reactions of pyridiomethylpentacyanocobaltate(III) ions with thallium(III), mercury(II), indium(III), and gallium(III) chloride in aqueous acid, 517. Part XII, bimolecular displacement of cobalt(III) from organopentacyanocobaltate(III) ions and of chromium(III) from penta-aquo-organochromium(III) ions by nitrosating species, 523.
Complexes of pyridines and methylpyrazine with some zinc(II), cadmium(II), and mercury(II) salts, 2161.

Transition-metal (*contd.*)
of thiazoles. Part III, complexes of thiazole with cobalt(II), nickel(II), copper(II), zinc(II), and palladium(II) salts, 3015.
Crystal and molecular structure of tetraphenylarsonium tetranitratomanganate(II) and *X*-ray study of other $M(NO_3)_4^{2-}$ ions (M = Ni, Cu, or Zn), 226.
NN-Diethyldithiocarbamate complexes of tervalent lanthanide and actinide elements and the crystal structure of tetraethylammonium neptunium(III) tetrakis-(*NN*-diethyldithiocarbamate), 786.
Five-co-ordinate high-spin complexes of bivalent nickel and copper with 2-methyl-8-[(6-methyl-2-pyridyl)-methyleneamino]quinoline, 2907.
Investigation of substituted tri-(2-pyridyl)amine complexes of nickel(II) and iron(II) by use of electronic and iron-57 Mössbauer spectroscopy, 2673.
Ligand displacement reactions. Part V, mechanisms of displacement of bidentate olefins from olefin(tetramethyl-1,4-benzoquinone)nickel(0) complexes by trimethyl phosphite, 2922.
Mechanism of the addition of fluoro-olefins to iridium(I) and platinum(0) complexes, 1847.
Metal derivatives of hexafluoroisopropyl alcohol and related compounds, 3153.
Nickel(II) and cobalt(II) complexes with thiazolidine-2-thione, 1904.
Nitratopentacarbonylrhenium(I), 3333.
Oxidative addition and other reactions of rhodium, iridium, and platinum complexes with carbon disulphide, ethyl dithiochloroformate, and acids, 1771.
Oxides and oxyions of the non-metals. Part XIV, structure and reactivity of the oxyanions of transition metals. Part XIX, electron spin resonance study of the radicals AsO_4^{2-} and VO_4^{2-} formed by γ-irradiation of arsenate and vanadate in calcium tungstate, 2367.
Pentamethylcyclopentadienyl-rhodium and -iridium halides. Part II, reactions with mono-, di-, and triolefins, 2875. Part III, reactions with cyclohexadiene, 2884.
Protonation of ruthenium- and rhodium-bridged carboxylates and their use as homogeneous hydrogenation catalysts for unsaturated substances, 3322.
Reaction of fluoro-olefins with iron and ruthenium carbonyl complexes, 2975.
Reaction of hexafluorobut-2-yne with carbonyl complexes of iron, ruthenium, and osmium, 2981.
Reactions of low-valent metal complexes with fluorocarbons. Part XIV, hexafluoroisopropylideneamine-nickel and -platinum complexes, 3161.
Structure and reactivity in complexes of iridium and rhodium. Part I, crystal and molecular structure of bis-[1,2-bis(diphenylphosphino)ethane]rhodium(I) perchlorate, 2539.
Syntheses structures, reactions, and vibrational spectra of complexes containing osmium–gold bonds: trinuclear osmium and related complexes, 2889.
Vibrational spectra of some oxide halides of the transition elements with particular reference to gas-phase and single-crystal Raman spectroscopy, 1210.
Tungsten chloride fluorides: the preparation of *cis*- and *trans*-tungsten dichloride tetrafluoride and its decomposition into other tungsten fluorides, 1708.
hexafluoride, reactions of, with alkylalkoxy- and alkylphenoxy-silanes, hexamethyldisiloxane, and dimethyl ether, 2574.
-183–phosphorus-31 nuclear spin coupling constants, interpretation of, 1226.
-(VI) sulphide tetrachloride and tungsten(VI) sulphide tetrabromide, crystal and molecular structures of, 2815.
Chemistry of the metal carbonyls. Part LVIII, reactivity of the tricarbonylcyclopentadienyltungstate anion, $[(\pi\text{-}C_5H_5)W(CO)_3]^-$, towards fluorocarbene, 680.
Organonitrogen groups in metal carbonyl complexes. Part I, diphenylmethyleneamino-derivatives of π-cyclopentadienyl-molybdenum and -tungsten carbonyl complexes, 2279.
Reactions of tungsten hexafluoride with sulphite esters and with trimethyl phosphite: preparation and reactions of alkoxy- and phenoxy-tungsten(VI) pentafluorides, 501.
Tertiary phosphine and tertiary arsine complexes of molybdenum(II), molybdenum(IV), tungsten(II), and tungsten(IV), 595.

U

Unstable intermediates. Part LXXIII, e.s.r. studies of peroxyl radicals formed from vanadium(V), 1889. Part LXXIV, electron spin resonance study of the optical and radiation damage of poly-(2,6-dimethylphenylene oxide), 1995. Part LXXV, electron spin resonance studies of the effect of environment upon the hyperfine parameters for PO_3^{2-} and NO_3^{2-}, 1998. Part LXXVI, electron spin resonance study of radiation damage in persulphate crystals: interconversion of $S_2O_8^-$ and SO_3^- radicals induced by light and heat, 2000. Part LXXVII, paramagnetic centres in γ-irradiated hydrogen chloride and cæsium hydrogen chloride, 2255. Part LXVIII, electron spin resonance studies of the radicals O_2PF^- and O_2PF_2, 1323. Part LXIX, trapped electrons: an electron spin resonance study of radiation damage in hydrogen cyanide and methyl cyanide, 1326. Part LXX, electron spin resonance study of silver radicals trapped in frozen aqueous sulphuric acid, 1329. Part LXXI, electron spin resonance spectra of γ-irradiated trimethyl phosphate, 1334. Part LXXII, electron spin resonance spectral evidence for the existence of the $(AgH)^+$ and $(Ag_2H)^{2+}$ radical cations, 1336. Part LXXIX, electron spin resonance studies of the effect of environment upon the hyperfine parameters for CO_2^- and NO_2, 3075. Part LXXX, electron spin resonance investigation of the $[Ag\text{–}Cd]^{2+}$ and Cd_2^{3+} diatomic cations, 3080. Part LXXXI, electron spin resonance of γ-irradiated methylsilanes: methylsilyl radicals, 3084.
Uranium monocarbide and β-silicon carbide, high-temperature reaction between, 35.

V

Vanadium(II) chemistry. Part II, spectral and magnetic studies of the hydrated halides, 1095.
-(II), electron spin resonance study of. Part I, V^{2+} in single crystals of lithium fluoride and sodium fluoride, 300. Part II, V^{2+} in single crystals of AgCl, 303.

Vanadium (*contd.*)
Part III, covalency factors derived from a correlation of the cubic crystal-field splittings of optical and electron spin resonance measurements on V^{3+} in lithium chloride, sodium chloride, potassium chloride, silver chloride, silver bromide, and cadmium chloride, 2700.
-(IV), oxo-, and oxomolybdenum complexes with a tridentate Schiff base, 2964.
-(III) tris-(*OO*-diethyl phosphorodithioate), $V[PS_2(OEt)_2]_3$, preparation, crystal structure, and spectroscopic properties of, 2929.
Electron spin resonance study of aqueous vanadyl tartrate solutions, 922.
Electron transfer reactions of vanadium(IV) with some oxyanion oxidants in aqueous perchloric acid. Part I, reaction with chromium(VI) and manganese(VII), 1196. Part II, reaction with chlorine(V), 1200.
Identification of one- and two-equivalent paths in the reaction of vanadium(II) with mercury(II), 3221.
Preparation and properties of oxotetrachlorovanadates-(V), 1103.
of *N*-salicylideneamino-acid and -ester complexes of oxo-vanadium-(IV) and -(V), 3369.
Reactions of vanadium(II) with the μ-amido[aquotetra-amminecobalt(III)], [chlorotetra-amminecobalt(III)], and chloropenta-amminecobalt(III) complexes: comparison of kinetic data, 856.
Vapours, transition-metal, chemistry of. Part I, reactions with trifluorophosphine and related compounds, 2526.
Vibrational analysis of diborane and halides M_2X_6 (M = Al, Ga, or In): programme for normal co-ordinate calculations, 697.
Vinylideneamines. Stereochemistry of molecules containing the C=C=N group. Part IV, *X*-ray determination of the molecular structure of *N*-*p*-tolyl-2,2-diphenylvinylideneamine and *N*-*p*-bromophenyl-2,2-diphenylvinylideneamine, 2053.
(Vitamin-A aldehyde)tricarbonyliron, crystal and molecular structure, 1229.

W

Water mixtures, and the enthalpy of transfer from methanol to aqueous methanol of the tetraethyltin–mercuric chloride transition state, 199. Part VII, thermodynamics of solution of mercuric chloride in methanol–water mixtures, 203.

Z

Zinc(II) and cobalt(II) diethyldithiophosphinates, crystal and molecular structure of, 714.
-(II) and cobalt(II) phosphinothionates, structure and polymeric nature of, 3386.
-(II) and nickel(II) complexes of 2-alkoxyphenols, 2472.
nitrite complexes with amine ligands, 1933.
Molecular polarisability: conformation of bispyridine-zinc(II) chloride as a solute, 2224.
Zirconium isopropoxide, reactions with β-diketones and β-keto-esters, 904.
tetrakishydroborate, exchange reactions of, 2915.

JOURNAL OF THE CHEMICAL SOCIETY

The scale and cost of present day publication make it necessary to ask authors to co-operate with the Society to the full. To facilitate this the Society will publish a sequence of notices to authors within these covers. It is intended to deal with all major aspects of the preparation, submission, content, and handling of articles intended for the *Journal*. Careful attention to these notices will help authors to have their work published more easily and rapidly.

NOTICES TO AUTHORS—No. 1/1968

General Policy

The Journal of the Chemical Society is designed as a medium for reporting original contributions to new chemical knowledge. Articles which do not advance knowledge (*i.e.*, reviews) will not normally be considered for publication in the *Journal*, although the Society accepts that it is sometimes necessary to draw together the detail and argument of a long series of papers in a short introductory or summarising paper.

The *Journal* is intended to deal with any branch of chemistry, and a liberal view is encouraged with regard to contributions on border-line subjects, *e.g.*, the borders between ' pure ' chemistry and ' applied ' chemistry, biochemistry, analytical chemistry, or chemical physics. The principal criterion is whether the contribution contains matter of general chemical interest and novelty.

Experimental chemical facts are admitted for publication, even if divorced from theoretical interpretation or evaluation; the account should, however, be as concise as possible. Equally, purely theoretical papers, devoid of experimental accounts, are welcomed.

Submission of Articles

Typescripts should be addressed to ' The Editor, The Chemical Society, Burlington House, London W1V OBN '

The *Journal* is published in three subject-oriented sections:

Section A, Inorganic, Physical, and Theoretical
Section B, Physical Organic
Section C, Organic

and authors are requested to indicate, at the time they submit a typescript, the section of the *Journal* for which it is intended. Whenever possible their wishes will be met, but if this proves impossible the Editor will communicate with the authors before the article appears in print.

Two copies of the typescript (a top-copy and a good-quality carbon copy) are required.

Conditions Governing Acceptance

Contributions that have appeared or have been accepted for publication with essentially the same content in another journal or freely available printed work will not be published in the *Journal* of the Society except by permission of the Council. This restriction does not apply to results previously published in *materially abbreviated* form as a paper presented at a symposium, etc., as a communication to *Chemical Communications*, as a letter to the Editor of other periodicals, or as a Patent.

Contributions are accepted by the Society on the understanding that the authors (*a*) have obtained any necessary authority for publication, and (*b*) will, if requested, surrender their copyright to the Society. Attention is drawn to the following extract from the Society's Bye-Laws:

> 79. (i) Every Fellow who, with a view to its publication by the Society, submits a paper or other communication shall by so doing undertake:
>
> (*a*) that his communication has not been published and that he will not permit its publication before it is accepted or declined by the Society, and
>
> (*b*) that if it is accepted for publication the Society shall thereupon become entitled to the copyright therein and that he will, when called upon to do so, assign to the Society the said copyright, including sole right to print and publish in any form, in any language, and in any part of the world the whole or any part of his communication. The Council shall not refuse any reasonable request from an author to reproduce his own work elsewhere in whole or in part.
>
> The attention of every Fellow who submits a paper or other communication for publication shall be drawn to this Bye-Law.
>
> (ii) Every non-Fellow who submits any paper or other communication with a view to its publication shall be required to sign an undertaking in the terms set out above.

Authors are solely responsible for the factual accuracy of their contributions.

The Society reserves the right to retain all typescripts sent to it, and authors are therefore advised to keep copies. When contributions have been submitted for publication the authors are not at liberty, save by permission of the Society, to withdraw or delay them, or to publish them elsewhere until after publication by the Society.

Content of the *Journal*

Articles in the *Journal* are **NOT** divided into different classes (*e.g.* as Papers and Notes) nor are they subjected to different treatments or segregated within an issue.

All contributions, no matter how long or how short, are treated in the same way and are judged only on the criteria of

(i) originality and quality of scientific content

(ii) appropriateness of the length (or brevity) to that content of new science.

Notwithstanding its readiness to accept very short articles, the Society does not intend to permit fragmentation of a substantial piece of research work into a number of short publications. Unnecessary fragmentation will be a valid reason for rejection of manuscripts.

A clear distinction exists between a contribution to the *Journal* and an article submitted to *Chemical Communications*; the former is the definitive account of a completed piece of research, the latter is an urgent, preliminary, brief account of an important development of which the substantive account cannot yet be written.

Authorship of Articles

Publication in the *Journal* is a privilege of Fellowship of The Chemical Society. A contribution is therefore not normally considered for publication unless at least one of the authors is a Fellow of the Society, but in exceptional circumstances the Council is prepared to consider contributions submitted by non-Fellows.

Administration

Receipt of a contribution for consideration will be acknowledged immediately by the Editorial Office. The acknowledgment will indicate the unique *paper reference number* assigned to the contribution. Since this number is the basis of the Society's record of more than 3000 manuscripts per annum authors are particularly asked to quote it in all subsequent correspondence.

A further communication will be sent by the Editor to the author submitting the manuscript, after the referees have reported on it.

Refereeing

All contributions to the *Journal* are submitted to at least two referees. It is their duty to advise the Society (as opposed to the authors) on the scientific suitability of the contribution.

Referees' names are not disclosed to authors.

The referees' views are conveyed to the author by the Editor for consideration; then differences of opinion or emphasis are mediated by the Editor, by further referees or in the last resort by the Primary Journals Committee.

The Editor is empowered to accept contributions for publication on the recommendation of the referees.

Contributions recommended by the referees for rejection are considered individually at a meeting of the Primary Journals Committee, whose decision is final.

Notification of acceptance or rejection is sent by the Editor.

Layout of the Typescript

One copy of the typescript must be a top copy, typed on good quality quarto-size white paper in double-line spacing. Margins of at least 1½ inches must be left at the top, bottom, and left-hand side of each page.

The first page must be set out in the following order:

(*a*) Name and address for proofs

(*b*) Section of the *Journal* for which the contribution is submitted

An extra two line space

(*c*) Title of the article (NOT underlined, capitals for first letter of each noun or adjective only)

(*d*) The word ' By ' followed by the authors' names and the address where the work was carried out (NOT underlined); an asterisk (*) is to follow the name of the author who will deal with correspondence from readers

An extra two line space

(*e*) The summary (an essential part of every contribution), indented an extra ½ inch, double-line spacing

An extra line space

(*f*) The main text, first paragraph not indented but the first word or ' compound word ' doubly underlined for small capitals. A compound word is the whole of a multiple-part chemical name or the several names of the authors of a single reference.

Subsequent paragraphs should receive an indent before the first word.

The various sections of a contribution can be introduced by headings (Experimental, Results, etc.,) typed on separate lines against the left-hand margin. These headings will be in capitals, doubly underlined, but the heading ' Introduction ' will be omitted if it would come at the beginning of the main text.

Lists of references, displayed formulae, Tables, Schemes, the captions to illustrations, etc., must be set out on separate sheets of the typescript.

All pages, including Tables, of a typescript must be numbered serially.

NOTICES TO AUTHORS—No. 2/1968

Presentation of Papers

Every latitude, consistent with brevity, in the form and style of papers is permitted, and no pattern for either is prescribed. Certain elements are, however, common to all papers, and these are considered.

Organization of Material

Title.—The choice of a title for a paper is of the greatest importance, since it is from the title that the important key-words used in information retrieval are taken. Not only should the title clearly and accurately indicate the content of that paper but also it should be as specific as the content and emphasis of the work permits. Brevity in a title, though desirable, should be balanced against its accuracy and usefulness.

Abbreviations, symbols, and formulae are generally not permitted, and it is usual to spell out terms where necessary.

Reference to the preceding part of a series must be made as the reference (numbered 1) to the title in the form: 'The Chemistry of Vitamin B_{12}. Part VIII.[1] Controlled Potential Reduction of Vitamin B_{12a}.' [Reference to a preceding part in the references is in the form: Part VII, H. A. O. Hill, B. E. Mann, J. M. Pratt, and R. J. P. Williams, *J. Chem. Soc.* (*A*), 1968, 564. If the page number is unknown because the paper has still to be accepted, or is in the press, the paper number should be given.]

Summary.—Every paper for the *Journal* must be accompanied by a summary (50—250 words) setting out briefly and clearly the objects and results of the work. The summary should give a reader a clear idea of what the work has achieved and should be *independent* of the main text. This last point is of particular importance in connection with the names of compounds which, although they may be accompanied by a number which refers to a displayed formula in the body of the text, must be comprehensible without reference to this formula. Thus,

> Apetalactone, a new triterpene lactone isolated from *Calophyllum apetalum* Willd. has been shown to be 4,28-dihydroxy-3,4-secofriedelan-3-oic acid lactone (IIa).
>
> or
>
> Reaction of sodium hydride with ω-hydroxyalkyltriphenylphosphonium salts $Ph_3P^+[CH_2]_nOH\ X^-$ (I) has been investigated. The salt (I; $n = 1$, X = 1) gave triphenylphosphine and formaldehyde. The salt (I; $n = 2$, X = 1) gave triphenylphosphine oxide and ethylene. Similar reactions were carried out with ω-hydroxyalkyltriphenylarsonium (XIV) and ω-hydroxyalkyldimethylphenylammonium (XV) salts.

The summary should concern only the main subject of the work and its main conclusions; details of an involved argument or synthesis should not be included and, although classes of compounds prepared or discussed should be given rather than a list of compounds, key compounds in the work should be referred to.

Introduction.—This should give clearly and briefly, with relevant references, both the nature of the problem under investigation and its background.

Results and Discussion.—It is usual for the results to be presented first, and for them to be followed by a discussion of their significance. Only relevant results should be presented, and figures, tables, and equations should be used only for purposes of clarity and brevity. Data must not be reproduced in more than one form, *e.g.* in both figures and tables.

Experimental Section.—Descriptions of experiments should be given in detail sufficient to enable experienced experimental workers to repeat them; the degree of purity of materials should be given, as should the relative quantities used. Descriptions of established procedures are unnecessary. Standard techniques and methods used throughout the work should be stated at the beginning of the section. Apparatus should be described only if it is non-standard; commercially available instruments are referred to by their stock numbers (*e.g.* Perkin-Elmer 137 or Unicam SP 500 spectrophotometers). The accuracy of primary measurements should be stated. Unexpected hazards encountered during the experimental work should be noted. The detailed treatment of the Experimental section is dealt with in a forthcoming Notice to Authors.

Acknowledgements.—Contributors, other than co-authors, are acknowledged in a separate paragraph at the end of the paper; acknowledgements should be as brief as possible. Titles, Mr., Mrs., Miss, Dr., Professor, *etc.*, are given; degrees are not given. Organizations which operate on a commercial basis are not acknowledged.

Bibliographic References.—These are given on a separate sheet at the end of the manuscript and are referred to in the text by superior roman numerals. They must be distinguished from footnotes which are given at the bottom of the page to which they refer; they are referred to by an asterisk (*), dagger (†), *etc.* Bibliographic references and footnotes are the subject of Notice No. 3.

General Detail

Type Size.—It should be noted that since the Experimental section and the results are printed in smaller type than the theoretical part, division between the two should be clear-cut and frequent alternation is not advisable.

Brevity.—Because of the large volume of work submitted for publication, brevity in the presentation of papers is essential and, for this reason, certain tendencies are discouraged; these are as follows:

(*a*) Unnecessary division of work into separate parts of a series. Papers are in no way discouraged solely on grounds of length.
(*b*) Submission of fragmentary work when this can be included in a larger communication.
(*c*) Historical introductory paragraphs in cases when a simple statement of the accepted present position suffices.
(*d*) Undue elaboration of hypotheses.
(*e*) Over-detailed and verbose exposition of ideas.
(*f*) Excessive use of diagrams, for example, straight-line plots that can be adequately expressed as an equation together with, if necessary, a table of deviations.
(*g*) Duplication of data as between text, tables, and figures, *etc.*

(*h*) Details of the preparation of simple derivatives such as esters, ethers, semicarbazones, *etc.*, and slight variations of essentially the same technique. (Unless the conditions are critical, quantities are superfluous, and only an indication of reagents and/or conditions is required.)

Spelling.—Standard English spelling is used (*Oxford English Dictionary*), although latitude with respect to alternative spellings for certain words is allowed. Where one form or the other of a particular spelling is adopted it should be used consistently throughout a paper.

Punctuation.—Although punctuation follows standard English practice, the following conventions are observed:

(*a*) A comma is placed before 'and' or 'or' in a series such as 'oxygen, sulphur, and selenium' or '$\lambda_{max.}$ 237, 295, and 343 nm.'

(*b*) Parentheses, square brackets, and braces are used, as necessary, in that order, *i.e.* {[( )]}.

(*c*) When a word is followed by a punctuation mark the parenthetical phrase must be inserted before the latter, *e.g.* 'm.p. 234° (decomp.),' and not 'm.p. 234°, (decomp.)'.

(*d*) A colon is used to separate a ratio, as in 1 : 20 —not a solidus 1/20.

(*e*) Parenthetical expressions of the same physical quantity in different units are separated by a comma (3·9 g, 0·1 mole) (30 ml, 1 mole); expressions of different physical quantities are separated by a semicolon (2·9N; 30 ml) (*d* 0·88; 8 ml).

Hyphenation.—Hyphens are used for two purposes: to divide and to compound.

Division. It is common practice to divide words, particularly when in a sequence, when one part is common to several of the words; in such cases, the hyphen, representing the point of attachment to the common part, is always inserted, *e.g.* 'the chloro-, bromo-, and fluoro-naphthacenes,' 'the *o*-, *m*-, or *p*-nitrotoluenes,' or 'the oxo-naphthalenes and -naphthacenes.' It is not good practice, however, to detach both a common prefix and a common suffix in a series, *e.g.* 'the dihydroxy- naphthalene- and phenanthrene-diones,' since confusion can arise.

'Sections' of class names such as diazo-ketone, alkyl-diamine, epoxy-nitro-sulphone, *etc.*, are linked by hyphens.

It is also Society usage to insert a hyphen after a prefix which ends in a vowel or y; the hydroxy-group, the aza-function, the carboxy-compounds, the nitro-derivatives, but the methyl group (note that hydroxy, acetoxy, carboxy, ethoxy, and methoxy are used and not hydroxyl, acetoxyl, carboxyl, ethoxyl, and methoxyl).

It is customary to separate a pair of the same letter when these letters (in the same fount) would not naturally fall together, *e.g.* butyl-lithium, iodo-octane.

Compounding. A hyphen is often necessary when words are compounded to form a single modifying adjective to precede the noun being modified, thus: 'a melting-point determination' or 'a free-radical chain mechanism.' A hyphen is not needed when adverbs are compounded, as in 'an electrically heated oven,' or for two-word chemical names such as 'nitric acid solution.'

Miscellaneous uses of hyphens. Hyphens are used to set apart numbers, configurational letters, Greek letters, and italicized prefixes: 1,2,5-trimethylcyclohexane, D-*gluco*-hexose, *s*-trinitrobenzene, β-chlorophenethylbenzene, tri-μ-carbonyl-bis(tricarbonyliron), and 3-methylpent-*trans*-2-ene.

Use of Italics.—As described below, italics are indicated in a typescript by single underlining. Particular attention should be paid to the following uses.

(*a*) Foreign words and phrases and Latin abbreviations are given in italics: *e.g.*, *in toto*, *in vivo*, *ca.*, *cf.*, *i.e.*, *etc.*

(*b*) In the names of chemical compounds or radicals italics are used for prefixes (other than numerals or symbols) when they define the position of named substituents, or when they define stereoisomers: other prefixes are printed in roman. (*Note:* Initial capital letters are not to be used with italic prefixes or single-letter prefixes: full points are not to be associated with letter prefixes.)

o-, *m*-, and *p*-nitrotoluenes, but *ortho*-, *meta*-, and *para*-compounds (*o*-, *m*-, and *p*- are used only with specific names; *ortho*-, *meta*-, and *para*- are used with classes), *s*-trinitrobenzene, *NN*-dimethylaniline, *trans*- and *cis*-hexane-1,2-diol, *gem*- and *vic*-diols, benzil *anti*-oxime, 3-*O*-methyl-L-*glycero*-tetrulose.

At the beginning of a sentence the first roman letter after the prefix is capitalized: 'D-*glycero*-D-*gluco*-Heptose was subjected . . .' and 'β-*p*-Tolylchalcone gave . . .'

(*c*) The scientific names of genera, species, and varieties are italicized.

(*d*) In references to periodicals their names or abbreviations are set in italics.

Note: Greek letters are not italicized, and should not therefore be underlined in typescripts.

Headings.—(*a*) Main sections (Experimental, Discussion, *etc.*): side-heading, small capitals, no final fullstop.

(*b*) Main side-heading: italics, initial capital letter for each noun and adjective, final fullstop and dash.

(*c*) Subsidiary side-heading: italics, first initial capital only, final fullstop but no dash.

(*d*) Further subdivision: by italic (*a*), (*b*), *etc.* (no following fullstop), and finally (i), (ii), *etc.* If (a), (b), *etc.* are used in front of a subsidiary side-heading, then for contrast these letters are not italicized.

Letters and prefixes which are ordinarily printed in italics are transferred for contrast into roman type in italicized phrases (see example below, where *O*-alkyl becomes O-*alkyl*).

Physicochemical symbols, however, remain in their prescribed form, and numerals and Greek letters are not italicized.

Examples:

EXPERIMENTAL

Preparation of Aliphatic Aldoximes and Ketoximes.—Acetoxime O-*alkyl ethers.* (*a*) Acetoxime (100 g) was dissolved . . .

Density (*d*) *of the Alcohol at* 295 K.—The series of aliphatic alcohols . . .

Note: In the above examples it should be noted that the type of print required to indicate italics, capitals, small capitals, *etc.* is shown by underlining; this convention must be strictly adhered to, *i.e.*

Single underlining for *italic* type
Double underlining for SMALL CAPITALS
Treble underlining for ORDINARY CAPITALS
Wavy underlining for **bold black** type

NOTICES TO AUTHORS—No. 3/1968

Bibliographic References and Footnotes

A clear distinction is made between bibliographic references and footnotes. The latter are used to present material which, if included in the body of the text, would disrupt the flow of the argument but which is, nevertheless, of importance in qualifying or amplifying the textual material. Such footnotes are referred to with the following symbols: *, †, ‡, §, ¶, ‖, *etc.* [*Note:* Since an asterisk is used to indicate the author to whom correspondence should be addressed, its use early on in a paper is not advised; a dagger (†) is preferred.]

Bibliographic References.—Reference to the source of statements in the text is made by use of *superior numerals* at the appropriate place. The references themselves are given as footnotes at the bottom of the corresponding page in the final printed text. It is thus *essential* that bibliographic references are numbered in the order in which they will appear.

When citation of a paper is repeated the numeral previously given to that reference is to be used also at the second citation; the footnote is not repeated.

The position of the superior numeral should be chosen with care, particularly when it does not follow an author's name. If placed adjacent to punctuation, the numeral should normally be placed after the punctuation mark, *e.g.* 'This compound was shown to be the dienone,[3] which . . . '. It may be necessary to modify this rule, however, to avoid confusion, thus: ' In this way the method was found to be suitable for lead[2], tin[3], bismuth[4], and mercury[5].'

Particular care is necessary where a reference number is likely to be confused with a superscript numeral indicating a power index: '. . . which gave a value of 2·3 cm^3 . . . ' should be written as '. . . which gave a value[3] of 2·3 cm ' or '. . . which gave a value of 2·3 cm (ref. 3) '.

Since it is usually difficult to print a table in a given position in the text, references within the table are best dealt with by taking the individual references into the printed footnotes to the tables and using a new reference number sequence therein. Should the references cited in the tables appear much earlier in the text, these earlier reference numbers may be used.

Journals. Journal titles must be abbreviated to the forms listed in Notice 4 of this series. The main principles which underlie these abbreviations are: (i) clarity to a chemist; (ii) a fullstop after each abbreviated word, but not after words in full; (iii) English and Latin adjectives have initial capital letters, other adjectives do not.

Books. Titles of books are cited in quotation marks, in upright letters, and the author(s), title, publisher, town, date (or edition, if more than one has been published), and page number (if required) must be given in that order:

C. J. M. Stirling, ' Radicals in Organic Chemistry,' Oldbourne Press, London, 1965, p. 69.

T. J. Suen, in ' Polymer Processes,' ed. C. E. Schildknecht, Interscience, New York, 1956, vol. X, p. 295.

Patents. Patents should be indicated in the form: B.P. 367,450, 367,455-7. U.S.P. 1,171,230. G.P. 436,112-4. Jap.P. 20,101. Dates are indicated thus: B.P. 666,776/1956. Patents which are applied for must always be given a year, *e.g.* B.P. Appl. 102/1968.

Reports and Bulletins, etc.

R. A. Allen, D. B. Smith, and J. E. Hiscott, ' Radioisotope Data,' UKAEA Research Group Report AERE-R 2938, H.M.S.O., London, 1961.

' Collected Papers on Methods of Analysis for Uranium and Thorium,' Geological Survey Bulletin 1006, U.S. Government Printing Office, Washington D.C., 1954.

Material presented at meetings.

N. N. Greenwood, Abstracts, Anniversary Meeting of the Chemical Society, Glasgow, 1965, C1.

N. S. Anderson and D. A. Rees, in ' Proceedings of the Vth International Seaweed Symposium,' ed. E. G. Young and J. L. McLachlan, Pergamon Press, Oxford, 1966, p. 405.

Theses.

A. D. Mount, Ph.D. Thesis, University of London, 1967.

Reference to unpublished material. For material presented at a meeting, congress, or before a society, *etc.*, but not published, the following form is used:

[1] A. R. Jones, presented in part at the XXth Congress of the International Union of Chemistry, Paris, September, 1960.

For material accepted for publication, but not yet published, the following form is used:

[2] A. R. Jones, *J. Amer. Chem. Soc.*, in the press.

If the paper has been submitted to the Society, the paper number should be given:

[3] A. R. Jones, *J. Chem. Soc.* (*A*), in the press (8/556).

For material submitted for publication but not yet accepted the following form is used:

[4] A. R. Jones, submitted for publication in *Angew. Chem.*

For personal communications the following form is used:

[5] G. B. Ball, personal communication. (*Note:* the form, G. B. Ball, private communication, is inappropriate.)

If material is to be published but has yet to be submitted the following form is used:

[6] Unpublished data.

Names.—The names and initials of all authors are always given in the reference footnote; they must not be replaced by the phrase *et al.* This does not prevent some, or all, of the names being mentioned at their first citation in the cursive text: initials are not necessary in the text.

For Chinese and Spanish authors all names should be given as in the original, since the patronymic is not always given last in these languages. If co-authors are to be collectively cited, as in 'Smith and his co-workers' or 'Smith *et al.*,' the latter form is inappropriate unless the individual name 'Smith' appears first among the authors named in the original.

Composite References.—Whenever possible, composite references should be used rather than a series of individual references. The style for composite references is as follows:

[1] A. B. Jones, *J. Chem. Soc.* (*A*), 1967, 234.

[2] A. B. Jones, *J. Chem. Soc.* (*A*), 1966, 123; 1967, 234.

[3] A. B. Jones, *J. Chem. Soc.* (*A*), 1966, 123; *J. Amer. Chem. Soc.*, 1956, **78**, 1234.

[4] A. B. Jones, *J. Chem. Soc.*, 1956, 234; A. B. Jones and C. D. Brown, *J. Chem. Soc.* (*B*), 1967, 234, 1077; 1968, 599.

[5] A. B. Jones, *J. Amer. Chem. Soc.*, 1956, **78**, 1234; A. B. Jones and C. D. Brown, *ibid.*, 1957, **79**, 567; A. B. Jones and E. F. Green, *ibid.*, p. 999.

If only one paper from a composite reference is required for citation later, then two numbers may be assigned to the first citation (*e.g.* Jones[1,2]); alternatively, long composite references may be divided by letters, *e.g.*:

(*a*) A. B. Jones, *J. Chem. Soc.* (*A*), 1954, 467; (*b*) A. B. Jones and C. D. Brown, *J. Chem. Soc.* (*B*), 1967, 234.

A. B. Jones, *J. Chem. Soc.* (*A*), (*a*) 1953, 267; (*b*) 1954, 1742; (*c*) *etc.*

A composite reference may cite a previous reference in the form:

[12] A. B. Jones, *J. Chem. Soc.*, 1956, 234; C. D. Brown, ref. 5.

(*Note: ibid.* is used only within a given reference and not to refer from one reference number to another: the abbreviated title for the journal should be repeated for separate reference numbers.)

Idem, loc. cit., and *op. cit.* are not used in references.

Abbreviations of Journal Titles.—Abbreviations for journal titles are constructed on the following general principles:

(*a*) When the full title consists of a single word it is not abbreviated: *Nature, Experientia, Tetrahedron.*

(*b*) In other cases the title or words selected from it are abbreviated as far as is consistent with the general principles:

(i) The abbreviated title should still enable the reader or librarian to identify the journal with ease; it should be readily expansible into the original or into full words near to the original. Accordingly, many words are unsuitable for abbreviation: *Acta, Bergvesen, Brewing, Cercetari, Dansk, Finishing, Folyoirat, Food, Istanbul, Sinica.*

(ii) The same word, if abbreviated, is always abbreviated in the same way, irrespective of the full title of the journal in which the word appears.

(iii) Nouns and adjectives derived directly from them receive the same abbreviation; initial capital letters are used for nouns, and small (lower case) initial letters for adjectives (unless they form the first word of the abbreviated title), except that for English and Latin titles adjectives are also given initial capital letters. Examples: Chemie *Chem.*, chemische(n) *chem.*, Chemistry or chemical *Chem.*, Chimie *Chim.*, chimique *chim.*, Chimie or chimica *Chim.*, Belgique *Belg.*, belges *belg.*

(iv) Related words not strictly covered by clause (iii) are differentiated. Examples: Chemistry and chemical *Chem.*, but Chemists in full; Engineering (adjective and noun) *Eng.*, but Engineers in full.

(v) Special sources of possible confusion require special treatment. Examples: *Ind.* for Industry and industrial, but India(n) in full; *Anal.* for Analele, *Analyt.* for Analytical, *Ann.* for Annals, Annales, Annalen, Annali, or Annual, but the full words for Anales, Analyst, and Annuaire.

(*c*) 'The', 'a', 'of', and 'and', as well as their equivalents in other languages, are omitted, except for rare cases where they seem essential for clarity, as in *Chem. and Ind.* (Chemistry and Industry, not Chemical Industry or Industrial Chemistry).

(*d*) All abbreviations are followed by a fullstop (full point); full words in references do not require to be followed by a fullstop.

(*e*) Names of countries are added, without punctuation, when they form part of the full title, as in *J. Chem. Soc. Japan* (Journal of the Chemical Society of Japan) or *Bull. Soc. chim. France* (Bulletin de la Societe chimique de France; the 'France' may not be omitted here as the list contains two other *Bull. Soc. chim.* as well as *Bull. Soc. Chim. biol.*). The country of origin is added in parentheses when needed to avoid confusion, as in *Ann. Chim.* (*France*) (Annales de Chimie) and *Ann. Chim.* (*Italy*) (Annali di Chimica), and for some titles of Japanese and translations from Russian journals, as in *Pharm. Bull.* (*Japan*) and *J. Gen. Chem.* (*U.S.S.R.*).

(*f*) The following long-established extreme abbreviations are retained: *Ber.* (since 1945 this journal has been superseded by *Chem. Ber.*); *Compt. rend.*; *Gazzetta*; *Annalen.*

NOTICES TO AUTHORS—No. 4/1968

List of Abbreviations for Periodicals most commonly found in Chemical Papers

The following list is compiled from those journals which are received in the Chemical Society Library. Since journal titles and their abbreviations are printed in italics, they must be underlined in the manuscript.

Accounts Chem. Res.
Acta Acad. Aboensis, Math. Phys.
Acta Biochim. Biophys. Acad. Sci. Hung.
Acta Biochim. Iran.
Acta Biochim. Polon.
Acta Chem. Scand.
Acta Chim. Acad. Sci. Hung.
Acta Cryst.
Acta Metallurgica
Acta Phys. Acad. Sci. Hung.
Acta Phys. et Chem. Szeged.
Acta Polytech. Scand. (Chem.)
Acta Vitaminol.
Adv. Alicyclic Chem.
Adv. Analyt. Chem. Instrumen.
Adv. Appl. Microbiol.
Adv. Carbohydrate Chem.
Adv. Catalysis
Adv. Chem. Eng.
Adv. Chem. Phys.
Adv. Clin. Chem.
Adv. Colloid Interface Sci.
Adv. Enzymol.
Adv. Fluorine Chem.
Adv. Food Res.
Adv. Free-Radical Chem.
Adv. Heterocyclic Chem.
Adv. Inorg. Chem. Radiochem.
Adv. Lipid Res.
Adv. Macromol. Chem.
Adv. Magn. Resonance
Adv. Org. Chem.
Adv. Organometallic Chem.
Adv. Pest Control Res.
Adv. Petrol. Chem.
Adv. Photochem.
Adv. Phys.
Adv. Phys. Org. Chem.
Adv. Protein Chem.
Adv. Quantum Chem.
Adv. Struct. Res. Diffraction Methods
Advancement Sci.
Afinidad
Agric. and Biol. Chem. (Japan)
Agric. Chem.
Agrokém. és Talajtan
Allg. prakt. Chem.
Ambix
Amer. Ceram. Soc. Bull.
Amer. Dyestuff Reporter
Amer. Inst. Chem. Engineers J.
Amer. J. Pharm
Amer. J. Sci.
Amer. Perfumer
Anais Acad. brasil. Cienc.
Anais Assoc. brasil. Quim.
Anal. Sti., Univ. "Al. I. Cuza" Iasi. Sect. Ic
Anales Asoc. quim. argentina
Anales Bromatol.
Anales de Quim.
Analyst
Analyt. Biochem.
Analyt. Chem.
Analyt. Chim. Acta
Analyt. Letters
Angew. Chem.
Angew. Chem. Internat. Edn.
Angew. makromol. Chem.
Ann. Acad. Sci. Fennicae
Ann. Chim. (France)
Ann. Chim. (Italy)
Ann. Endocrinol.
Ann. Fals. et Expertise chim.
Ann. Inst. Pasteur
Ann. New York Acad. Sci.
Ann. pharm. franç.
Ann. Physik
Ann. Physique
Ann. Report Fac. Pharm., Kanazawa Univ.
Ann. Report Inst. Seaweed Res.
Ann. Report ITSUU Lab.
Ann. Report Sankyo Res. Lab.
Ann. Reports Medicin. Chem.
Ann. Rev. Biochem.
Ann. Rev. Microbiol.
Ann. Rev. N.M.R. Spectroscopy
Ann. Rev. Phys. Chem.
Ann. Rev. Plant Physiol.
Ann. Soc. sci. Bruxelles
Ann. Stazione chim.-agrar. sper. Roma
Ann. Surveys Organometallic Chem.
Ann. Univ. M. Curie-Sklodowska, Sect. AA
Ann. Univ. Sci. Budapest, Sect. Chim.
Annalen
Appl. Spectroscopy
Arch. Biochem. Biophys.
Arch. Pharm.
Arch. Sci.
Arkiv. Fysik
Arkiv Kemi
Armyan. khim. Zhur.
Arzneim.-Forsch.
Atti Accad. naz. Lincei, Rend. Classe Sci. fis. mat. nat.
Austral. J. Biol. Sci.
Austral. J. Chem.
Austral. J. Phys.
Azerb. khim. Zhur.

Ber. Bunsengesellschaft Phys. Chem.
Berg- u. hüttenmänn. Montash. montan. Hochschule Leoben
Biochemistry
Biochemistry (U.S.S.R.)
Biochem. Biophys. Res. Comm.
Biochem. J.
Biochem. Pharmacol.
Biochem. Prep.
Biochem. Soc. Symp.
Biochim. appl.
Biochim. Biol. sper.
Biochim. Biophys. Acta
Biofizika
Biokhimiya
Biol. Rev. Camb. Phil. Soc.
Biopolymers
Biotechnol. and Bioeng.
Bol. Inst. Quim. agric. (Brazil)
Bol. Inst. Quim. Univ. nac. auton. Mexico
Bol. Soc. Chilena Quim.
Bol. Soc. quim. Peru
Boll. sci. Fac. Chim. ind. Bologna
Boll. Soc. ital. Biol. sper.
Botyu-Kagaku
Brennstoff-Chem.
Brit. Bull. Spectroscopy
Brit. Chem. Eng.
Brit. Chemist
Brit. Corrosion J.
Brit. J. Pharmacol.
Bul. Inst. Politeh. Iasi
Bull. Acad. polon. Sci., Sér. Sci. chim.
Bull. Acad. Sci., U.S.S.R.
Bull. Chem. Soc. Japan
Bull. Inst. Chem., Acad. Sinica
Bull. Inst. Chem. Res., Kyoto Univ.
Bull. Inst. Nuclear Sci. "Boris Kidrich"
Bull. sci., Conseil Acad. R.S.F., Yougoslavie
Bull. Soc. chim. belges
Bull. Soc. chim. Beograd
Bull. Soc. Chim. biol.
Bull. Soc. chim. France
Bull. Soc. roy. Sci. Liége

Canad. Chem. Processing
Canad. J. Biochem.
Canad. J. Chem.
Canad. J. Chem. Eng.
Canad. J. Pharm. Sci.
Canad. J. Phys.
Canad. Spectroscopy
Carbohydrate Res.
Carbon
Catalysis Rev.
Cellulose Chem. Technol.
Cereal Chem.
Cesk. Farm.
Chem. Age
Chem. analit.
Chem. and Ind.
Chem. and Pharm. Bull. (Japan)
Chem. and Phys. Carbon
Chem. and Phys. Lipids
Chem. Ber.
Chem. Comm.
Chem. Engineer
Chem. Eng.
Chem. Eng. (Japan)
Chem. Eng. News
Chem. Eng. Progr.
Chem. Eng. Progr., Monographs
Chem. Eng. Progr., Symp.
Chem. Eng. Sci.
Chem. Erde
Chem. Heterocyclic Compounds
Chem. High Polymers (Japan)
Chem. in Britain
Chem. in Canada
Chem. Ind. (Düsseldorf)
Chem. Ind. Internat.
Chem.-Ing.-Tech.
Chem. listy
Chem. Natural Compounds
Chem. Oil and Gas, Romania
Chem. Phys. Letters
Chem. Process Eng.
Chem. Processing
Chem. Processing (S. Africa)
Chem. Processing (U.S.A.)
Chem. prùmysl
Chem. Rev.
Chem. Soc. Special Publ.
Chem. Stosowana
Chem. Tech. (Berlin)
Chem. Week
Chem. Weekblad
Chem.-Ztg.
Chem. Zvesti
Chemist-Analyst
Chemist and Druggist
Chemistry (Quart. Chinese Chem. Soc., Formosa)
Chim. analyt.
Chimia (Switz.)
Chimica e Industria
Chimie et Industrie
Chimika Chronika
Chromatographia
Chromatog. Rev.
Ciencia
Clinical Biochem.
Clinical Chem.
Clinica Chim. Acta
Coke and Chemistry (U.S.S.R.)
Coll. Czech. Chem. Comm.
Colloid J. (U.S.S.R.)
Combustion and Flame
Comm. Fac. Sci. Univ. Ankara
Compt. rend.
Compt. rend. Acad. bulg. Sci.
Compt. rend. Soc. Biol.
Compt. rend. Soc. Phys. Hist. nat. Genève
Compt. rend. Trav. Lab. Carlsberg
Co-ordination Chem. Rev.
Corrosion
Corrosion Sci.
Croat. Chem. Acta
Current Sci.

Dansk Tidsskr. Farm.
Dechema Monograph.
Deut. Farb.-Z.
Deut. Lebensm.-Rundschau
Developments Appl. Spectroscopy
Discuss. Faraday Soc.
Diss. Abs.
Doklady Akad. Nauk Armyan. S.S.R.
Doklady Akad. Nauk Azerb. S.S.R.
Doklady Akad. Nauk S.S.S.R.
Dopovidi Akad. Nauk Ukrain. R.S.R. Ser. B.
Double-Liaison

Educ. in Chem.
Electroanalyt. Chem.
Electrochem. Technol.
Electrochim. Acta
Elektrokhimiya
Endeavour
Enzymologia
Erdöl u. Kohle
Ernährungsforschung
European J. Biochem.
European J. Steroids
European Polymer J.
Experientia

Fed. Proc.
Ferment. i spirt. Prom.
Fette, Seifen, Anstrichm.
Finska Kemistsamfundets Medd.
Fiz.-khim. Mekh. Materialov
Fiz. Metall. i Metallov.
Fluorine Chem. Rev.
Food
Food Manuf.
Food Technol.
Fortschr. Arzneim.
Fortschr. Chem. Forsch.
Fortschr. Chem. org. Naturstoffe
Fortschr. Hochpolym.-Forsch.
Fuel

Gazzetta
General Cytochem. Methods
Geokhimiya
Gidrokhim. Mat.
Giorn. Microbiol.
Glass Technol.
Grasas y Aceites

Halogen Chem.
Helv. Chim. Acta
Helv. Phys. Acta
High Energy Chem.

Ind. Chim.
Ind. chim. belge
Ind. and Eng. Chem.
Ind. and Eng. Chem. (Fundamentals)
Ind. and Eng. Chem. (Process Design)
Ind. and Eng. Chem. (Product Res. and Development)
Ind. Finishing
Ind. Lab.
Indian J. Appl. Chem.
Indian J. Biochem.
Indian J. Chem.
Indian J. Pure Appl. Phys.
Industria y Química
Ing. chim. (Bruxelles)
Inorg. Chem.
Inorg. Chim. Acta
Inorg. Chim. Acta, Rev.
Inorg. Materials
Inorg. Nuclear Chem. Letters
Inorg. Synth.
Inst. Internat. Chim. Solvay Conseil Chim.
Internat. Chem. Eng.
Internat. J. Appl. Radiation Isotopes
Internat. J. Quantum Chem.
Internat. J. Quantum Chem., Symp.
Internat. J. Radiation Biol.
Internat. Sugar J.
Internat. Z. Vitaminforsch.
Intra-Sci. Chem. Reports
Ion Exchange
Israel J. Chem.
Israel J. Technol.
Ital. J. Biochem.
Izvest. Akad. Nauk Kazakh. S.S.R., Ser. khim.
Izvest. Akad. Nauk Latv. S.S.R., Ser. khim.
Izvest. Akad. Nauk S.S.S.R., Neorg. Materialy
Izvest. Akad. Nauk S.S.S.R., Ser. khim.
Izvest. sibirsk. Otdel. Akad. Nauk, Ser. khim. Nauk

Japan Analyst
Japan Chem. Quart.
Jap. J. Pharmacol.
J. Agric. Chem. Soc. Japan
J. Agric. Food Chem.
J. Amer. Ceram. Soc.
J. Amer. Chem. Soc.
J. Amer. Leather Chemists' Assoc.
J. Amer. Oil Chemists' Soc.
J. Analyt. Chem. (U.S.S.R.)
J. Appl. Chem.
J. Appl. Chem. (U.S.S.R.)
J. Appl. Cryst.
J. Appl. Phys.
J. Appl. Polymer Sci.
J. Assoc. Offic. Analyt. Chemists
J. Assoc. Public Analysts
J. Biochem. (Japan)
J. Biol. Chem.
J. Catalysis
J. Chem. Documentation

J. Chem. Educ.
J. Chem. and Eng. Data
J. Chem. Phys.
J. Chem. Soc. (A)
J. Chem. Soc. (B)
J. Chem. Soc. (C)
J. Chem. Soc. Japan
J. Chem. Soc. Japan, Ind. Chem. Sect.
J. Chem. U.A.R.
J. Chim. phys.
J. Chinese Chem. Soc. (Formosa)
J. Chromatog.
J. Colloid Interface Sci.
J. Econ. Entomol.
J. Electroanalyt. Chem. Interfacial Electrochem.
J. Electrochem. Soc.
J. Electrochem. Soc. Japan
J. Fac. Sci. Univ., Tokyo
J. Food Sci.
J. Franklin Inst.
J. Gas Chromatog.
J. Gen. Chem. (U.S.S.R.)
J. Heterocyclic Chem.
J. Histochem. Cytochem.
J. Indian Chem. Soc.
J. Indian Inst. Sci.
J. Inorg. Nuclear Chem.
J. Inst. Brewing
J. Inst. Chemists (India)
J. Inst. Fuel
J. Inst. Petroleum
J. Inst. Rubber Ind.
J. Karnatak Univ.
J. Korean Chem. Soc.
J. Labelled Compounds
J. Less-Common Metals
J. Lipid Res.
J. Macromol. Sci.
J. Mass Spectrometry Ion Phys.
J. Materials
J. Medicin. Chem.
J. Mol. Biol.
J. Mol. Spectroscopy
J. Mol. Structure
J. Natural Sci. Math., Govt. Coll., Lahore
J. Neurochem.
J. New Zealand Inst. Chem.
J. Nuclear Materials
J. Oil Colour Chemists' Assoc.
J. Opt. Soc. Amer.
J. Org. Chem.
J. Org. Chem. (U.S.S.R.)
J. Organometallic Chem.
J. Pharm. Pharmacol.
J. Pharm. Sci.
J. Pharm. Soc. Japan
J. Pharmacol.
J. Phys. (A)
J. Phys. (B)
J. Phys. (C)
J. Phys. (E)
J. Phys. and Chem. Solids
J. Phys. Chem.
J. Phys. Soc. Japan
J. Polarog. Soc.
J. Polymer Sci., Part A-1, Polymer Chem.
J. Polymer Sci., Part A-2, Polymer Phys.
J. Polymer Sci., Part B, Polymer Letters
J. Polymer Sci., Part C, Polymer Symposia
J. prakt. Chem.
J. Proc. Roy. Soc. New South Wales
J. Quant. Spectroscopy Radiative Transfer
J. Radioanalyt. Chem.
J. Res. Inst. Catalysis, Hokkaido Univ.
J. Res. Nat. Bur. Stand., Sect. A
J. S. African Chem. Inst.
J. Sci. Food Agric.
J. Sci. Hiroshima Univ.
J. Sci. Ind. Res., India
J. Sci. Instr.
J. Soc. Cosmetic Chemists
J. Soc. Dyers and Colourists
J. Soc. Leather Trades' Chemists
J. Struct. Chem.
J. Synthetic Org. Chem., Japan
J. Textile Inst.

Khim. geterotsikl. Soedinenii
Khim. i Ind.
Khim. i neft. Mashinostr.
Khim. prirod. Soedinenii
Khim. Prom.
Khim. Volokna
Khim. vysoh. Energii
Kinetics and Catalysis (U.S.S.R.)
Kinetika i Kataliz
Kolloid-Z.
Kolloid. Zhur.
Kristallografiya
Kunst. Plastics

Lab. Practice
Lipids

Macromolecules
Macromol. Rev.
Macromol. Synth.
Magyar Kém. Folyóirat
Magyar Kém. Lapja
Makromol. Chem.
Manuf. Chemist
Mededel. vlaam. chem. Ver.
Mekh. Polimerov
Melliand Textilber.
Mem. Fac. Sci. Kyushu Univ.
Mem. Inst. Protein Res., Osaka Univ.
Mem. Inst. Sci. Ind. Res., Osaka Univ.
Mém. Poudres
Methods Biochem. Analysis
Microchem. J.
Mikrochim. Acta
Mitt. deut. pharm. Ges.
Mol. Crystals
Mol. Phys.
Monatsh.

Nachr. Akad. Wiss. Göttingen, Math.-phys. Kl.
Nahrung
Nature
Naturwiss.
Neftekhimiya

Orbital
Osterr. Chem.-Ztg.
Optics and Spectroscopy
Org. Analysis
Org. Mass Spectrometry
Org. Photochem.
Org. Reaction Mech.
Org. Reactions
Org. Synth.
Organometallic Chem. Rev.
Organometallic Synth.
Oxidation and Combustion Rev.

Paint Manuf.
Paint Technol.
Pakistan J. Sci.
Pakistan J. Sci. Ind. Res.
Pakistan J. Sci. Res.
Parfümerie u. Kosmetik
Perfumery Essent. Oil Record
Periodica Polytech.
Perspectives in Structural Chem.
Pharm. Acta Helv.
Pharm. J.
Pharm. Weekblad
Pharm. Zentralhalle
Phil. Mag.
Phil. Trans.
Photochem. and Photobiol.
Photoelectric Spectromet. Group Bull.
Phys. and Chem. Earth
Phys. and Chem. Glasses
Phys. Rev.
Phys. Rev. Letters
Physica
Phytochemistry
Plastics and Polymers
Polymer
Polymer Sci. (U.S.S.R.)
Postepy Biochem.
Priklad. Biokhim. i Mikrobiol.
Proc. Acad. Sci. (U.S.S.R.)
Proc. Amer. Soc. Brewing Chemists
Proc. Brit. Ceram. Soc.
Proc. Cambridge Phil. Soc.
Proc. Indian Acad. Sci.
Proc. Japan Acad.
Proc., k. ned. Akad. Wetenschap.
Proc. Nat. Acad. Sci., India
Proc. Nat. Acad. Sci. U.S.A.
Proc. Phys. Soc.
Proc. Roy. Soc.
Proc. Roy. Soc. Edinburgh
Proc. Soc. Exp. Biol. Med.
Proc. Soil Sci. Soc. Amer.
Process Biochem.
Progr. Biophys. Mol. Biol.
Progr. Boron Chem.
Progr. Chem. and Chem. Ind.
Progr. Chem. Fats and Lipids
Progr. Inorg. Chem.
Progr. N.M.R. Spectroscopy
Progr. Nucleic Acid Res.
Progr. Org. Chem.
Progr. Phys. Org. Chem.
Progr. Polymer Sci.
Progr. Reaction Kinetics
Progr. Solid-State Chem.
Progr. Stereochem.
Przemysl Chem.
Pure Appl. Chem.
Pyrethrum Post

Quart. Reports Sulphur Chem.
Quart. Rev.
Quimica e Industria

Radiation Res.
Radiochim. Acta.
Radiokhimiya
Reakts. spos. org. Soedinenii
Rec. Chem. Progr.
Rec. Trav. chim.
Recent Developments Chem. Natural Carbon Compounds
Recent Progr. Hormone Res.
Recent Progr. Surface Sci.
Recherches
Rend. Accad. Sci. fis. mat. (Napoli)
Reports Govt. Chem. Ind. Res. Inst., Tokyo
Reports Inst. Phys. Chem. Res (Japan)
Reports Progr. Phys.
Residue Rev.
Rev. Asoc. bioquim. argentina
Rev. Chim. (Roumania)
Rev. Chim. minérale
Rev. Fac. Cienc. quim., Univ. nac. La Plata
Rev. Fac. Farm. Bioquim., Univ. nac. mayor San Marcos
Rev. Fac. Sci. Univ. Istanbul Ser. C
Rev. Mod. Phys.
Rev. Phys. Chem. Japan
Rev. Port. Quim.
Rev. Prod. chim.
Rev. Pure Appl. Chem. (Australia)
Rev. Roumaine Biochim.
Rev. Roumaine Chim.
Rev. Sci. Instr.
Rev. Soc. quim. Mexico
Rev. Univ. ind. Santander Colombia
Ricerca sci.
Roczniki Chem.
Roy. Inst. Chem., Lecture Series
Roy. Inst. Chem. Rev.
Rubber Chem. Technol.
Rubber Plastics Age
Russ. Chem. Rev.
Russ. J. Inorg. Chem.
Russ. J. Phys. Chem.

Safybi
Sbornik Prác Chem. Fak. S.V.Š.T.
Schweiz. Apoth.-Ztg.
Sci. Papers Coll. Gen. Educ., Univ. Tokyo
Sci. Papers Univ. Chem. Technol., Pardubice
Sci. Papers Inst. Phys. Chem. Res., Tokyo
Sci. Proc. Royal Dublin Soc.
Sci. Reports Res. Inst., Tôhoku Univ.
Sci. Reports Tôhoku Univ.
Science
Science and Culture
Separation Sci.
Soap
Soc. Sci. Fennica, Commentationes Phys.-Math.
Soc. Sci. Lodz. Acta Chim.
Soil Sci.
Soviet Phys. Cryst.
Spectochim. Acta
Sperimentale
Stärke
Stain Technol.
Standard Methods Clin. Chem.
Steroids
Structure and Bonding
Studia Univ. Babes-Bolyai, Ser. Chem.
Suomen Kem.
Surface Sci.
Svensk kem. Tidskr.
Svensk Papperstidn.
Synthetic Methods Org. Chem.

Talanta
Technol. Reports Osaka Univ.
Technol. Reports Tôhoku Univ.
Teor. i eksp. Khim.
Teor. Osnovy khim. Tekhnol.
Tetrahedron
Tetrahedron Letters
Textile Inst. and Ind.
Textile Res. J.
Theor. and Exp. Chem.
Theor. Chim. Acta
Tidsskr. Kjemi Bergvesen Met. (Kjemi)
Topics Stereochem.
Trans. Brit. Ceram. Soc.
Trans. Chalmers Univ. Technol., Gothenburg
Trans. Faraday Soc.
Trans. Inst. Chem. Engineers
Trans. Inst. Metal Finishing
Trans. J. Plastics Inst.
Trans. Roy. Soc. Canada
Transition Metal Chem.
Trudy Inst. Elektrokhim. Akad. Nauk S.S.S.R., Ural'skii Filial
Trudy Inst. khim. Akad. Nauk Azerb. S.S.R.
Trudy Inst. khim. Nauk, Akad. Nauk Kazakh. S.S.R.
Trudy Khim. i khim. Tekhnol.
Trudy Kom. analit. Khim., Akad. Nauk S.S.S.R.

Ukrain. biokhim. Zhur.
Ukrain. khim. Zhur.
Uspekhi Khim.
Uzbek. khim. Zhur.

Verhandel. k. ned. Akad. Wetenschap., Afd. Natuurk.
Vestnik Leningrad. Univ. (Fiz. Khim.)
Vestnik Moskov. Univ.
Vestnik Slovensk. kem. Drustva
Veszpremi Vegyi. Egyetem Közl.
Vitamins and Hormones
Voprosy med. Khim.
Vysokomol. Soedineniya

Wallerstein Lab. Comm.
Wiss. Z. tech. Hochschule Chem. Leuna-Merseburg

Zavodskaya Lab.
Z. analyt. Chem.
Z. anorg. Chem.
Z. Chem.
Z. Krist.
Z. Lebensm.-Untersuch.
Z. Naturforsch.
Z. phys. Chem. (Frankfurt)
Z. phys. Chem. (Leipzig)
Z. Physik
Z. physiol. Chem.
Z. Vitamin-,Hormon-,u.Ferment-forsch.
Z. wiss. Phot.
Zeszyty Nauk., Mat., Fiz., Chem.
Zeszyty Nauk. Politech. lodz. (Chem.)
Zhur. analit. Khim.
Zhur. eksp. teor. Fiz.
Zhur. E.T.F. Letters
Zhur. evol. Biokhim. i Fiziol.
Zhur. fiz. Khim.
Zhur. nauch. priklad. Fotograf. Kinemat.
Zhur. neorg. Khim.
Zhur. obshchei Khim.
Zhur. org. Khim.
Zhur. prikład. Khim.
Zhur. priklad. Spektroskopii
Zhur. strukt. Khim.
Zhur. Vsesoyuz. Khim. obshch. im. D. T. Mendeleeva

NOTICES TO AUTHORS—No. 5/1969

The International System of Units (SI)

Preamble

For many years the practice of The Society in respect of units has been based on the recommendations of a joint Committee of The Royal Society, The Chemical Society, The Faraday Society, and The Physical Society. The 1951 set of recommendations published by that Committee formed the basis of Chapter 7 of the ' Handbook for Chemical Society Authors ' but since their promulgation much effort has been expended in international circles to devise and approve a basic set of coherent units. This having been completed, The Joint Symbols Committee of The Royal Society, of which The Chemical Society is a participating member, has produced a completely new set of recommendations in a pamphlet ' Symbols, Signs and Abbreviations ' 1969 (copies of this pamphlet or further details can be obtained from the Managing Editor, The Chemical Society, Burlington House, London, W1V OBN). The basis of the new recommendations is the ' Système International d'Unités ' (to be abbreviated to SI, in all languages).

The advantages offered by SI are as follows.

(i) It is a truly coherent system, *i.e.* the product or quotient of any two unit quantities in the system is the unit of the resultant quantity. This contrasts with the previous situation where, even in metric systems used within the same discipline, many additional units are arbitrarily and sometimes differently defined.

(ii) SI derives nearly all the quantities needed in all sciences and technologies from a very small set of base-units.

(iii) The variety of multiples and sub-multiples in common use is minimized.

(iv) A more uniform presentation can be ensured.

(v) Presentation is such that the relation of any derived unit, or multiple or sub-multiple of a derived unit, to the coherent unit is always obvious and simple.

Policy

(1) The Society announces its approval and support of SI, and its intention that SI shall become the preferred system in its publications.

(2) *Guidelines for the publications of the Society.* The Society realises that public acceptance of this system will be more a matter of education and tolerance than of dictatorial action. It nevertheless desires that the SI system and units compatible with it shall *rapidly* become the established standard in the Society's publications. An author will not be denied any reasonable usage, but if non-SI units are used for critical data or for quantities measured to a high order of accuracy (as opposed to the rough physical conditions of an experiment), the definitive values will be expressed in SI units as well.

The following will be the guidelines used:

(*a*) A metric system will always be used in preference to a non-metric one.

(*b*) The SI system will be the standard usage.

(*c*) The units used to record the *definitive* values of ' critical data ' or quantities measured to high degree of accuracy will be of the SI system.

(*d*) When non-SI units are used they must be adequately explained unless their definition is obvious (*e.g.* degree Celsius, mmHg, g, h). The derivation of derived non-SI units will be indicated.

(*e*) Equations involving electrical quantities should normally be those appropriate for use with SI (rationalized m.k.s) units. If authors wish to use equations suitable for e.s.u. or e.m.u. the lack of consistency with SI units must be explicitly noted.

(3) *The principal changes.* There are four of these:

(*a*) Basic units: the metre and the kilogramme replace the centimetre and the gramme of the old metric system.

(*b*) The unit of force is now the newton (kg m s^{-2}).

(*c*) The unit of energy is the joule and of power the joule per second (watt); thus the variously defined calories and non-metric units of energy and power are superseded.

(*d*) ' Electrostatic ' and electromagnetic ' units are replaced by SI electrical units.

Detail

(4) *Definition.* A quantity is expressed as the product of a numerical value and a unit.

(5) *The System.* The fully coherent SI consists of base-units, supplementary units, derived units, and decimal multiples and sub-multiples of these units, formed by use of prefixes only.

(6) *Coherent systems.* A coherent system is one based on a selected set of ' base-units ' from which ' derived units ' are obtained by multiplication without introducing numerical factors.

(7) *Base-units.* The name International System of Units (SI) was adopted by the Conférence Générale de Poids et Mesures in 1960 for the coherent system now based on the base-units given in Table 1.

TABLE 1

Physical quantity	*Name of base-unit*	*Symbol for unit*
length	metre	m
mass	kilogramme	kg
time	second	s
electrical current	ampere	A
thermodynamic temperature	kelvin	K
luminous intensity	candela	cd
amount of substance	mole	mol

(8) *Supplementary units.* The SI also includes two ' supplementary ' *dimensionless* units as follows:

Physical quantity	*Name of unit*	*Symbol for unit*
plane angle	radian	rad
solid angle	steradian	sr

(9) *Multiples and sub-multiples.* In the SI there is one and only one basic unit for each physical quantity. Decimal fractions and multiples of these basic units may, however, be constructed by use of certain prefixes (see Table 2). They may also be used with derived SI units.

TABLE 2

Fraction	*Prefix*	*Symbol*	*Multiple*	*Prefix*	*Symbol*
10^{-1}	deci	d	10	deka	da
10^{-2}	centi	c	10^{2}	hecto	h
10^{-3}	milli	m	10^{3}	kilo	k
10^{-6}	micro	μ	10^{6}	mega	M
10^{-9}	nano	n	10^{9}	giga	G
10^{-12}	pico	p	10^{12}	tera	T
10^{-15}	femto	f			
10^{-18}	atto	a			

The combination of a prefix and a unit symbol constitutes a new single unit symbol; compounding of prefixes is not permitted.

Although it will not always be possible, particularly in Tables, the general principle should be to choose a unit (*i.e.* including multiple or sub-multiple) such that the resulting numerical value is between 0·1 and 1000.

(10) *Derived units.* Some derived units have special names and symbols, and these are given in Table 3.

TABLE 3

Physical quantity	*Name of SI unit*	*Symbol for SI unit*	*Definition of SI unit*
energy	joule	J	$kg\ m^2\ s^{-2}$
force	newton	N	$kg\ m\ s^{-2} = J\ m^{-1}$
power	watt	W	$kg\ m^2\ s^{-3} = J\ s^{-1}$
electric charge	coulomb	C	$A\ s$
electric potential difference	volt	V	$kg\ m^2\ s^{-3}A^{-1} = JA^{-1}\ s^{-1}$
electric resistance	ohm	Ω	$kg\ m^2\ s^{-3}A^{-2} = VA^{-1}$
electric capacitance	farad	F	$A^2\ s^4\ kg^{-1}\ m^{-2} = As\ V^{-1}$
magnetic flux	weber	Wb	$kg\ m^2\ s^{-2}A^{-1} = V\ s$
inductance	henry	H	$kg\ m^2\ s^{-2}A^{-2} = VA^{-1}\ s$
magnetic flux density	tesla	T	$kg\ s^{-2}A^{-1} = V\ s\ m^{-2}$
luminous flux	lumen	lm	$cd\ sr$
illumination	lux	lx	$cd\ sr\ m^{-2}$
frequency	hertz	Hz	s^{-1}

Others do not

Physical quantity	*SI unit*	*Symbol for SI unit*
area	square metre	m^2
volume	cubic metre	m^3
density	kilogramme per cubic metre	$kg\ m^{-3}$
velocity	metre per second	$m\ s^{-1}$
angular velocity	radian per second	$rad\ s^{-1}$
acceleration	metre per second squared	$m\ s^{-2}$
pressure	newton per square metre	$N\ m^{-2}$
kinematic viscosity, diffusion coefficient	square metre per second	$m^2\ s^{-1}$
dynamic viscosity	newton second per square metre	$N\ s\ m^{-2}$
electric field strength	volt per metre	Vm^{-1}
magnetic field strength	ampere per metre	$A\ m^{-1}$
luminance	candela per square metre	$cd\ m^{-2}$

(11) *Symbol.* The symbol for a unit will be printed in roman (upright) type, remains unaltered in the plural and does *not* take a full point, *i.e.* 5 cm not 5 cm. or 5 cms or 5 cms.

The symbol will be separated from the numerical value by a thin space.

(12) *Decimal fractions and multiples of SI units having special names.* These names are not part of the SI, but for the time being their use in The Society's publications may continue. The list given in Table 4 is not exhaustive.

TABLE 4

Physical quantity	*Name of unit*	*Symbol unit*	*Definition of unit*
length	ångström	Å	$10^{-10}\ m = 10^{-1}\ nm$
length	micron	μm	$10^{-6}\ m$
area	barn	b	$10^{-28}\ m^2$
volume	litre	l	$10^{-3}\ m^3 = dm^3$
mass	tonne	t	$10^3\ kg = Mg$
force	dyne	dyn	$10^{-5}\ N$
pressure	bar	bar	$10^5\ N\ m^{-2}$
pressure	pascal	Pa	Nm^{-2}
energy	erg	erg	$10^{-7}\ J$
kinematic viscosity diffusion coefficient	stokes	St	$10^{-4}\ m^2\ s^{-1}$
dynamic viscosity	poise	P	$10^{-1}\ kg\ m^{-1}\ s^{-1}$
magnetic flux	maxwell	Mx	$10^{-8}\ Wb$
magnetic flux density (magnetic induction)	gauss	G	$10^{-4}\ T$
conductance	siemens	S	Ω^{-1}

(13) *Units defined in terms of the best available experimental values of certain physical constants.* These units are not part of the SI. The factors for conversion of these units to SI units are subject to change in the light of new experimental measurements of the constants involved. Their use outside the restricted contexts to which they are appropriate should be discouraged. The following list is not exhaustive.

Physical quantity	*Name of unit*	*Symbol for unit*	*Conversion factor*
energy	electronvolt	eV	$eV \approx 1{\cdot}6021 \times 10^{-19}\ J$
mass	unified atomic mass unit	u	$u \approx 1{\cdot}660\,41 \times 10^{-27}\ kg$

(14) *Other units now exactly defined in terms of the SI units.* These units are not part of the SI. It is recognized that their use may be continued for some time but it is recommended that except in special circumstances they should be progressively abandoned in conformity with international recommendations. The list given in Table 5 is by no means exhaustive. Each of the definitions given in the fourth column is *exact*.

TABLE 5

Physical quantity	*Name of unit*	*Symbol for unit*	*Definition of unit*
length	inch	in	$2{\cdot}54 \times 10^{-2}\ m$
mass	pound (avoirdupois)	lb	0·453 592 37 kg
time *	minute	min	60 s
time *	hour	h	3600 s
force	kilogramme-force	kgf	9·806 65 N
force	pound-force	lbf	$9{\cdot}806\ 65 \times 0{\cdot}453\ 592\ 37\ N$
pressure	atmosphere	atm	$101\ 325\ N\ m^2$
pressure	conventional millimetre of mercury	mmHg	$13{\cdot}5951 \times 9{\cdot}806\ 65\ N\ m^{-2}$
pressure	torr	Torr	$(101\ 325/760)\ N\ m^{-2}$
pressure	pound-force per square inch	$lbf\ in^{-2}$	$\frac{9{\cdot}806\ 65 \times 4535{\cdot}9237}{6{\cdot}4516}\ N\ m^{-2}$
energy	kilowatt hour	kW h	$3{\cdot}6 \times 10^6\ J$
energy	thermochemical calorie	cal(thermochem.)	4·184 J
energy	I.T. calorie	cal_{IT}	4·1868 J
thermodynamic temperature	degree Rankine	°R	(5/9) K
radioactivity	curie	Ci	$3{\cdot}7 \times 10^{10}\ s^{-1}$

* Use of other common units (min, h, day) may continue in normal expressions of intervals of time.

NOTICE TO AUTHORS—No. 6/1969

Formulae and Figures

The purpose of all illustrative matter in a paper is to clarify the arguments and descriptions rather than to duplicate them. The Society strongly encourages the use of displayed formulae, particularly in the form of schemes where the details of a reaction sequence are often more easily understood when illustrated than when described in the text.

All formulae and figures should be clearly drawn, and in the case of figures provided with captions; the latter should be typed on a separate sheet. Since all formulae carry a key number by which they are identified, unless they form part of the running text or unless they are part of a scheme which itself has a caption, they are not generally further described. Blocks of formulae do not need a caption.

Illustrative matter is divided, for technical reasons, into figures and formulae, although in many cases (*e.g.* crystal structures which may be regarded as formulae but which are treated as figures) these divisions overlap.

Structural Formulae.—(*a*) Only those formulae which are displayed may be given key numbers. In all other cases the compounds concerned are referred to by name only.

(*b*) Formulae are numbered sequentially with bold arabic numerals in parentheses [(**1**), (**2**), and (**3**) *etc.*] as they are displayed and *not* as they are mentioned in the text.

(*c*) In complex reaction schemes the formulae should be numbered serially following the reaction sequence. Non-sequential numbering in a collection of formulae can render it hard to locate an individual number.

(*d*) Structural or displayed formulae must be carefully and accurately drawn or typed on a separate sheet, rather than inserted into the text, although a marginal indication of where they are to go in the text is desirable.

(*e*) Formulae inserted into the body of the text (as distinct from those displayed separately) should be written on one line if possible, *e.g.*

$HO{\cdot}CHMe{\cdot}CO_2H$ and $\overline{NH{\cdot}[CH_2]_5{\cdot}CO}$ rather than



(*f*) Points (which may be typed as full stops) are used to indicate bonds between the atoms of the backbone chain of a compound. The symbol of each element of that chain is preceded by a full stop (or colon for a double bond) and followed by the symbols or formulae of the atoms or groups that are attached to it (parentheses being used where necessary to enclose compound groups), *e.g.* *o*-$HO{\cdot}C_6H_4{\cdot}CH_2{\cdot}NH_2$ and $CH_2Cl{\cdot}CH(OH){\cdot}CO_2H$.

Groups that are indicated by a single symbol (*e.g.* Me and Et *etc.*) do not need use of such full stops.

Repeating sequences of a backbone composite group are enclosed with square brackets and their number is indicated by an inferior multiplier, *e.g.* $HO{\cdot}[CH_2]_4{\cdot}NH_2$, but $HO{\cdot}[CH_2]_4{\cdot}N(CH_2{\cdot}OH)_2$.

(*g*) The use of large circles to represent six delocalized π-electrons in cyclic systems (with or without positive or negative signs as appropriate) is permitted in certain circumstances. Cyclic systems with more or less than six delocalized π-electrons may be represented by formulae containing dotted lines. Both topics are dealt with in *Proceedings*, 1959, 75.

(*h*) Customary steric conventions must be observed, notably for steroids, triterpenes, and carbohydrates. The Society uses wedges (◢) or heavy lines (—) rather than blocked circles (●) and broken lines in the form – – – – – rather than ⁞|||.

(*i*) The symbols Me, Et, Pr^n, Pr^i, Bu^n, Bu^i, Bu^s, Bu^t, Ph, Ac, Bz (the symbol for PhCO and not for $PhCH_2$), Alk, Ar, and Hal, should be used but may be written in full when the groups are involved in the reaction described. Other special symbols, if used, require an explanatory footnote. The carboxy-group is written CO_2H (*not* COOH) and similarly CO_2R.

(*j*) One variable univalent substituent is indicated by R; when more than one independently variable general substituent is present, R^1, R^2, and R^3 should be used (*not* R, R^1, R^2, R^3; or R_1, R_2, and R_3 which indicate 1 × R and multiples of R thereof).

(*k*) Often it is desirable to use one formula to represent a number of related compounds (or classes of compounds) by the use of one or more independently variable substituents. It is preferable to give each compound thus represented a separate key number rather than to subdivide individual key numbers by alphabetical suffixes [*i.e.* (**1**a), (**1**b), (**1**c) *etc.*].



(**1**) $R^1 = R^2 = Ph$, $R^3 = Me$, X = O
(**2**) $R^1 = Me$, $R^2 = R^3 = Ph$, X = S

(**3**) $R^1 = Me$, $R^2 = Ph$, $R^3 = Bz$
(**4**) $R^1R^2 = CO{\cdot}O{\cdot}CO$, $R^3 = Ph$

The use of more than four independently variable substituents or atoms on one generalized formula is discouraged.

(*l*) Once a formula has been displayed it is permissible to employ its key number in later reaction schemes or equations rather than to re-display the formula:



Reagents: i, MeMgI; ii, NaOH; iii, HI

It should be noted that reagents and reaction conditions are given as footnotes to the scheme for economy of space; if present, an equation number is set as far to the right as possible, and if there is likelihood of

confusion with compound key-numbers it is accompanied by the word equation.

(*m*) Displayed formulae, unless they are capable of being typed on one line [see point (*e*) above], should not be included in tables; they should be displayed before the table with a key number for each compound and this should be used in the table.

(*n*) The key number for a compound may be used in the cursive text to avoid repetition of long chemical names; this device must not be used to excess. In general it is preferred if the key number is qualified by a partial name for the compound as in the following example:

'Pyolin (**1**) was oxidized by permanganate to the oxo-acid (**2**), the methyl ester (**3**) of which with methylmagnesium iodide gave the normal product (**4**)'.

(*o*) Reference to compounds in the Summary by key number alone is not allowed since a summary should be comprehensible without reference to the body of the paper itself. The reference number should, however, accompany the name of the compound to which it refers.

Figures.—(*a*) Figures must bear on the back the names of the authors, the title of the paper (abbreviated if necessary), and the number of the figure.

(*b*) Figures must be in Indian ink, on Bristol board, white smooth cartridge paper, tracing linen, plastic film (it is essential that the special plastic ink developed for this is used), or graph paper with *faint* blue lines (red or brown lines must not be present as these may be reproduced by the photographic process of block making). Since lines must be black and sharp, photostats or similar prints are often not suitable. If paper is used, it must be strong enough to withstand repeated handling.

(*c*) Lettering and numerals must be in *blue pencil* (*not* red or black pencil or ink) clearly legible but not so heavily scored as to make a permanent impression on the paper or board.

(*d*) When the figures are large (more than 8 in × 10 in), smaller copies (which may be rough, as long as they are clear) should be supplied for submission to the referees; editing will not be undertaken, however, before the final figures are received.

(*e*) Figures must be carefully drawn, preferably three times the size (linear) that seems necessary to ensure sharp printing, but excessive reduction is costly and illustrations that exceed five times the size of the finished block may be returned to the author for redrawing.

(*f*) Two-inch margins are essential all round figures. Lettering for insertion at margins should be placed well clear of the ordinate or abscissa line so that it can be copied before erasure.

Lettering and touching-up are done by the Society and clarity of instructions is essential. When there is much lettering, or complicated lettering, and always when tracing linen or plastic film is used, a rough tracing should be added with the lettering shown in ink.

(*g*) Since, for printing, the size is reduced, lines should not be too thin. Given lines must be of even thickness, angles neat, and curves smooth.

(*h*) Graphs should have only the requisite minimum of the scale (not less than three points) marked by numerals, and the scale lines should not normally be continued into the body of the figure.

(*i*) Graphs in any one paper should, when convenient, be drawn to the same scale, and scale markings should, when possible, be identical so that the graphs may be placed adjacent on the page. Contrariwise, two curves drawn to different scales can be shown on one graph by having the appropriate scales on the left-hand and the right-hand side. The use of both right- and left-hand axes and top and bottom axes on figures which have quantitative significance is encouraged.

(*j*) Experimental points must be shown sufficiently large to be distinguishable when reduced in size. Whenever possible, they should be confined to open and closed circles, crosses, squares, and triangles. Partly black circles and similar signs frequently become indistinguishable in print.

(*k*) Curves may be distinguished as full lines (——), broken (– – – –) or dotted lines (· · · ·), and dot-dash lines (— · — · —); further differentiation should normally be achieved by labelling the curves, which is, in any case, desirable.

(*l*) For reference in legends, it is preferable to mark curves A, B, C, *etc.* rather than to reproduce the type of line in print.

(*m*) There must be no unnecessary waste space, *e.g.* around curves; ordinates and abscissae should start at zero only if the curve extends to that range. Enlargement of parts of a figure can occasionally be placed in a corner of the complete figure.

(*n*) It is not advisable to insert much or complicated lettering on curves or in blank spaces; mistakes (in copying by the artist) can rarely be rectified once the block is made. It is better to label the curves A, B, C, *etc.* and to use explanatory legends.

(*o*) *Large* solid objects should be represented by hatching rather than by black surfaces, otherwise the ink may smear on printing.

(*p*) Photographs are reproduced by a half-tone process on art paper. The prints supplied must be very clear and of good contrast, as considerable definition may be lost in reproduction.

(*q*) Captions and explanatory legends, to be set by the printer should be typed on a separate page attached to the manuscript, and not given on the figure itself.

(*r*) Figures are numbered consecutively Figure 1, Figure 2, *etc.* (in arabic numerals). Photographs (half-tone reproduction) are numbered consecutively Plate 1, Plate 2, *etc.* but these numbers are independent of the numbering of any figures.

(*s*) Since figures represent an uneconomical use of space their number and size should be kept to a minimum. Figures and tables for the same values are discouraged.

NOTICES TO AUTHORS—No. 7/1970

Deposition of Data—Supplementary Publications Scheme

Preamble

The growing volume of research that produces large quantities of data, the increasing facilities for analysing such data mechanically, and the rising cost of printing are each making it very difficult to publish in the *Journal* in the normal way the full details of the experimental data which become available. Moreover, whilst there is a large audience for the general method and conclusions of a research project, the number of scientists interested in the details, and in particular in the data, of any particular case may be quite small. The National Lending Library (N.L.L.) in consultation with the Editors of scientific journals, has now developed a scheme whereby such data and detail may be stored and then copies made available on request at the N.L.L., Boston Spa. The Chemical Society is a sponsor of this scheme and has indicated to the National Lending Library its wish to use the facilities being made available in this ' Supplementary Publications Scheme '.

Bulk information (such as crystallographic structure factor tables, computer programmes and output, evidence for amino-acid sequences, spectra, *etc.*), which accompany papers published in future issues of the Chemical Society's *Journal* may in future be deposited, free of charge, with the Supplementary Publications Scheme, either at the request of the author and with the approval of the referees or on the recommendation of referees and the approval of the author.

The Scheme

Under this scheme, authors will submit articles and the supplementary material to the Journal simultaneously in the normal way, and both will be refereed. If the paper is accepted for publication the supplementary material will be sent by the Society to the National Lending Library where it will be stored on microfiche. Microfiche and enlarged copies will be obtainable by individuals both in the U.K. and abroad on quoting a supplementary publication number that will appear in the parent article. Difficult or oversized material may only be available as 35 mm microfilm or enlarged copies.

The Microfiche

A single microfiche will accommodate 58 pages in microform, plus an eye-visible title; additional pages are accommodated on numbered ' trailer ' fiches, each holding 69 pages. The eye-visible title on the first microfiche will comprise the supplementary publication number (see below), the authors' names, and the bibliographic reference to the parent article which the microfiche supplements.

Authors will be responsible for the preparation of camera-ready copy according to the following specifications (although the Society will be prepared to help in case of difficulty).

(*a*) Optimum page size for text or tables in typescript: up to 30 cm × 21 cm.
(*b*) Limiting page size for text or tables in typescript: 33 cm × 24 cm.
(*c*) Limiting size for diagrams, graphs, spectra, *etc.*: 39 cm × 28·5 cm.
(*d*) Tabular matter should be headed descriptively on the first page, with column headings recurring on each page.
(*e*) Pages should be clearly numbered to ensure the correct sequence of frames on the microfiche.

It is recommended that all material which is to be deposited should be accompanied by some prefatory text. Normally this will be the summary from the parent paper and authors will greatly aid the deposition of the material if a duplicate copy of the summary is provided. If authors have the facilities available the use of a type face designed to be read by computers is encouraged.

Deposition

The Society will be responsible for the deposition of the material with the National Lending Library. The N.L.L. will not receive material direct from authors since the Library wishes to ensure that the material has been properly and adequately refereed.

Action by the Society

The Society will receive a manuscript for publication together with any supplementary material for deposition and will circulate all of this to referees in the normal way. When the edited manuscript is sent to the printers the supplementary material will be sent for deposition to the National Lending Library who will issue the necessary publication number. The Society will add to the paper, at the galley proof stage, a footnote indicating what material has been deposited in the Supplementary Publications Scheme, the number of microfiches it occupies, the supplementary publication number, and details as to how copies may be obtained.

Availability

This supplementary material will be available either as microfiche or as a photographic enlargement, from the National Lending Library's photocopying service. This works on a prepaid, flat rate, coupon basis.

The present coupon purchases one or two microfiches of the same item, or 1—10 pages of enlargement from the same item (or, where appropriate, 1—20 pages from the same item on 35 mm microfilm). The present coupon costs are:

United Kingdom	£10 for 50 coupons (or 25 new p each)
Europe, excluding U.K.	£6 for 20 coupons (or 30 new p each)
Elsewhere	£8·50 for 20 coupons (or 42½ new p each)

The cost includes postage; outside the U.K. all items are sent by airmail.

It is realised that not all users will want to purchase 50 coupons at a time. The Society is therefore prepared to act as agent and hold coupons which may then be purchased from the Society at the prices quoted above.

In all correspondence with the National Lending Library or the Society authors must cite the supplementary publications number.

International Collaboration

A similar scheme (known as the National Auxiliary Publications Service) is being operated in the U.S.A. by the American Society for Information Science. Similar schemes are also being contemplated in other countries. The provision of reciprocal arrangements for the exchange of supplementary data between the various national deposition centres is being investigated.

NOTICES TO AUTHORS—No. 8/1970

X-Ray Crystallographic Structure Factor Tables

The Society has recently taken advice from the members of its Chemical Crystallography Group and as a result of this and of the inception of the National Lending Library Supplementary Publications Scheme (discussed in Notices to Authors No. 7) the following rules are being taken into use forthwith to govern the publication or deposition of *X*-ray crystallographic structure factor tables.

(i) The Society will no longer publish tables of structure factors in its publications except in accordance with the provision of paragraph (iv) below.

(ii) All authors of crystallography papers will submit along with the manuscript a readable table of such structure factors for the referees' inspection. The table should be prepared in accordance with the detail given in paragraph 3 of Notices to Authors No. 7 so that it may be used for deposition. Computer printout may be used providing that it is top copy in good contrast (see note).

(iii) If the referees accept the paper and its associated structure factor tables then the Society will deposit these structure factor tables in the National Lending Library Supplementary Publications Scheme (see Notices to Authors No. 7) and will publish as a footnote to the paper the necessary details that will enable any reader to obtain a copy in microfiche or an electrophotographic printoff of the data tables associated with the paper.

(iv) Authors, or the referees, may request publication of such tables of structure factors, *in extenso*, in cases that seem to them to be desirable. It is expected that this will occur only rarely.

(v) The details of the National Lending Library Supplementary Publications Scheme and the methods for obtaining microfiche or photographic printoff of material deposited with that scheme are given in Notices to Authors No. 7.

Note to paragraph (*ii*). Structure factor tables prepared from computer printout must be presented in the form indicated in paragraph 3 of Notices to Authors No. 7 and must be arranged with the greatest economy of space possible [*i.e.* not less than two groups of columns (h, k, l, F_c, F_o) to the page (30 cm × 21 cm)]. All columns must be headed. A 'paste-up' on white card of computer printout will be acceptable providing the quality of the printout is adequate.

ERRATA. Section A

1969, page 1100, right hand column, line 10 *, *for* $C_{20}H_{22}N_2NiP_2S_2$ *read* $C_{22}H_{22}N_2NiP_2S_2$.

---

page 2574, left hand column, line 22. This line should *read* $a_1''(d_{x^2-y^2})^2$, $b_1(d_{xz})^2$, $b_2(d_{yz})^2$, $a_1'(d_{z^2})^1$, $a_2(d_{xy})^0$.

---

page 2815, the Table. *Delete* the footnote to the column Hf—Br. *Amend* the footnote to the table to *read* [a] $\nu_{sym}(MHal_2)$. [b] $\nu_{asym}(MHal_2)$.

---

page 2945, left hand column, Table 4. The figures under the column headed T^1 should *read* 2, 2, 1, 1, 1, 1, 2, 2. Lines 9 and 10. The first symbols should *be* $5B_{1u}$ and B_{1u} respectively.

page 2945, right hand column, lines 8 and 9. The internal representation should be $7A_g + 4B_{1g} + 2B_{2g} + 5B_{3g}$, and the external $2A_g + 3B_{1g} + 2B_{2g} + 2B_{3g}$.

1970, page 686, left hand column, Table 3. The values of k'_{-1} and k'_{-2} should *read*

$$k'_{-1} \sim 2{\cdot}5 \times 10^4 \text{ l. mole}^{-1} \text{ sec.}^{-1}$$
$$k'_{-2} \sim 1{\cdot}7 \times 10^5 \text{ l. mole}^{-1} \text{ sec.}^{-1}$$

---

page 893, right hand column, line 12 *. The sentence should *read* absent in the far-i.r. spectrum of *mer*-$[RuCl_3(PPh_3)_3]$ (prepared as in ref. 8). Thus

---

page 1006, title. In the title *for* Iron(III) *read* Iron(II).

---

page 1096, Table 1, column headed 'Calculated band positions', the first two figures should *be* 27·4 (not 32) and 28·4 (not 33) respectively, and the values for $VBr_2,2H_2O$ for B, ν_3 and ν_2, 0·75, 22·85, and 13·65.

page 1097, Table 2. The values for $VBr_2,2H_2O$ should *be* 9·2, 7·9, 1·3, and 1·70.

---

page 2224. Throughout the text and tables *for* bis-(*NNN'N'*-tetramethylethylenediamine)zinc(II) chloride, *read* *NNN'N'*-tetramethylethylenediaminezinc(II) chloride.

---

page 2688, left hand column, Results and Discussion. Insert the following, *Note added in proof*. Dr. M. Goldstein has informed us that he has prepared independently these anions and studied their vibrational spectra.

---

page 2780, Table 4. In plane (4) *for* 0·372 *read* 3·720. In column (4)–C(10) *for* −1·462 *read* 3·584, and C(13) *for* 3·584 *read* −1·462. In column (5)–C(4) *for* −1·407 *read* 3·699, and C(13) *for* 3·699 *read* −1·407. In column (6)–C(4) *for* 1·374 *read* −3·823, and C(7) *for* −3·823 *read* 1·374.

---

* From foot of main text.

JOURNAL
OF
THE CHEMICAL SOCIETY

SECTION A
Inorganic, Physical, and Theoretical Chemistry

Part I, pp. 1—1172

LONDON: THE CHEMICAL SOCIETY
1970

COPYRIGHT RESERVED

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

JOURNAL
OF
THE CHEMICAL SOCIETY

SECTION A
Inorganic, Physical, and Theoretical Chemistry

Part II, pp. 1173—2454

LONDON: THE CHEMICAL SOCIETY
1970

COPYRIGHT RESERVED

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

JOURNAL
OF
THE CHEMICAL SOCIETY

SECTION A
Inorganic, Physical, and Theoretical Chemistry

Part III, pp. 2455—3392, Notices to Authors, and indexes

LONDON: THE CHEMICAL SOCIETY
1970

COPYRIGHT RESERVED

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

PUBLICATIONS BOARD

Chairman

Sir Ewart Jones, M.A., D.Sc., F.R.I.C., F.R.S.

J. W. Barrett, Ph.D., A.R.C.S., F.R.I.C.
D. H. R. Barton, D.Sc., Ph.D., Sc.D., F.R.S.
L. Crombie, D.Sc., F.R.I.C.
C. Eaborn, Ph.D., D.Sc., F.R.I.C.
C. Kemball, Sc.D., M.R.I.A., F.R.S.E., F.R.S.
W. Klyne, M.A., D.Sc., F.R.I.C.
Sir Ronald Nyholm, D.Sc., F.R.I.C., F.R.S.
W. G. Overend, Ph.D., D.Sc., F.R.I.C.
G. Porter, Ph.D., Sc.D., F.R.S.
R. A. Raphael, D.Sc., F.R.I.C., F.R.S.
J. R. Ruck Keene, M.B.E., T.D., M.A.
D. H. Whiffen, M.A., D.Phil., F.R.S.
W. Wild, B.Sc., Ph.D., A.R.I.C.

Managing Editor and Secretary

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

PRIMARY JOURNALS COMMITTEE

Chairman

Sir Ronald Nyholm, D.Sc , F.R.I.C., F.R.S.

P. Bladon, B.Sc., Ph.D., F.R.I.C.
G. C. Bond, B.Sc., Ph.D., F.R.I.C.
J. I. G. Cadogan, D.Sc., F.R.I.C., F.R.S.E.
A. G. Davies, Ph.D., D.Sc., F.R.I.C.
J. Elks, D.Sc., D.I.C., A.R.C.S., F.R.I.C.
G. W. A. Fowles, Ph.D., D.Sc., F.R.I.C.
F. Glockling, B.Sc., Ph.D., D.Sc.
R. F. Hudson, Ph.D., D.I.C., A.R.C.S.
A. R. Katritzky, D.Phil., Sc.D., F.R.I.C.
G. Lowe, A.R.C.S., M.A., Ph.D.
G. R. Martin, B.Sc., A.R.C.S., F.R.I.C.
R. Mason, B.Sc., Ph.D.
R. O. C. Norman, M.A., D.Phil., D.Sc.
W. D. Ollis, B.Sc., Ph.D., F.R.I.C.
R. C. Pink, D.Sc., A.R.I.C.
J. E. Prue, M.A., D.Phil.
L. E. J. Roberts, M.A., D.Phil.
F. J. C. Rossotti, M.A., B.Sc., Ph.D.
G. Sim, B.Sc., Ph.D.
F. Sondheimer, Ph.D., A.R.C.S., F.R.S.
T. C. Waddington, M.A., Ph.D.
E. P. H. Young, M.Sc., Ph.D.

Managing Editor and Secretary

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

Editor

E. R. Smith, Ph.D., A.R.I.C.

Assistant Editor

A. D. McNaught, M.A., Ph.D.

The Chemical Society
Specialist Periodical Reports
now Available

Carbohydrate Chemistry

Senior Reporter:
Dr R. D. Guthrie,
University of Sussex

Volume 3 297 pp. Price £7

Spectroscopic Properties of Inorganic and Organometallic Compounds

Senior Reporter:
Professor N. N. Greenwood,
University of Newcastle upon Tyne

Volume 3 527 pp. Price £10

Amino-acids, Peptides, and Proteins

Senior Reporter:
Dr G. T. Young,
University of Oxford

Volume 2 258 pp. Price £6

Photochemistry

Senior Reporter:
Professor D. Bryce-Smith,
University of Reading

Volume 1 470 pp. Price £6
(Volume 2 due February, 1971)

Organophosphorus Chemistry

Senior Reporter:
Professor S. Trippett,
University of Leicester

Volume 1 333 pp. Price £4
(Volume 2 due March, 1971)

Electrochemistry

Senior Reporter:
Professor G. J. Hills,
University of Southampton

Volume 1 274 pp. Price £7

Organic Compounds of Sulphur, Selenium, and Tellurium

Senior Reporter:
Dr D. H. Reid,
University of St. Andrews

Volume 1 493 pp. Price £11

Earlier volumes of these titles, where applicable, are available. Fellows of the Chemical Society and members of the Royal Institute of Chemistry may obtain these publications at reduced rates.

These regular topical reviews give comprehensive, critical coverage of the world's literature.
Enquiries and orders should be addressed to:

The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts, SG6 1HN, England.

Printed in Great Britain by Richard Clay (The Chaucer Press), Ltd., Bungay, Suffolk